Tables (12)

Name	Туре	Schema
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_permissions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "fyp_appuser" ("user_id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)

Name	Туре	Schema
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
арр	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
fyp_adposter		CREATE TABLE "fyp_adposter" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "link" varchar(200) NOT NULL, "description" text NOT NULL, "image" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
link	varchar(200)	"link" varchar(200) NOT NULL
description	text	"description" text NOT NULL
image	varchar(100)	"image" varchar(100) NOT NULL
fyp_appuser		CREATE TABLE "fyp_appuser" ("user_id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "email" varchar(254) NOT NULL UNIQUE, "username" varchar(150) NOT NULL, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "is_staff" bool NOT NULL, "subscription" bool NOT NULL)
user_id	integer	"user_id" integer NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL UNIQUE
username	varchar(150)	"username" varchar(150) NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
subscription	bool	"subscription" bool NOT NULL
fyp_appuser_groups		CREATE TABLE "fyp_appuser_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "appuser_id" integer NOT NULL REFERENCES "fyp_appuser" ("user_id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
appuser_id	integer	"appuser_id" integer NOT NULL

Name	Туре	Schema
group_id	integer	"group_id" integer NOT NULL
fyp_appuser_user_permissions		CREATE TABLE "fyp_appuser_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "appuser_id" integer NOT NULL REFERENCES "fyp_appuser" ("user_id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
appuser_id	integer	"appuser_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

Indices (15)

Name	Туре	Schema		
auth_group_permissions _group_id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")		
group_id		"group_id"		
auth_group_permissions _group_id_permission_id _0cd325b0_uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325 b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")		
group_id		"group_id"		
permission_id		"permission_id"		
auth_group_permissions _permission_id_84c5c92 e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")		
permission_id		"permission_id"		
auth_permission_conten t_type_id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")		
content_type_id		"content_type_id"		
auth_permission_content_type_id_codename_01ab375a_uniq		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_un iq" ON "auth_permission" ("content_type_id", "codename")		
content_type_id		"content_type_id"		
codename		"codename"		
django_admin_log_conte nt_type_id_c4bce8eb		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")		
content_type_id		"content_type_id"		
django_admin_log_user_ id_c564eba6		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")		
user_id		"user_id"		
django_content_type_ap p_label_model_76bd3d3		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")		

Name	Туре	Schema	
b_uniq			
app_label		"app_label"	
model		"model"	
django_session_expire_ date_a5c62663		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")	
expire_date		"expire_date"	
fyp_appuser_groups_appuser_id_9a81e0ce		CREATE INDEX "fyp_appuser_groups_appuser_id_9a81e0ce" ON "fyp_appuser_groups" ("appuser_id")	
appuser_id		"appuser_id"	
fyp_appuser_groups_app user_id_group_id_3b81e 7b4_uniq		CREATE UNIQUE INDEX "fyp_appuser_groups_appuser_id_group_id_3b81e7b4_uniq " ON "fyp_appuser_groups" ("appuser_id", "group_id")	
appuser_id		"appuser_id"	
group_id		"group_id"	
fyp_appuser_groups_gro up_id_fd2cd3e6		CREATE INDEX "fyp_appuser_groups_group_id_fd2cd3e6" ON "fyp_appuser_groups" ("group_id")	
group_id		"group_id"	
fyp_appuser_user_permi ssions_appuser_id_0155 b627		CREATE INDEX "fyp_appuser_user_permissions_appuser_id_0155b627" ON "fyp_appuser_user_permissions" ("appuser_id")	
appuser_id		"appuser_id"	
fyp_appuser_user_permi ssions_appuser_id_permi ssion_id_0d554d9e_uniq		CREATE UNIQUE INDEX "fyp_appuser_user_permissions_appuser_id_permission_i d_0d554d9e_uniq" ON "fyp_appuser_user_permissions" ("appuser_id", "permission_id")	
appuser_id		"appuser_id"	
permission_id		"permission_id"	
fyp_appuser_user_permi ssions_permission_id_6e 72ec4c		CREATE INDEX "fyp_appuser_user_permissions_permission_id_6e72ec4c" ON "fyp_appuser_user_permissions" ("permission_id")	
permission_id		"permission_id"	

Views (0)

Name Type Schema

Triggers (0) Name Type Schema