

Stacked and Stable: Salvage SAPIEN-in-EVOQUE

Shire Lynn Beach MD, Kelly Higa MD, David Wang MD,
Rahul Sharma MBBS, John W. MacArthur MD, Christiane Haeffele MD



TCT®

TRANSCATHETER
CARDIOVASCULAR
THERAPEUTICS®


Disclosure of Relevant Financial Relationships

I, Shire Beach, DO NOT have any financial relationships to disclose.


Case

- 66-year-old man with VT s/p ICD underwent device lead revision complicated by a flail tricuspid valve leaflet
- Subsequently developed **symptomatic, torrential tricuspid regurgitation**
- Home medications include bumex 2mg BID
- Referred for transcatheter tricuspid valve intervention

Baseline




6+ TR




flail anterior TV leaflet

Intraprocedural Imaging





flipped anchors




partial atrial expansion

Final Release






ICE





TEE

ViV TTVR



(29mm SAPIEN 3 Ultra)



Immediately Post ViV TTVR



1 Month Post ViV TTVR



Conclusion

- Salvage SAPIEN-in-EVOQUE
 - ↑ atrial height & valve–atrial contact
 - stabilized the rocking TTVR
 - ↓ perivalvular regurgitation
- Valve complex demonstrated short-term stability