










Sheet: /Auxillary/
File: auxillary.kicad_sch

Title: Auxillary section

Size: USLetter Date: 2026-08-16
KiCad E.D.A. 10.0.5

Rev: Rev A.1
Id: 2/12






Sheet: /Auxillary/10/
File: io.kicad_sch

Title: Input and output


Size: USLetter Date: 2026-08-16
KiCad E.D.A. 10.0.5

Rev: Rev A.1
Id: 9/12



Green on @ -18dBV at input (approx.)
Red on @ +18dBu at output (approx.)

Note: one can think of using
a variety of TL431 or zener, here









Sheet: /Auxillary/LED/
File: LED_rect.kicad_sch

Title: LED and rectifier

Size: USLetter Date: 2026-08-16
KiCad E.D.A. 10.0.5

Rev: Rev A.1
Id: 10/12






Sheet: /Auxillary/Power supply/
File: power-supply.kicad_sch


Title: Power supply

Size: USLetter Date: 2026-08-16
KiCad E.D.A. 10.0.5



Rev: Rev A.1
Id: 12/12





Sheet: /Main/ File: main.kicad_sch		
Title: Main section		
Size: USLetter	Date: 2026-08-16	Rev: Rev A.1
KiCad E.D.A. 10.0.5		Id: 3/12




Sheet: /Main/SVF/		
File: svf.kicad_sch		
Title: SVF		
Size: USLetter	Date: 2026-08-16	Rev: Rev A.1
KiCad E.D.A. 10.0.5	Id: 4/12	



Unity gain



Unity gain



Sheet: /Main/summing/
File: summing.kicad_sch

Title: Summing amplifier

Size: USLetter | Date: 2026-08-16
KiCad E.D.A. 10.0.5

Rev: Rev A.1
Id: 5/12

