

LAXMO

PUMPS & MOTOR

We Know The Value Of Water...



HIGH PRESSURE WASHER PUMP

SPECIFICATION :-

POWER	:- 1600 WATT
VOLTAGE / FREQUENCY	:- 220A / 50Hz
WORKING PRESSURE	:- 100 BAR
MAXIMUM PRESSURE	:- 130 BAR
FLOW	:- 10 LPM
WEIGHT	:- 8 KG

FEATURES :-

SELF SUCTION
INDUCTION MOTOR TYPE
AUTO STOP
COMPACT DESIGN
EASY REPAIRABLE

BATTERY OPERATED WASHER PUMP

FEATURES :-

Body Material	:- PVC Body
Phase	:- Single Phase
Battery	:- 24V / 48V
Usage/Application	:- Home Use, Car and Bike Washer Pump, Solar Panel Cleaner, Etc.



LXHPW-100



LXBOP



LXHTP-30



LXHTP SET

AUTOMATIC PUMP CONTROLLER

SPECIFICATION :-

RATED VOLTAGE :- 220-240V / 110 - 120V
FREQUENCY :- 50 / 60 Hz
MAX USING CURRENT/POWER :- 10A-Upto 1.1 LW/16 A-1.5 KW
STARTING PRESSURE SETTING :- 1.2 BAR, 1.5 BAR, 2.2 BAR
MAX WORKING PRESSURE :- 10 BAR

FEATURES :-

COMPACT AND SILENT
BUILT IN RESET BUTTON
AUTOMATIC START AND STOP OF PUMP
PROTECTION AGAINST DRY RUNNING.
OVER HEAT PROTECTION
FORCED START.



LXPC-13



LXPC-10

AUTOMATIC WATER LEVEL CONTROLLER

SPECIFICATION :-

CABLE LENGTH	:- 2M, 3M, 5M & 10M
RATED VOLTAGE	:- 220/230/240 V
RATED CURRENT	:- 10A / 16A
FREQUENCY	:- 50/60HZ
PROTECTION RATING MAX	:- IP67
WORKING TEMPERATURE	:- 55C

ACCESSORIES



BRASS NRV



BRASS 5-WAY



BRASS Y STRAINER



KP-35/36



PRESSURE GAUGE

AUTOMATIC CIRCULATION PUMP

SPECIFICATION :-

VOLTAGE / FREQUENCY :-	220V / 50 Hz
SPEED	2280
MAX POWER	120W
MAX HEAD	10 M
MAX CAPACITY	23 L/MIN

FEATURES :-

AUTOMATIC
SILENT
NO LEAKAGE
COMPACT DESIGN
SPACE SAVING

LAXMO
PUMPS & MOTOR
We Know The Value Of Water...



LXCP-20/9

HOT & COLD CIRCULATION PUMP

SPECIFICATION :-

VOLTAGE / FREQUENCY :-	220V/50HZ
MAX POWER :-	90W
MAX HEAD :-	10M
MAX CAPACITY :-	20L/MIN
SPEED :-	2900

FEATURES :-

AUTOMATIC / SILENT
NO LEAKAGE
COMPACT DESIGN
SPACE SAVING
SUITABLE FOR 100 C



LXHCP-10

MULTISTAGE PRESSURE PUMP

MODEL	POWER (HP)	STAGE	SIZE	HEAD MAX.	DISCHARGE
				(M)	
LXMP-0.75	0.75	3	25x25	30	4400
LXMP-100	1.0	4	25x25	40	4600
LXMP-150	1.5	5	25x25	50	4800
LXMP-200	2.0	6	25x25	60	6200



AUTOMATIC PRESSURE PUMP

MODEL	POWER	H. MAX	Q. MAX	PIPE SIZE	PRESSURE	TANK	RPM
	(HP/W)	(M)	(L.MIN)	(M)	(BAR)	(L)	
LXAP-1	0.25	22	24	0.5X0.5	2.2	1	2850
LXAP-2	0.5	28	30	1X1	2.5	1.5	2850
LXAP-3	0.5	40	38	1X1	3.5	2	2850
LXAP-4	1	55	58	1X1	5.5	2.5	2850

SELFPRIMING NRV PUMPS

 **LAXMO**
PUMPS & MOTOR
We Know The Value Of Water...



Model Name	Motor Rating		Pipe Size (MM)		Discharge In LPH	HEAD IN METER								
	KW	HP	SUC.	Del.		6	9	12	15	18	21	24	28	30
NRV 50	0.37	0.5	25	25	2150	1850	1600	1300	1100	900	700	400	0	
NRV 100	0.75	0.1	25	25	2800	2600	2400	2100	1900	1700	1400	1150	1000	

SELFPRIMING SUCTION PUMPS

 **LAXMO**
PUMPS & MOTOR
We Know The Value Of Water...



Model Name	Motor Rating		Pipe Size (MM)		Discharge In LPH	HEAD IN METER								
	KW	HP	SUC.	Del.		6	12	15	21	24	27	30	33	36
SUPER-50	0.37	0.5	15	15	1800	1550	1250	950	700	500	-	-	-	-
SUPER-100	0.75	0.1	25	25	2700	1950	1800	1450	1100	1100	950	850	600	

SELFPRIMING PUMPS 1440 RPM

 **LAXMO**
PUMPS & MOTOR
We Know The Value Of Water...



Model Name	Motor Rating		Pipe Size (MM)		Discharge In LPH	HEAD IN METER								
	KW	HP	SUC.	Del.		6	12	15	21	24	27	30	33	36
LXMS-3	0.75	1	25	25	3250	2650	2300	1700	1500	1300	600	0	0	
LXMS-30	0.75	1	25	25	4100	3700	3400	2900	2650	2400	2100	1900	1700	

OPENWELL SUBMERSIBLE PUMPS

 **LAXMO**
PUMPS & MOTOR
We Know The Value Of Water...



Model Name	Motor Rating		Pipe Size (MM)		Discharge In LPM	HEAD IN METER								
	KW	HP	SUC.	Del.		9	12	15	18	21	24	28	30	32
LXOP-0.5	0.37	0.5	25	25	150	130	105	130	120	80	-	-	-	-
LXOP-100	0.75	1	32	25	-	-	180	165	140	110	50	-	-	-
LXOP-100 H	0.75	1	32	25	-	-	195	180	155	135	90	70	40	
LXOP-150	1.10	1.5	40	40	-	-	280	250	215	175	110	-	-	
LXOP-200	1.50	2	50	50	-	-	-	290	250	235	160	110	0	

V-4 SUBMERSIBLE BORWELL PUMPS

SPECIFICATION :-

HP :- 0.5 HP TO 7.5 HP
HEAD :- 20 METERS TO 200 METERS
POWER :- 220 V TO 380 V
PHASE :- SINGLE / THREE
MAX. FLOW :- UP TO 200 LPM
TYPE :- OIL FIELD AND WATER FIELD

LAXMO
PUMPS & MOTOR
We Know The Value Of Water...



V-6 SUBMERSIBLE BORWELL PUMPS

SPECIFICATION :-

HP :- 3.0 HP TO 20.0 HP
HEAD :- 20 METERS TO 250 METERS
POWER :- 380 V (THREE PHASE)
MAX. FLOW :- UP TO 700 LPM
TYPE :- MIX FLOW / REDIAL FLOW
HEAD :- UP TO 50 FEET (REDIAL FLOW)

We Know The Value Of Water ...



SUBMERSIBLE SEWAGE PUMPS

SPECIFICATION :-

HP :- 0.5 HP TO 10 HP
VOLTAGE :- 220/50(V/HZ)
HEAD :- 10 MTR TO 50 MTR
MAX FLOW :- 600 LPM
SPEED :- 2800 RPM

FEATURES :-

DRY RUN PROTECTION
EASY TO HANDLE
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



GASOLINE WATER PUMP

SPECIFICATION :-

MODEL	:- LXWP-20 / 30
ENGINE	:- 168F-PETROL
ENGINE POWER	:- 6.5HP
OUTLET	:- 50MM (2") / 80MM (3")
LIFT/HEAD	:- 28 M
FLOW	:- 500 LPM
OPERATION	:- 3600 RPM
SUCTION	:- 7M

LAXMO
PUMPS & MOTOR
We Know The Value Of Water...



SILENT OIL-FREE AIR COMPRESSOR

FEATURES :-

OIL FREE TYPE
EASY STORAGE
LOW NOISE
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION

SPECIFICATION :-

TANK CAPACITY	HEAD WATT	POWER	FLOW
10 L	550 WATT	1 HP	110 LPM
30 L	550 WATT	1 HP	110 LPM
50 L	550 WATT	1 HP	110 LPM
50 L	TWO BLOCK	2 HP	220 LPM



ROTARY GEAR PUMPS

AVAILABLE IN NINE SIZE FROM 1/2' TO 3'
CAPACITY FROM 5 TO 500 LPM
MAXIMUM WORKING PRESSURE 12 KG/CM2
NORMAL WORKING TEMPERATURE - 90°C
VISCOSITY UP TO 10,000 CST
MODIFIED VERSION FOR HIGH TEMP. UP TO 250°C



INDUCTION MOTOR

SPECIFICATION :-

HP	:- 0.5 To 10
PHASE	:- Single / Three
RPM	:- 1400 / 2800
BODY	:- CASTING BODY
FOOT MOUNTING	
COPPER WINDING	

LAXMO
PUMPS & MOTOR
We Know The Value Of Water...



LXIM


HIGH PRESSURE R.O PUMP

SPECIFICATION :-

POWER	:- 1 HP / 1.5 HP
HEAD	:- Up to 95 Meters
DISCHARG	:- 800 LPH @130 Meters
FLOW	:- UP TO 1600 LPH

FEATURES :-

STAINLESS STEEL ROTATING PARTS
LOW POWER CONSUMPTION
THERMAL OVERLOAD PROTECTED
HEAVY DUTY MOTOR
HOT WATER COMPATIBLE



LXRO

INLINE VERTICLE PUMP

SPECIFICATION :-

HP	:- 1.5 HP TO 15 HP
PHASE	:- SINGLE / THREE
HEAD	:- 25 METERS TO 250 METERS
FLOW	:- 50 LPM TO 400 LPM

FEATURES :-

COMMERCIAL FIRE PROTECTION
DRINKING WATER TREATMENT
INDUSTRIAL COOLING
INDUSTRIAL PROCESS WATER TREATMENT



LXVP

:: Mgf by ::

Laxmo Technology
(gujarat, india.)

www.Laxmopumps.com
Laxmopump@gmail.com