trade.xyz mark: formulas highlighted = differs from the current rules 2026-11-10

	Current (deployed)	**Previous candidate** (hold on feed failure)	**New proposal** (three-vote mark, one formula)
Oracle, feed live	$O_t = \mathcal{D}_t\big(\text{clip}(E_t,\ O_{t-k}(1 \pm c))\big)$	$O_t = \mathcal{D}_t(E_t)$	$O_t = \mathcal{D}_t(E_t)$
Published input 1	$X^1_t = \mathcal{D}_t\big(\text{clip}(O_t,\ M_{t-1}(1 \pm c))\big)$	$X^1_t = \mathcal{D}_t\big(\text{clip}(O_t,\ M_{t-1}(1 \pm c))\big)$	$X^1_t = V_t$, $V_t = E_t$ if the feed is live, else O_t
Published input 2	$X^2_t = \mathcal{D}_t\big(\text{clip}(E_t + e_t,\ \text{hull}[O_{t-k}(1 \pm c),\ X^2_{t-k}(1 \pm c)])\big)$	$X^2_t = \text{clip}\big(E_t + e_t,\ E_t(1 \pm c)\big)$	$X^2_t = A_t$, $\tilde{A}_t = A_{t-1} + \big(1 - e^{-\Delta t/\tau}\big)(V_t - A_{t-1})$, $A_t = \tilde{A}_t$ if B_{t-1} was strictly between V_{t-1} and A_{t-1}, else $A_t = \text{clip}\big(\tilde{A}_t,\ [V_t, M_{t-1}]\big)$
Mark (Hyperliquid)	$M_t = \text{clip}\big(\text{med}(X^1_t, X^2_t, B_t),\ M_{t-1}(1 \pm 1\%)\big)$	$M_t = \text{clip}\big(\text{med}(X^1_t, X^2_t, B_t),\ M_{t-1}(1 \pm 1\%)\big)$	$M_t = \text{clip}\big(\text{med}(V_t,\ A_t,\ B_t),\ M_{t-1}(1 \pm 1\%)\big)$
Feed failure (bad print)	none	hold: starts when $\lvert E_t - E_{t-1}\rvert > d\,E_t$ and P_t, I_t both differ from E_t by more than c on the same side; lasts while they do. $X^1_t = \mathcal{D}^R_t(E_t)$, $X^2_t = \mathcal{D}^R_t(P_t)$, $R \leftarrow R + \text{clip}(E_t - R,\ \pm d\,R)$ every 150 s	none: the median above
Feed not live	scheduled closures only: $O_t = O_{t-1} + \big(1 - e^{-\Delta t^*/\tau}\big)(\text{mid}_t - O_{t-1})$	closure or $E_t = E_{t-1} = E_{t-2}$: $O_t = O_{t-1} + \big(1 - e^{-\Delta t^*/\tau}\big)\ \text{clip}\big(\text{mid}_t - O_{t-1},\ \pm\kappa\,O_{t-1}\big)$	O_t as the previous candidate; same mark formula: A_t keeps running, never restarted
Liquidation (Hyperliquid)	below MM: 20% of $\lvert q\rvert$ per round above \$100k, rounds 30 s apart, else all	below MM, above \$100k, at every update: $\Delta q = \Big(1 - \dfrac{\text{equity}}{\text{IM}}\Big)\lvert q\rvert$; else all	as the previous candidate

t: relayer update, about every 3 s, read lag $k \geq 1$ E_t: external price $B_t = \text{med}(\text{bid}_t, \text{ask}_t, \text{last}_t)$: xyz book price, computed by Hyperliquid O_t: oracle M_t: mark A_t: anchor, $A_0 = E_0$
$c = 50$ bp $d = 1/\text{maxLev}$ $\kappa = 1\%$ $\tau = 30$ min $\Delta t^* = \min(\Delta t, \tau/10)$ $\mathcal{D}_t(x) = \text{clip}\big(x,\ E_t(1 \pm d)\big)$, $\mathcal{D}^R_t$ the same around the held centre R e_t: 150 s average of mid $- E$ V_t: the feed's vote
When the feed is not live the relayer keeps O_t unrounded and publishes it rounded. Feed live: the venue is open and E_t changed in at least one of the last two updates; otherwise not live
P_t: volume-weighted median of recent voluntary xyz trades I_t: xyz book impact mid at 6,000 USDC MM $= \frac{1}{2}$ IM at max leverage. Backstop below $\frac{2}{3}$ MM and ADL are unchanged in all three.
New proposal: A_t is the vote's average over τ, kept between the vote and the previous mark ($[a, b]$: the range between a and b), so it never lags a move the mark has already made. It does not follow a previous mark that xyz's book alone decided, so a push of the book is not carried on after it ends. It is exempt from the discovery bound $\mathcal{D}_t$: the median always lies between V_t and A_t.