

Neuroendocrinology 신경내분비학

항상성을 유지하기 위해 신체 기능을 조절하는 신경계와 내분비계의 상호작용



PUPD 다음다뇨 & Diabetes Insipidus 요붕증

Polyuria (PU): > 50ml/kg/day
Polydipsia (PD): > 100ml/kg/day




Classification
Primary PD (secondary polyuria) [rare]
• Psychogenic polydipsia (PP)
• CSD (central diabetes insipidus) → 드물음
• Partial CSD → 드물음
• NDI (nephrogenic diabetes insipidus) → 드물음
• Primary NDI → 드물음
• Secondary NDI → 드물음
• Chronic diseases
• Diabetes mellitus
• Post-obstructive uropathy
• Kidney disease
• Primary renal glycosuria

- Clinical signs**
- PUPD의 유일한 원인
 - Intake, incontinence → 드물음
 - 드물게 방광에 종양 (pericarcinal tumors) → CHS signs

Diagnosis	Treatment
Baseline Diagnostics	Definitive Diagnostics
History taking	Baseline glucose variability → Glucose tolerance test
Clinical signs	Response to desmopressin challenge → Desmopressin test
Physical examination	Water deprivation test → Water deprivation test
Urine analysis	Urine osmolality → Urine osmolality
Urine culture	Urine pH → Urine pH
ADH (vasopressin) levels	ADH (vasopressin) levels
CRH	CRH
Genetic bloodwork	Genetic bloodwork
Genetic electrolytes	Genetic electrolytes
Baseline PUPD (PU) control	Baseline PUPD (PU) control

Hypothyroidism

갑상선 기능저하증



Clinical signs
Skin changes
Neurologic
Neuromuscular
Cardiovascular
Ocular
Reproductive
Diagnosis

Diagnosis	Treatment
Baseline Diagnostics	Baseline Diagnostics
History taking	History taking
Physical examination	Physical examination
Urine analysis	Urine analysis
Urine culture	Urine culture
ADH (vasopressin) levels	ADH (vasopressin) levels
CRH	CRH
Genetic bloodwork	Genetic bloodwork
Genetic electrolytes	Genetic electrolytes
Baseline PUPD (PU) control	Baseline PUPD (PU) control

Hyperthyroidism (cats)

갑상선 기능항진증




Clinical signs
Skin changes
Neurologic
Neuromuscular
Cardiovascular
Ocular
Reproductive
Diagnosis

Diagnosis	Treatment
Baseline Diagnostics	Baseline Diagnostics
History taking	History taking
Physical examination	Physical examination
Urine analysis	Urine analysis
Urine culture	Urine culture
ADH (vasopressin) levels	ADH (vasopressin) levels
CRH	CRH
Genetic bloodwork	Genetic bloodwork
Genetic electrolytes	Genetic electrolytes
Baseline PUPD (PU) control	Baseline PUPD (PU) control

= Hypercortisolism, Cushing syndrome

Hyperadrenocorticism (HAC)

부신 기능항진증




- Clinical signs**
- PUPD의 유일한 원인
 - Intake, incontinence → 드물음
 - 드물게 방광에 종양 (pericarcinal tumors) → CHS signs

= Adrenocortical insufficiency

Hypoadrenocorticism (HOAC)

부신 기능저하증



- Clinical signs**
- PUPD의 유일한 원인
 - Intake, incontinence → 드물음
 - 드물게 방광에 종양 (pericarcinal tumors) → CHS signs

Diagnosis