





0	1	2	3	4	5	6	7	8	9		
Table of contents											
0	Page	Page description	supplementary page field				Date	Edited by		0	
1	1	Table of contents					2020-06-04	NH		1	
	2	Version: EcoTouch non-detached	Connected to volume correctors with non-intrinsically safe inputs				2020-06-04	NH			
	3	Version: EcoTouch detached (with Connector Box)	Connected to volume correctors with non-intrinsically safe inputs				2020-06-04	NH			
	4	Version: EcoTouch non-detached -40°C (with Connector Box and EcoHT)	Connected to volume correctors with non-intrinsically safe inputs				2020-06-04	NH			
	5	Version: EcoTouch detached -40°C (with Connector Box and EcoHT)	Connected to volume correctors with non-intrinsically safe inputs				2020-06-04	NH			
2										2	
3										3	
4										4	
5										5	
6										6	
			Date	2020-06-04	EcoSonic X12 to Rev 07 Wiring diagram including peripherals		Table of contents		RMA Mess- und Regeltechnik GmbH & Co. KG Forsthausstr. 3 77866 Rheinau		
			Ed	NH							
			Appr	2020-06-05							
Revision	Date	Name	Reviewer	MG	3.9306.9001 Rev. 02	1 / 5					







			Date	2020-06-04
			Ed	NH
			Appr	2020-06-05
Revision	Date	Name	Reviewer	MG

