

Configure

-  General
-  Source Code Management
-  Triggers
-  Environment
-  Build Steps
-  Post-build Actions

General

Enabled

☐

Description

This Project has three steps

1. Clone Repository

2. Maven Package

3. War file to copy to Tomcat Instance

Plain text

[Preview](#)

- ☐ Discard old builds
- ☐ GitHub project
- ☐ This project is parameterized
- ☐ Throttle builds
- ☐ Execute concurrent builds if necessary

Advanced

▼

Source Code Management

Connect and manage your code repository to automatically pull the latest code for your builds.

- ☐ None
- ☒ Git

Repositories

Save

Apply

https://github.com/yndrao/java_project.git

Credentials

- none -

+ Add

Advanced ▼

+ Add Repository

Branches to build

Branch Specifier (blank for 'any')

*/main

×

+ Add Branch

Repository browser

(Auto)

Additional Behaviours

+ Add

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

☐ Trigger builds remotely (e.g., from scripts)

☐ Build after other projects are built

Build periodically

Schedule

* * * * *

Do you really mean "every minute" when you say "* * * * *"? Perhaps you meant "H * * * *" to poll once per hour

Would last have run at Sunday, January 25, 2026 at 5:09:00 AM Coordinated Universal Time; would next run at Sunday, January 25, 2026 at 5:10:00 AM Coordinated Universal Time.

☐ GitHub hook trigger for GITScm polling

☐ Poll SCM

Environment

Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.

☐ Delete workspace before build starts

☐ Use secret text(s) or file(s)

☐ Add timestamps to the Console Output

☐ Inspect build log for published build scans

☐ Terminate a build if it's stuck

☐ With Ant

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

Invoke top-level Maven targets

✕

Goals

clean package

▼

Advanced ▼

+ Add build step

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

Deploy war/ear to a container

✕

WAR/EAR files

target/*.war

Context path

myweb

Containers

Tomcat 9.x Remote

Credentials

durga/*****

+ Add

Tomcat URL

http://52.195.234.110:5656/

Advanced

+ Add Container

☐ Deploy on failure

+ Add post-build action