

Date:

EXPERIMENT-12

DESIGN THE FUNCTIONALITIES AND EXPLORATION OF TCP USING PACKET TRACER

Aim: To design the Functionalities and Exploration of TCP using Packet Tracer.

Software/Apparatus required: Packet Tracer/End devices, Hubs, connectors.

Procedure:

Step 1: Setup the network topology

To begin, we will create a simple network topology consisting of two computers connected by a router. Open Packet Tracer and drag two PCs and a router onto the workspace. Connect the two PCs to the router using Ethernet cables.

Step 2: Configure IP addresses

Next, we will configure IP addresses for the computers. Double-click on each PC to open the configuration window and navigate to the Desktop tab. Click on the IP Configuration icon and enter the IP address and subnet mask for each computer. For example, PC1 can have an IP address of 192.168.1.1 with a subnet mask of 255.255.255.0 and PC2 can have an IP address of 192.168.1.2 with the same subnet mask.

Step 3: Configure the router

Now, we will configure the router. Double-click on the router to open the configuration window and navigate to the CLI tab.

COMMANDS:

enable

configure terminal

interface FastEthernet0/0

ip address 192.168.1.254 255.255.255.0

no shutdown

exit

exit


Step 4: Test the connection

Now that the network is set up and configured, we can test the connection between the two computers. Open a command prompt on PC1 and ping PC2 by typing ping 192.168.1.2 in the command prompt. If the ping is successful, it means that the two computers are communicating with each other.

Step 5: Explore TCP functionalities

Now, let's explore the functionalities of TCP. We will use the Netcat utility to establish a TCP connection between the two computers. Netcat is a versatile networking tool that can be used for various purposes, including establishing TCP connections.

Out put:



Result: Thus the Functionalities and Exploration of TCP using Packet Tracer is designed successfully.

