Changing behavior by file type: http://stackoverflow.com/questions/158968/changing-vim-indentation-behavior-by-file-type

Using buffers correctly: https://stackoverflow.com/questions/102384/using-vims-tabs-like-buffers
Splitting up into multiple files: Splitting up vimrc into multiple files: https://www.reddit.com/r/vim/comments/31v6uj/simple_elegant_way_of_splitting_up_vimrc/

Swapping characters and lines

```
xp      Move character to right
ddp     Move line below
```

Using the clipboard

```
"+p     Paste from clipboard
"+y     Copy to clipboard
```

Paste text from clipboard
Pasting from clipboard messes up text formatting (e.g. due to autoindent).
Use paste mode to temporarily disable formatting

```
:set paste              Enter paste mode
```
{paste from clipboard using cmd-V or like}
```
:set nopaste            Exit paste mode
```

[non-ascii] Insert Unicode

```
<c-v>u{codepoint}
<c-v>u3042          あ
```


Use incremental numbers in macro
Use variables and <c-r>=

e.g. this adds prefixes like 1) 2) 3)...


```
:let i = 0
qn
^i<c-r>=i<cr>)
q
```

Increment selected numbers
Reference: https://vim.fandom.com/wiki/Making_a_list_of_numbers
Vim 8 only
Use g ctrl-A on selection
See :help v_g_ctrl-A

1) Use ctrl-v to select numbers



2) g ctrl-A



Repeat last normal mode command

Last normal mode command is stored in ':' registry

```
@:          Repeat last command
@@          Repeat @:
@@          ...
```

Apply command on multiple lines

```
:1,5{cmd}          Apply {cmd} on lines 1-5

{visual select}
:'<,'>{cmd}        Apply {cmd} on range
```

Apply macro on multiple lines

```
:1,5normal @a          Apply @a on lines 1-5
:1,5normal .           Repeat last command on lines 1-5

{visual select}
:'<,'>normal @a        Apply on range
```

Apply command on multiple files

```
:args src/*.txt                    Select files
:argadd test/*.txt                 Add more files
:argdo {cmd1} | {cmd2} | update    Apply {cmd1} and {cmd2} on
selected files
```

Apply macro on multiple files

```
:args src/*.txt              Select files
:argdo execute "normal @a" | update    Apply @a on selected files.
```

```
:argdo normal @a | update              ERROR. '|' gets interpreted
as argument for normal
```

Apply macro to one file at a time in Quickfix

```
# Record change in a macro,
qa …changes…  q

# Move to next match and apply macro
:cn | normal @a
```

Reformat textwidth

```
:set textwidth=90
v                    " Select lines to format
gq
```

Switch between tab and space indent

retab = replace tab

```
" tab -> space indent
set expandtab            " expand tab to spaces
set tabstop=2            " 2 spaces
retab                    " replace tabs with 2 spaces
" space -> tab indent
set noexpandtab          " keep tabs
set tabstop=2            " use 2 spaces for a tab
retab!                   " convert 2 space indents to a tab


" tab -> space indent for multiple files
args src/**
argdo retab | w
```

Count number of characters/words

```
" Count for entire file
:w !wc -c          " characters
:w !wc -w          " words

" Count for selected text
… visually select text...
:'<,'>w !wc -c
:'<,'>w !wc -w
```

[quickfix]

[search] see number of search matches

Ref: https://vim.fandom.com/wiki/Count_number_of_matches_of_a_pattern

Use 'n' flag

```
" e.g.
/hello         " Search for 'hello'
%s///gn        " Print count
```

[search] include new line "\n" in replacement
Ref: https://stackoverflow.com/questions/71323/how-to-replace-a-character-by-a-newline-in-vim
Using \n directly in **replacement** inserts a '**^@' (null character)** instead.
Use **\r** instead.
However, \n works ok in search

```
// OK: \n in search
%s/ABC\n/ABCD/g          // replaces ABC\n with ABCD

// BAD: \n in replacement
%s/ABC/\n/g             // replaces ABC with ^@
// OK: \r in replacement
%s/ABC/\r/g             // OK
```

[search] Working with carriage returns (^M)
^M is the DOS carriage return key.
^M = code point 13

```
Ctrl-v013                   Manually insert ^M
Ctrl-V Ctrl-M               Same, but using shell instead of vim
%s/\n/\^M\r/g               Replace \n with \r\n
%s/^M/\r\n/g                Replace ^M with new line
```