R Markdown Notes

Youran Xu Jan 24th 2019

^^ Between "—" is the YAML metadata Note: In a R markdown file, not an R script, narratives can be written as if in doc.

Formatting

```
Italic (_), alternatively, Italic (*).
Bold (**)
subscript: H<sub>3</sub>PO<sub>4</sub> (~)
superscript: Cu<sup>2+</sup> (^)
text as inline code (')
Hyperlink
1
"Blockquotes" —(>)
```

R code chunks

Below is a code $chunk(\{r\})$ indicates the language we are using)

```
a <- sqrt(7)
```

Alterntively, if quoting results in a narrative, the square root of 7 is r a.

- keyboard shortcut: cmd + alt + I
- eval= whether to execute the code chunk
- \bullet $\ensuremath{\texttt{results='hide'}}$ to hide the text output
 - results='asis' to present the output in a sentence grammar, e.g. "a is 7".
- collapse = TRUE compacts codes and its output in one single block to save space
- echo = FALSE whether to include the source code, or only results
- include = FALSE the whole chunk will be hidden as well as the output, however, will still be executed.
- setup to apply this chunk globally
 - {r, setup, include = FALSE} knitr::opts_chunk\$set(fig.width = 8, collapse =
 TRUE)

Tables

knitr::kable()

¹Footnote