

 n8n

+

🔍

📄

Personal / Flujo 1 - Webhook básico

+ Add tag

0 / 3

Published

🕒

...

Star 186,675

Editor

Executions

Evaluations

Overview

Chat Beta

Templates

Insights

Help

Settings

+

🔍

📄

📄

⚡



GET



Respond to Webhook

+

Webhook

Edit Fields
manual

Respond to Webhook

🔄

🔍

🔍

👉

Execute workflow

Logs

 n8n

+

🔍

📄

Personal / Flujo 2 - Webhook básico - Post

+ Add tag

0 / 3

Published

🕒

...

Star 186,675

Editor

Executions

Evaluations

Overview

Chat Beta

Templates

Insights

Help

Settings

+

🔍

📄

📄

⚡



POST



Respond to Webhook

+

Webhook

Edit Fields
manual

Respond to Webhook

🔄

🔍

🔍

👉

Execute workflow

Logs

n8n

+

🔍

📄

Personal / Flujo 3 - Webhook básico PUT + Add tag

0 / 3

Publish

▼

🕒

⋮

Star

186,675

Overview

Chat Beta

Templates

Insights

Help

Settings

Editor

Executions

Evaluations

+

🔍

📄

📄

⚡

Webhook

PUT

Edit Fields

manual

Respond to Webhook

+

🔍

🔍

🔍

🔍

Execute workflow

Logs

n8n

+

🔍

📄

Personal / Flujo 4 - Webhook básico Delete + Add tag

0 / 3

Published

▼

🕒

⋮

Star

186,675

Overview

Chat Beta

Templates

Insights

Help

Settings

Editor

Executions

Evaluations

+

🔍

📄

📄

⚡

Webhook

DELETE

Edit Fields

manual

Respond to Webhook

+

🔍

🔍

🔍

🔍

Execute workflow

Logs

n8n

+

🔍

📄

Personal / Flujo 5 - Webhook con Postgresql - Get + Add tag

0 / 3 Publish

Star 186,677

Editor Executions Evaluations

Overview

Chat beta

Templates

Insights

Help

Settings

⚡

Webhook

GET

Select rows from a table
select

Code in JavaScript

Respond to Webhook

+

🔄 🔍 🔍 🖱️

Execute workflow

Logs

n8n

+

🔍

📄

Personal / Flujo 6 - Webhook con Postgresql - Post + Add tag

0 / 1 Publish

Star 186,677

Editor Executions Evaluations

Overview

Chat beta

Templates

Insights

Help

Settings

⚡

Webhook

POST

Edit Fields
manual

Insert rows in a table
insert



Respond to Webhook

+

🔄 🔍 🔍 🖱️

Execute workflow

Logs



Personal / Flujo 9 - Webhook con Postgresql - DELETE + Add tag

0 / 1 Publish

Star 186,677

Editor Executions Evaluations

Webhook

DELETE

Edit Fields

manual

Delete table or row

deleteTable

Respond to Webhook

Execute workflow

Logs

Personal / Flujo 8 - Webhook con Postgresql - Get id + Add tag

0 / 1 Publish

Star 186,677

Editor Executions Evaluations

Webhook

GET

Edit Fields

manual

Select rows from a table

select

Respond to Webhook

Execute workflow

Logs

N8N > Flujo 1 - Webhook básico

GET http://localhost:5678/webhook/perez/saludo?nombre=Eduardo

Send

Docs Params Authorization Headers 6 Body Scripts Tests Settings

Query Params

Key	Value	Description	Bulk Edit	...
✓ nombre	Eduardo			
Key	Value	Description		

Body Cookies Headers 8 Test Results 200 OK 116 ms 583 B Save Response

{ } JSON Preview Visualize

```
1 {
2   "message": ";Hola, Eduardo! Bienvenido a N8N.",
3   "timestamp": "2026-05-05T18:24:41.035Z",
4   "version": "1.0"
5 }
```

N8N > Flujo 2 Webhook basico - Post

POST http://localhost:5678/webhook-test/perez/saludo2

Send

Docs Params Authorization Headers 8 Body Scripts Tests Settings



none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "nombre": "Carlota",
3   "ciudad": "Guayaquil"
4 }
```

Body Cookies Headers 8 Test Results 200 OK 66 ms 520 B Save Response

{ } JSON Preview Visualize

```
1 {
2   "nombre": "Carlota",
3   "ciudad": "Guayaquil"
4 }
```



Flujo 5 - Webhook con Postgresql - Get

SaveShare

GET

http://localhost:5678/webhook-test/perez/contactos

Send

DocsParamsAuthorizationHeaders 6BodyScriptsTestsSettings

Cook

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

BodyCookiesHeaders 9Test Results

200 OK2.61 s1.48 KB

Save Response

{ } JSON

PreviewVisualize

```
1  {
2    "success": true,
3    "total": 25,
4    "contactos": [
5      {
6        "id": 1,
7        "nombre": "Maria García",
8        "email": "maria@ejemplo.com",
9        "ciudad": "Ciudad de México",
10       "creado_en": "2026-04-17T02:06:58.389Z"
11      },
12      {
13        "id": 3,
14        "nombre": "Ana López",
15        "email": "ana@ejemplo.com",
16        "ciudad": "Monterrey",
17        "creado_en": "2026-04-17T02:06:58.389Z"
```


HTTP N8N > Flujo 6 - Webhook con Postgresql - Post

POST http://localhost:5678/webhook-test/perez/contactos

Docs Params Authorization Headers 8 Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "nombre": "Eduardo Yoshihiko Perez Iwanaga Para borrar 2",
3   "email": "yochanperez@gmail70.com",
4   "ciudad": "Quito"
5 }
```

Body Cookies Headers 8 Test Results 200 OK • 994 ms • 636 B • Save Response

{ JSON Preview Visualize

```
1 {
2   "id": 62,
3   "nombre": "Eduardo Yoshihiko Perez Iwanaga Para borrar 2",
4   "email": "yochanperez@gmail70.com",
5   "ciudad": "Quito",
6   "creado_en": "2026-05-05T23:29:12.569Z"
7 }
```

HTTP N8N > Flujo 7 - Webhook con Postgresql - PUT

PUT http://localhost:5678/webhook-test/5d1e81ac-93e1-4ac1-bbbf-658e528b6828

Docs Params Authorization Headers 8 Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "nombre": "Eduardo Yoshihiko Perez Iwanaga",
3   "email": "yochanperez@gmail.com",
4   "ciudad": "Quito",
5   "id": "62"
6 }
```

Body Cookies Headers 6 Test Results 200 OK • 1.07 s • 201 B • Save Response

GET http://localhost:5678/webhook-test/perez/contacto-by-id?id=62 Send

Docs Params Authorization Headers 6 Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1
```

Body Cookies Headers 8 Test Results 200 OK • 643 ms • 636 B • Save Response

{ } JSON Preview Visualize

```
1 {
2   "id": 62,
3   "nombre": "Eduardo Yoshihiko Perez Iwanaga Para borrar 2",
4   "email": "yochanperez@gmail70.com",
5   "ciudad": "Quito",
6   "creado_en": "2026-05-05T23:29:12.569Z"
7 }
```

DELETE http://localhost:5678/webhook-test/perez/contactos?id=62 Send

Docs Params Authorization Headers 6 Body Scripts Tests Settings

Query Params



Key	Value	Description	Bulk
✓ id	62		
Key	Value	Description	


Body Cookies Headers 8 Test Results 200 OK • 755 ms • 495 B • Save Response

{ } JSON Preview Visualize


```
1 {
2   "success": true
3 }
```


Flujo 1







Flujo 2







Flujo 3








Flujo 4





Flujo 5 Postgres Get





Flujo 6 Postgres PUT

Webhook

Listen for test event

Pull in events from Webhook

Once you've finished building your workflow, run it without having to click this button by using the production webhook URL. [More info](#)

Parameters

Settings

Listen for test event

Webhook URLs

Test URL

Production URL

PUT

http://localhost:5678/webhook-test/5d1e81ac-93e1-4ac1-bb6f-658e528b6828

HTTP Method

PUT

Path

5d1e81ac-93e1-4ac1-bb6f-658e528b6828

Authentication

None

Respond

Using 'Respond to Webhook' Node

Insert a 'Respond to Webhook' node to control when and how you respond. [More details](#)

Options

+ Add option

OUTPUT

Schema

Table

JSON

No trigger output

Test this trigger

or set mock data

When will this node trigger my flow?

I wish this node would...

Edit Fields

Schema

Table

JSON

Execute step

Webhook

Preview

The fields below come from the last successful execution. [Execute node](#) to refresh them.

headers

content-type

user-agent

accept

postman-token

host

accept-encoding

connection

content-length

params

query

body

nombre

email

ciudad

id

webhookUrl

executionMode

Parameters

Settings

Execute step

Mode

Manual Mapping

Fields to Set

nombre

T String

= {{ \$json.body.nombre }}

ciudad

T String

= {{ \$json.body.ciudad }}

email

T String

= {{ \$json.body.email }}

id

T String

= {{ \$json.body.id }}

Drag input fields here or [Add Field](#)

Include Other Input Fields

Options

OUTPUT

Schema

Table


JSON

No output data


Execute step

or set mock data

Variables and context



Flujo 7 Post postgres



Edit Fields

SchemaTableJSON

Webhook

headers

content-type

user-agent

accept

postman-token

host

accept-encoding

connection

content-length

params

query

body

nombre

email

ciudad

webhookUrl

executionMode

Variables and context

Parameters

Settings

Execute step

Mode

Manual Mapping

Fields to Set

nombre

T String

{{ \$json.body.nombre }}

ciudad

T String

{{ \$json.body.ciudad }}

email

T String

{{ \$json.body.email }}

name

T String

value

Drag input fields here or Add Field

Include Other Input Fields

Options

Schema

Table

JSON

Docs

OUTPUT

No output data

Execute step

or set mock data

Insert rows in a table

SchemaTableJSON

Edit Fields

nombre

ciudad

email

Webhook

Variables and context

Parameters

Settings

Execute step

Credential

Postgres account

Operation

Insert

Schema

From list

public

Table

From list

clientes

Mapping Column Mode

Map Each Column Manually

Values to Send

nombre

{{ \$json.nombre }}

email

{{ \$json.email }}

ciudad

{{ \$json.ciudad }}

Add column to send

Options

Add option

Schema

Table

JSON

Docs

OUTPUT

No output data

Execute step

or set mock data

Flujo 8 Postgres GET ID


The screenshot shows the configuration for a Webhook node. The interface is divided into three main sections: INPUT, PARAMETERS, and OUTPUT.

- INPUT:** Contains a button "Listen for test event" and a message: "Pull in events from Webhook. Once you've finished building your workflow, run it without having to click this button by using the production webhook URL. [More info](#)".
- PARAMETERS:** Contains settings for the webhook.
 - Webhook URLs:** A "Test URL" field is set to "http://localhost:5678/webhook-test/perez/contacto-by-id".
 - HTTP Method:** Set to "GET".
 - Path:** Set to "perez/contacto-by-id".
 - Authentication:** Set to "None".
 - Respond:** Set to "Using 'Respond to Webhook' Node". A yellow box contains the text: "Insert a 'Respond to Webhook' node to control when and how you respond. [More details](#)".
 - Options:** A "+ Add option" button is present.
- OUTPUT:** Contains a message "No trigger output" and a button "Test this trigger" with the text "or set mock data" below it.


The screenshot shows the "Edit Fields" configuration for a Webhook node. The interface is divided into three main sections: INPUT, PARAMETERS, and OUTPUT.

- INPUT:** Contains a "Webhook" node with a "Preview" button. Below it, a list of fields is shown, categorized into "headers", "params", "query", and "body".
 - headers:** user-agent, accept, postman-token, host, accept-encoding, connection.
 - params:** (empty).
 - query:** id.
 - body:** webhookUrl, executionMode.
- PARAMETERS:** Contains settings for the node.
 - Mode:** Set to "Manual Mapping".
 - Fields to Set:** A table with columns "Field", "Type", and "Value".

Field	Type	Value
id	T String	{{ \$json.query.id }}
 - Options:** A "+ Add option" button is present.
- OUTPUT:** Contains a message "No output data" and a button "Execute step" with the text "or set mock data" below it.



Flujo 9 Postgres Delete



Edit Fields

SchemaTableJSONParametersSettingsExecute step

INPUT

Webhook

The fields below come from the last successful execution. **Execute node** to refresh them.

headers

user-agent

accept

postman-token

host

accept-encoding

connection

params

query

id

body

webhookUrl

executionMode

Variables and context

OUTPUT

SchemaTableJSON

No output data

Execute step

or set mock data

Parameters

Mode

Manual Mapping

Fields to Set

id

T String

=

{{ \$json.query.id }}

Drag input fields here or Add Field

Include Other Input Fields

Options

+ Add option

I wish this node would...

Delete table or rows

SchemaTableJSONParametersSettingsExecute step

INPUT

Edit Fields

The fields below come from the last successful execution. **Execute node** to refresh them.

id

Webhook

Variables and context

OUTPUT

SchemaTableJSON

No output data

Execute step

or set mock data

Parameters

Credential

Postgres account

Operation

Delete

Schema

From listpublic

Table

From listclientes

Command

Delete

Select Rows

Values 1

Column

id

Operator

Equal

Value

/s {{ \$json.id }}

+ Add Condition

Combine Conditions

AND