

Nama Kelompok : **SevenSky**

Matakuliah : Pemrograman Web II (IF 20 DX)

Dosen Pembimbing : A. Ferico Oktaviansyah, S.Kom., M.Kom.

**Anggota:**

1. Firstito Rahman Abdillah (20312002)

Devisi : Front end

Branch : (main)

2. Yoga Pratama (20312008)

Devisi : Back end

Branch : (YogaPratama)

3. Risal Syahwaluddin (20312024)

Devisi : Back end

Branch : (Risal)

**Cara Menjalankan Program:**


1. Download source code pada github SevenSky
2. Extrak folder website
3. Selanjutnya pindahkan ke dalam folder “exampp - htdocs”
4. Start aplikasi XAMPP “Apache – MySQL”
5. Buat database dengan nama “paceshop” lalu import database yang tersedia pada folder program
6. Selanjutnya silahkan jalankan pada web browser dengan cara mengetikan <http://localhost/TA-20DX-SEVEN-SKY/> pada halaman search bar
7. Untuk admin dapat login dengan menggunakan username: seven, password: seven
8. Selanjutnya untuk user dapat login dengan username: yoga, password: yoga

# HASIL PROGRES SESI 3 (Final)

## Pemrograman Web II

### A. Hasil Codingan

#### 1. Susunan Folder “SevenSky”




The screenshot shows a code editor window with the following details:

- File Explorer:** Shows the project structure: TA-20DX-SEVEN-SKY, which contains css, img, lib, and page. The page folder is expanded, showing beranda.php, 127.0.0.1 (3).sql, content.php, index.php, README.md, and style.css.
- Code Editor:** The beranda.php file is open. The code is a PHP script that includes a database connection, prepares a query to select all items from the tbl\_barang table, loops through the results, and displays each item's name, image, description, price, and quantity.
- Status Bar:** Shows the message "The language server needs at least PHP 7.4.0 installed. Version found: ...".
- Taskbar:** Shows various application icons, including a weather icon (79°F) and a system clock (20:51).


```
File Edit Selection View Go Run Terminal Help TA-20DX-Seven-Sky EXPLORER TA-20DX-SEVEN-SKY > beranda.php ... <--> beranda.php page > beranda.php 1 <div class="box-title bg-info"> 2 | <p>Beranda / <b>Produk Jualan</b></p> 3 </div> 4 <div id="box"> 5 <php> 6 if (isset ($_SESSION['username']) == ""){ ?> 7 <div class="pesan"> 8 <p>Masuk dengan <b>akun</b> terlebih dahulu sebelum mulai belanja, belum punya akun ? 9 <a href="page/daftar.php" class="tombol-biru">Yuk Daftar</a></p> 10 </div> 11 <php ?> 12 <table> 13 <tr> 14 <td> 15 <?php include 'lib/koneksi.php'; 16 $no = 1; 17 $query = $conn->prepare("SELECT * FROM tbl_barang"); 18 $query->execute(); 19 20 $data = $query->fetchAll(); 21 22 foreach ($data as $value) { ?> 23 <td class="list"> 24 |  25 <br><?php echo $value['deskripsi']; ?> 26 <br><b><?php echo "Rp.". $value['harga']; ?></b> <br> 27 <br> 28 <?php 29 </td> 30 <?php 31 $id = $value['id_barang']; 32 $query = $conn->prepare("SELECT SUM(qty)AS jumlah FROM tbl_pesanan WHERE id_barang=:id"); 33 $query->bindparam(':id', $id); 34 $query->execute(); 35 $data = $query->fetch(PDO::FETCH_OBJ); 36 $hasil = $data->jumlah; 37 <?php > The language server needs at least PHP 7.4.0 installed. Version found: ... Ln 1, Col 1 Spaces: 2 UTF-8 PHP R 20:51 06/01/2023 79°F Berawan
```

## 2. Codingan “index.php”




```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title>SEVEN SKY STORE</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <div class="header">
        <p>SEVEN SKY STORE</p>
    </div>
    <nav>
        <ul> <?php include("page/navbar.php") ?> </ul>
    </nav>
    <?php include("content.php") ?>
    <?php include("page/user/keranjang.php") ?>
    <div class="footer">
        <p>copyright by SEVEN SKY STORE</a></p>
    </div>
</body>
</html>
```

## 3. Codingan “content.php”



```
<?php
if (isset($_GET['page'])) $page=$_GET['page'];
else $page="beranda";
if ($page == "beranda") include("page/beranda.php");
elseif ($page == "tentang") include("page/tentang.php");
elseif ($page == "login") include("page/login.php");
//----- USER -----
elseif ($page == "belanja") include("page/user/belanja.php");
elseif ($page == "belanja_detail") include("page/user/belanja_detail.php");
elseif ($page == "belanja_detailpro") include("page/user/belanja_detailpro.php");
elseif ($page == "keranjang_hapus") include("page/user/keranjang_hapus.php");
elseif ($page == "pesanan") include("page/user/pesanan.php");
elseif ($page == "profil") include("page/user/profil/profil.php");
elseif ($page == "profil_ubah") include("page/user/profil/profil_ubah.php");
elseif ($page == "profil_ubahpro") include("page/user/profil/profil_ubahpro.php");
//----- ADMIN -----
elseif ($page == "barang") include("page/admin/barang/barang.php");
elseif ($page == "tambah_barang") include("page/admin/barang/tambah_barang.php");
elseif ($page == "tambah_barangpro") include("page/admin/barang/tambah_barangpro.php");
elseif ($page == "edit_barang") include("page/admin/barang/edit_barang.php");
elseif ($page == "edit_barangpro") include("page/admin/barang/edit_barangpro.php");
elseif ($page == "hapus_barang") include("page/admin/barang/hapus_barang.php");
elseif ($page == "transaksi") include("page/admin/transaksi/transaksi.php");
elseif ($page == "transaksi_detail") include("page/admin/transaksi/transaksi_detail.php");
elseif ($page == "pesan") include("page/admin/pesan/pesan.php");
elseif ($page == "user") include("page/admin/user/user.php");
elseif ($page == "user_edit") include("page/admin/user/user_edit.php");
elseif ($page == "user_editpro") include("page/admin/user/user_editpro.php");
elseif ($page == "user_hapus") include("page/admin/user/user_hapus.php");
elseif ($page == "profilad") include("page/admin/profil/profil.php");
elseif ($page == "profilad_ubah") include("page/admin/profil/profil_ubah.php");
elseif ($page == "profilad_ubahpro") include("page/admin/profil/profil_ubahpro.php");
```

#### 4. Codingan “style.css”



```
# style.css > ↗ .header
1 .header {
2   border: 3px solid #22bb6d;
3   border-radius: 10px 10px 0px 0px;
4   width: 70%;
5   min-height: 100px;
6   margin: auto;
7 }
8 .header p {
9   font-family: sans-serif;
10  font-size: 50px;
11  text-align: center;
12  background: #22bb6d;
13  padding: 5px;
14  color: #f3f5f4;
15 }
16 .link {
17  color: #22bb6d;
18  text-decoration: none;
19 }
20 .link:hover {
21  background: #22bb6d;
22  border-radius: 4px;
23  color: #fff;
24  padding: 2px;
25 }
26 nav {
27  margin: auto;
28  text-align: center;
29  width: 70%;
30  font-family: sans-serif;
31 }
32 nav ul {
33  background: #22bb6d;
34  padding: 0px;
35  list-style: none;
36  position: relative;
37 }
```


```
# style.css > ↗ .header
37  position: relative;
38  display: inline-table;
39  width: 100%;
40 }
41 nav ul li {
42  float: left;
43 }
44 nav ul li.login {
45  float: right;
46  padding: 0px;
47  background: #2c97df;
48  border-left: 4px solid #2a80b9;
49 }
50 nav ul li.login:hover {
51  background: #2a80b9;
52 }
53 nav ul li.logout {
54  float: right;
55  padding: 0px;
56  background: #e41f49;
57  border-left: 4px solid #d0163d;
58 }
59 nav ul li.logout:hover {
60  background: #d0163d;
61 }
62 nav ul li:hover {
63  background: #15a95e;
64 }
65 nav ul li a {
66  display: block;
67  padding: 15px;
68  color: #fff;
69  text-decoration: none;
70 }
71 .box-title {
72  background: #22bb6d;
73  width: 70%;
```

The screenshot shows the Visual Studio Code interface with the title bar "TA-20DX-Seven-Sky". The left sidebar displays the project structure under "TA-20DX-SEVEN-SKY" with files like "content.php", "index.php", and "style.css". The main editor area shows the "style.css" file with the following code:


```
# style.css > header
71 .box-title{
72     background: #22bb6d;
73     width: 70%;
74     height: 30px;
75     margin: auto;
76     border: 3px solid #22bb6d;
77 }
78 .box-title p {
79     color: #3f5f4;
80     margin: 5px 5px;
81     font-family: sans-serif;
82 }
83 #box {
84     border-bottom: 0px;
85     border-left: 3px solid #22bb6d;
86     border-right: 3px solid #22bb6d;
87     width: 70%;
88     margin: auto;
89     min-height: 200px;
90     overflow: hidden;
91 }
92 table.news {
93     border-collapse: collapse;
94     width: 100%;
95 }
96 .news td {
97     padding: 15px;
98     border: 1px solid black;
99 }
100 .news th {
101     background-color: #22bb6d;
102     color: white;
103     height: 50px;
104 }
105 .news tr:hover {
106     background-color: #d9d9d9;
```

The screenshot shows the Visual Studio Code interface with the title bar "TA-20DX-Seven-Sky". The left sidebar displays the project structure under "TA-20DX-SEVEN-SKY" with files like "content.php", "index.php", and "style.css". The main editor area shows the "style.css" file with the following code:

```
# style.css > header
106 .news tr:hover {
107     background-color: #d9d9d9;
108 }
109 table.article {
110     border-collapse: collapse;
111     border: 0px;
112     width: 100%;
113 }
114 .article td {
115     border: 0px;
116     padding: 10px;
117 }
118 .article tr:hover {
119     background-color: #e1e1e1;
120 }
121 .paging {
122     text-align: center;
123     margin: 20px;
124 }
125 .paging span {
126     padding: 5px 20px;
127     margin-right: 5px;
128     background: #eee;
129     border-radius: 10px;
130 }
131
132
133
134
135 #box p,h1,h2,table,tr,td,img {
136     font-family: sans-serif;
137     padding: 20px;
138     text-align: justify;
139 }
140 table tr td.list:hover{
141     background: #22bb6d;
142     border-radius: 5px;
```



```
# style.css > ↗_header
141 background: #22bb6d;
142 border-radius: 5px;
143 }
144 .keranjang-title{
145 background: #FF7416;
146 width: 76%;
147 height: 30px;
148 margin: auto;
149 border: 3px solid #FF7416;
150 }
151 .keranjang-title p {
152 color: #f3f5f4;
153 margin: 5px 5px;
154 font-family: sans-serif;
155 text-align: center;
156 }
157 #keranjang {
158 border-bottom: 3px solid #FF7416;
159 border-left: 3px solid #FF7416;
160 border-right: 3px solid #FF7416;
161 width: 76%;
162 margin: auto;
163 min-height: 100px;
164 overflow: hidden;
165 }
166 #keranjang p {
167 font-family: sans-serif;
168 padding: 20px;
169 text-align: justify;
170 }
171 .footer {
172 background: #22bb6d;
173 border-radius: 0px 0px 10px 10px;
174 border: 3px solid #22bb6d;
175 width: 76%;
176 margin: 10px auto;
177 }
```



```
# style.css > ↗_header
177 margin: 10px auto;
178 }
179 .footer p {
180 font-family: sans-serif;
181 color: #f3f5f4;
182 margin: auto;
183 padding: 5px;
184 text-align: center;
185 }
186 .tombol-biru{
187 background: #2C97DF;
188 color:#white;
189 border-top:0;
190 border-left:0;
191 border-right:0;
192 border-bottom:4px solid #A8B8B9;
193 border-radius: 5px;
194 padding:5px 20px;
195 text-decoration:none;
196 font-family:sans-serif;
197 font-size:11pt;
198 margin:10px;
199 }
200 .tombol-biru:hover {
201 background:#A8B8B9;
202 color:#white;
203 border-radius: 5px;
204 padding:5px 20px;
205 text-decoration:none;
206 font-family:sans-serif;
207 font-size:11pt;
208 }
209 .tombol-merah{
210 background:#ef4162;
211 color:#white;
212 }
```

```

# style.css > #header
212 background: #ef4162;
213 color: white;
214 border-top: 0;
215 border-left: 0;
216 border-right: 0;
217 border-bottom: 4px solid #da2648;
218 border-radius: 5px;
219 padding: 5px 20px;
220 text-decoration: none;
221 font-family: sans-serif;
222 font-size: 1pt;
223 /* align-items: center; */
224 }
225 .tombol-merah:hover {
226 background: #da2648;
227 color: white;
228 border-radius: 5px;
229 padding: 5px 20px;
230 text-decoration: none;
231 font-family: sans-serif;
232 font-size: 1pt;
233 }
234 .jersey {
235 background: #fff;
236 width: 200px;
237 }
238 .pesan {
239 background: #ef4162;
240 margin: 10px;
241 border-radius: 5px;
242 }
243 .pesan p {
244 color: #FFF;
245 }

```

## 5. Codingan “Page->admin->barang”

```

page > admin > barang > edit_barang.php
1 <div class="box-title">
2 | <p>Barang / <b>Manajemen Barang Jualan</b></p>
3 </div>
4 <div id="box">
5
6
7 <?php
8
9
10 $id = $_GET['id'];
11 $result = $conn->prepare("SELECT * FROM tb1");
12 $result->bindparam(':id', $id);
13 $result->execute();
14 $row=$result->fetch(PDO::FETCH_OBJ);
15
16
17 <h1>Barang Jualan Ubah</h1>
18
19 <form name="edit" method="post" action="?page=ed
20
21 <table class="table table-bordered table-striped">
22 <tr>
23 <td>Gambar</td>
24 <td>
25 <input type="hidden" name="id_barang" va
26 
35 </tr>
36
37

```

```

page > admin > barang > edit_barangpro.php
1 <div class="box-title">
2 | <p>Barang / <b>Manajemen Barang Jualan</b></p>
3 </div>
4 <div id="box">
5
6 <h1>Barang Jualan Ubah</h1>
7
8 <?php
9
10 include 'lib/koneksi.php';
11
12 $id = $_POST['id_barang'];
13 $desk = $_POST['deskripsi'];
14 $harga = $_POST['harga'];
15 $stok = $_POST['stok'];
16
17 $name_image = $_FILES['gambar'][name];
18 $loc_image = $_FILES['gambar'][tmp_name];
19 $type_image = $_FILES['gambar'][type];
20
21 $date = date('Ymd');
22
23 $cek = array('png', 'jpg', 'jpeg', 'gif');
24 $x = explode('.', $name_image);
25 $extension = strtolower(end($x));
26 $size_image = $_FILES['gambar'][size];
27
28 if ($loc_image != ""){
29
30 if (in_array($extension, $cek) == TRUE){
31 if ($size_image < 5044070){
32
33 $query = $conn->prepare("SELECT * FROM
34 $query->bindparam(':id', $id);
35 $query->execute();
36 $row=$query->fetch(PDO::FETCH_OBJ);
37

```

The screenshot shows a code editor with several tabs open, likely from the Notepad++ application. The tabs include:

- `edit.barang.php`
- `tambah_barangpro.php`
- `is.barang.php`
- `edit.barangpro.php`
- `tambah_barang.php`
- `edit.barangpro.php`
- `hapus_barang.php`

The code in the tabs is related to managing products (barang) in a database. It includes functions for adding new products, updating product details, and deleting products. The code uses PHP, MySQLi, and PDO for database interactions.

## 6. Codingan “page->pesan->pesan.php”

The screenshot shows a code editor with the file `pesan.php` selected in the Explorer pane. The file structure is as follows:

```

    TA-20DX-SEVEN-SKY
    ├── page
    │   ├── admin
    │   │   └── barang
    │   │       ├── barang.php
    │   │       ├── edit_barang.php
    │   │       ├── edit_barangpro.php
    │   │       ├── hapus_barang.php
    │   │       ├── tambah_barang.php
    │   │       └── tambah_barangpro.php
    └── pesan
        └── pesan.php

```

The content of `pesan.php` is:


```

1 <div class="box-title">
2 | | |<p>Pesan / <b>Daftar Pesan & Komentar</b></p>
3 </div>
4 <div id="box">
5 | <h1>Pesan</h1>
6 </div>
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37

```

This is a simple template for displaying a list of messages or comments.

## 7. Codingan “page”



The screenshot shows a Windows desktop environment with three Microsoft Edge browser windows open side-by-side. Each window displays a different PHP script with syntax highlighting. The scripts are:

- beranda.php**: A simple page with a box for users to log in.
- daftar.php**: A registration page for users to enter their details.
- login.php**: A login page where users can log in with their credentials.

The code in each file includes database connections, form processing logic, and user session management. The browser tabs are labeled with the file names: "beranda.php", "daftar.php", and "login.php". The status bar at the bottom of the screen shows the file paths and some system icons.

```
File Edi Selection View Go Run Terminal Help ← → TA-20DX-Seven-Sky
```

daftar.php    navbar.php

Page > navbar.php

```
1 <?php
2 session_start();
3 if (isset ($_SESSION['username'])) {
4     if ($_SESSION['status'] == 'user') {
5         $user = $_SESSION['username'];
6         $title = $_SESSION['status'];
7
8         echo "<li><a href='?page=beranda'>Beranda</a></li>";
9         echo "<li><a href='?page=belanja'>Pesananc</a></li>";
10        echo "<li><a href='?page=profil'>Profil</a></li>";
11        echo "<li><a href='?page=tentang'>tentang</a></li>";
12        echo "<li class='logout'><a href='page/logout.php'>keluar</a></li>";
13        echo "<li class='login'><a><b>Hey, </b>$title $user</a></li>";
14
15    } elseif ($_SESSION['status'] == 'admin') {
16        $user = $_SESSION['username'];
17        $title = $_SESSION['status'];
18
19        echo "<li><a href='?page=beranda'>Beranda</a></li>";
20        echo "<li><a href='?page=barang'>Barang</a></li>";
21        echo "<li><a href='?page=transaksi'>transaksi</a></li>";
22        echo "<li><a href='?page=user'>User</a></li>";
23        echo "<li><a href='?page=profilad'>profil</a></li>";
24        echo "<li class='logout'><a href='page/logout.php'>keluar</a></li>";
25        echo "<li class='login'><a><b>Hey, </b>$title $user</a></li>";
26    }
27 } else {
28     echo "<li><a href='?page=beranda'>Beranda</a></li>";
29     echo "<li><a href='?page=tentang'>tentang</a></li>";
30     echo "<li class='login'><a href='page/login.php'>Masuk</a></li>";
31 }
32 ?>
```

login.php    logout.php

Page > logout.php

```
1 <?php
2 session_start();
3 session_destroy();
4 echo "<script>alert('Anda telah keluar');window.location='..'</script>";
5 ?>
6
```

#### 8. Codingan “page->user”

```
File Edi Selection View Go Run Terminal Help
```

belanja\_detail.php M X

belanja.php X

belanja.php M X

page > user > belanja\_detail.php > div>box

1 <div class="box-title">  
2 | <p>Beranda / <b>Produk</b></p>  
3 |</div>  
4 <div id="box">  
5 |<h1>Detail Barang</h1>  
6 |<?php  
7 |  
8 | include 'lib/koneksi.php';  
9 |  
10 |  
11 \$iduser = \$\_POST['id\_user'];  
12 \$idbarang = \$\_POST['id\_barang'];  
13 \$harga = \$\_POST['harga'];  
14 \$date = date('Y');  
15 \$bonus = \$\_POST['bonus'];  
16 \$qty = \$\_POST['qty'];  
17 \$kurir = \$\_POST['kurir'];  
18 \$total = \$harga \* \$qty;  
19 \$sisa = \$\_POST['sisa'];  
20 |  
21 |  
22 if (\$qty > \$sisa){  
23 echo "<script>alert('Kuantitas pesanan melebihi stok');</script>";  
24 }  
25 elseif (\$qty <= 0){  
26 echo "<script>alert('Keliru dalam menginput jumlah');</script>";  
27 }  
28 else {  
29  
30 try {  
31 \$conn ->setAttribute(PDO::ATTR\_ERRMODE, PDO::ERRMODE\_EXCEPTION);  
32 \$pdo = \$conn->prepare('INSERT INTO tbl\_keranjang VALUES (:id\_user, :id\_barang, :jumlah, :harga, :date, :bonus, :kurir)');  
33 \$insertdata = array(':id\_user' => \$iduser,  
34 ':id\_barang' => \$idbarang,  
35 ':jumlah' => \$qty,  
36 ':harga' => \$harga,  
37 ':date' => \$date,  
38 ':bonus' => \$bonus,  
39 ':kurir' => \$kurir);  
40 \$pdo->execute(\$insertdata);  
41 echo "<center><b>barang berhasil ditambahkan ke keranjang</b></center>";  
42 } catch (Exception \$e) {  
43 echo "Terjadi kesalahan pada sistem";  
44 }  
45 }  
46 }  
47 |<?php  
48 | include 'lib/koneksi.php';  
49 |  
50 |  
51 \$user = \$\_SESSION['username'];  
52 \$ambiluser = \$conn->prepare("SELECT \* FROM tb\_user WHERE user = '\$user'");  
53 \$ambiluser->execute();  
54 \$data = \$ambiluser->fetch(PDO::FETCH\_OBJ);  
55 if (isset(\$\_SESSION['username'])) \$id = \$data->id;  
56  
57 \$query = \$conn->prepare("SELECT \* FROM tb\_pesanan JOIN tb\_barang ON tb\_pesanan.id\_barang = tb\_barang.id\_barang WHERE tb\_pesanan.id\_user = '\$id' GROUP BY tb\_pesanan.id");  
58 \$query->bindparam(':id', \$id);  
59 \$query->execute();  
60 \$data = \$query->fetchAll();  
61 \$count = \$query->rowCount();  
62 |</table>  
63 |<table border="1" style="width:100%; border-collapse: collapse; margin-top: 10px;">  
64 |<tr>  
65 |<th>No</th>  
66 |<th>Id Pesanan</th>  
67 |<th align="center">Barang</th>  
68 |<th align="center">Harga</th>  
69 |<th align="center">Bahan</th>  
70 |<th align="center">Qty</th>  
71 |<th align="center">Kurir</th>  
72 |<th align="center">Tanggal Masuk</th>  
73 |<th align="center">Total</th>  
74 |<th align="center">Status</th>  
75 |</tr>

belanja.php X


page > user > belanja.php > div>box

1 <div class="box-title">  
2 | <p>Pesanan / <b>Daftar Pesanan</b></p>  
3 |</div>  
4 <div id="box">  
5 |<h1>Pesanan</h1>  
6 |<?php  
7 |  
8 | include 'lib/koneksi.php';  
9 |  
10 |  
11 \$user = \$\_SESSION['username'];  
12 \$ambiluser = \$conn->prepare("SELECT \* FROM tb\_user WHERE user = '\$user'");  
13 \$ambiluser->bindparam(':user', \$user);  
14 \$ambiluser->execute();  
15 \$data = \$ambiluser->fetch(PDO::FETCH\_OBJ);  
16  
17 \$id = \$\_GET['id'];  
18 \$sisa = \$\_GET['st'];  
19  
20 \$result = \$conn->prepare("SELECT \* FROM tb\_pesanan WHERE id = '\$id'");  
21 \$result->execute();  
22 \$row = \$result->fetch(PDO::FETCH\_OBJ);  
23  
24 |<h1>Detail Barang</h1>  
25 |<form name="belanja" method="post" action=">page  
26 |<table class="article">  
27 |<tr>  
28 |<td>Gambar</td>  
29 |<td>  
30 |<input type="hidden" name="id\_user" value="  
31 |<input type="hidden" name="id\_barang" value="  
32 | $id);
11    $pdo->execute($deletedata);
12
13    echo "<script>alert('Barang dalam keranjang berhasil dihapus');</script>";
14 } catch (PDOException $e) {
15     print "hapus berita gagal: " . $e->getMessage();
16     die();
17 }
```
- keranjang.php**:

```
1 <?php
2
3 include('lib/koneksi.php');
4
5 if (isset($_SESSION['username'])) $user = $_SESSION['username'];
6 $ambiluser = $conn->prepare("SELECT * FROM t_keranjang WHERE user=:user");
7 $ambiluser->bindParam(':user', $user);
8 $ambiluser->execute();
9 $data = $ambiluser->fetch(PDO::FETCH_OBJ);
10 if (isset($_SESSION['username'])) $id = $data->id;
11
12 $query = $conn->prepare("SELECT id,deskripsi,harga
13                             FROM t_keranjang
14                             JOIN t_barang ON t_keranjang.id_barang=t_barang.id
15                             WHERE t_keranjang.id=:id
16                             GROUP BY t_keranjang.id");
17 $query->bindParam(':id', $id);
18 $query->execute();
19 $data = $query->fetchAll();
20 $count = $query->rowCount();
21
22 ?>
23
24 <div class="keranjang-title">
25   <p>Keranjang Belanja :<a class="tombol-biru" href="index.php?halaman=keranjang_hapus">Hapus</a></p>
26 </div>
27 <div id="keranjang">
28   <table class="news">
29     <tr>
30       <th>No:</th>
31       <th>Id Pesanan:</th>
32       <th align="center">Deskripsi:</th>
33       <th align="center">Harga:</th>
34       <th align="center">Bonus:</th>
35       <th align="center">Qty:</th>
36       <th align="center">Kurir:</th>
37       <th align="center">Total:</th>
38       <th>Aksi:</th>
39     </tr>
```
- belanja.php**:


```
1 <div class="box-title">
2   <p>Beranda / <b>Produk Jualan:</b></p>
3 </div>
4 <div id="box">
5   <h1>Pembayaran</h1>
6   <?php
7
8   include 'lib/koneksi.php';
9
10 $total = $_GET['jum'];
11 $id = $_GET['id'];
12 try {
13     $conn ->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
14     $insert = $conn->prepare("INSERT INTO t_pembayaran(id_pesanan, total)
15                               VALUES(:id, :total)");
16     $insert->bindParam(':id', $id);
17     $insert->execute();
18
19     $delete = $conn->prepare("DELETE FROM t_keranjang WHERE id=:id");
20     $delete->bindParam(':id', $id);
21     $delete->execute();
22   }
23
24 <table class="article">
25   <tr>
26     <td>Status</td>
27     <td><a class="tombol-biru" href="index.php?halaman=beranda">Pesanan Berhasil</a></td>
28   </tr>
29   <tr>
30     <td>Jumlah Pembayaran</td>
31     <td><b>?></b>php echo "Rp. ". $total; ?</b></td>
32   </tr>
33   <tr>
34     <td>Deskripsi</td>
35     <td>
36       Lakukan pembayaran dengan mentransfer no BANK MANDIRI:<br>
37       Rekening : 118-000-972529-9<br>
38       A.N : Firstito Rahman Abdillah<br>
39     </td>
40   </tr>
41 </table>
42
43 <?php
44 echo "Terima kasih telah membeli produk kami. Kami akan segera mengirimkan barang dalam waktu dekat.";
```

## 9. Codingan “lib->koneksi.php”



```
<?php
try {
    $conn = new PDO("mysql:host=localhost;dbname=paceshop","root","");
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
} catch (Exception $e) {
    print "koneksi atau query bermasalah" . $e->getMessage() . "<br>";
    die();
}
?>
```


## 10. Codingan “css->loginstyle.css”



```
body {
    background: #455;
    font-family: 'Open Sans', sans-serif;
}
.login {
    width:400px;
    margin: 100px auto;
    font-size: 16px;
}
.login-header,
.login p {
    margin-top: 0;
    margin-bottom: 0;
}
.login-header {
    background: #22bb6d;
    padding: 20px;
    font-size: 1.4em;
    font-weight: normal;
    text-align: center;
    text-transform: uppercase;
    color: #fff;
    border-bottom: 5px solid #16a85d;
    border-radius: 10px 10px 0px 0px;
}
.login-container {
    background: #ebebeb;
    padding: 10px;
    border-radius: 0px 0px 10px 10px;
}
.login p {
    color: #383838;
    padding: 12px;
}
```

## 11. Folder “img->icon->laptop”

Pada direktori ini memuat semua foto laptop/barang yang di tampilkan pada website kami.



# Tambahan dan Perbaikan Sesi 3

#### ❖ Folder profil

Dalam folder ini terdapat 3 file yang berisikan file profil.php, profil\_ubah.php, profil\_ubahpro.php

File Edit Selection View Go Run Terminal Help

profil.php - 1A-203K-SITEN-SKY - Visual Studio Code

profUlah.php x

page > admin > profil > profUlah.php > div.box-title

```
1 <div class="box-title">
2   <p>Profil </p>
3   <div id="box">
4     <h3>Profil Ulah</h3>
5   </div>
6 </div>
7
8 include 'lib/koneksi.php';
9
10 $user = $_SESSION['username'];
11 $conn = Conn::prepare("SELECT * FROM tbUser");
12 $ambilUser->bindparam(':user', $user);
13 $ambilUser->execute();
14 $data = $ambilUser->fetch(PDO::FETCH_OBJ);
15
16 <form name="ubah" action="?page=profilad_ubah">
17
18 <table class="article">
19   <tr>
20     <td>Status</td>
21     <td>
22       <input type="hidden" name="id_user" value="{$data->id_user}">
23       <input type="button" value="?>?php echo $data->status;">
24     </td>
25   </tr>
26   <tr>
27     <td>Nama Lengkap</td>
28     <td>
29       <input type="text" name="nama_lengkap" value="{$data->nama_lengkap}">
30     </td>
31   </tr>
32   <tr>
33     <td>Email</td>
34     <td>
35       <input type="text" name="email" value="{$data->email}">
36     </td>
37   </tr>
38 </table>
```

profUlah.php x

page > admin > profil > profUlah.php > div.box-title

```
1 <div class="box-title">
2   <p>Barang / </p>
3   <div id="box">
4     <h3>Barang Jualan Ubah</h3>
5   </div>
6 </div>
7
8 <?php
9
10 include 'lib/koneksi.php';
11
12 $id = $_POST['id_user'];
13 $nama_lengkap = $POST['nama_lengkap'];
14 $email = $POST['email'];
15 $alamat = $POST['alamat'];
16 $no_hp = $POST['no_hp'];
17 $username = $POST['username'];
18 $pass = $POST['password'];
19
20 try {
21   $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
22   $pdo = $conn->prepare("UPDATE tbUser SET nama_lengkap = :nama_lengkap, email = :email, username = :username, password = :password, alamat = :alamat, no_hp = :no_hp WHERE id_user = :id");
23   $updatedata = array(':nama_lengkap' => $nama_lengkap, ':email' => $email, ':username' => $username, ':password' => $pass, ':alamat' => $alamat, ':no_hp' => $no_hp, ':id' => $id);
24   $pdo->execute($updatedata);
25
26   echo "<center><img src='img/icons/cekkonfirmasi.png'></center>";
27 } catch (Exception $e) {
28   echo "Error: " . $e->getMessage();
29 }
```


profil.php x

page > admin > profil > profil.php > div.box-title

```
1 <div class="box-title">
2   <p>Detail User</p>
3 </div>
4 <div id="box">
5   <h3>Profil</h3>
6 </div>
7
8 <?php
9
10 include 'lib/koneksi.php';
11
12 $user = $_SESSION['username'];
13 $ambilUser = $conn->prepare("SELECT * FROM tbUser");
14 $ambilUser->bindparam(':user', $user);
15 $ambilUser->execute();
16 $data = $ambilUser->fetch(PDO::FETCH_OBJ);
17
18 <table class="article">
19   <tr>
20     <td>Status</td>
21     <td>
22       <?php echo $data->status;">
23     </td>
24   </tr>
25   <tr>
26     <td>Nama Lengkap</td>
27     <td>
28       <?php echo $data->nama_lengkap;">
29     </td>
30   </tr>
31   <tr>
32     <td>Email</td>
33     <td>
34       <?php echo $data->email;">
35     </td>
36   </tr>
37   <tr>
38     <td>Alamat</td>
39     <td>
40       <?php echo $data->alamat;">
41     </td>
42   </tr>
43 </table>
```

#### ❖ Folder transaksi

Dalam folder ini terdapat 2 file yang berisikan file yaitu transaksi.php transaksi\_detail.php



```
File Edit Selection View Go Run Terminal Help transaksi_detail.php - TA-20DX-SEVEN-KY - Visual Studio Code

transaksi_detail.php x transaksi.php
page > admin > transaksi > transaksi_detail.php > div#box
1 <div class="box-title">
2 | <p>Transaksi / <b>Transaksi Pembelian Barang</b></p>
3 </div>
4 <div id="box">
5 <h1>Detail</h1>
6
7 </div>
8
9 include 'lib/koneksi.php';
10 $id = $_GET['id'];
11 $query = $conn->prepare("SELECT * FROM tbl_pesanan
12 JOIN tbl_barang ON tbl_pesanan.id_barang=tbl_barang
13 JOIN tbl_users ON tbl_pesanan.id_user=tbl_users.id
14 WHERE tbl_pesanan.id_pesanan=:id");
15 $query->bindparam(':id', $id);
16 $query->execute();
17 $data = $query->fetch(PDO::FETCH_OBJ);
18
19 >>>
20 <table class="article">
21 <tr>
22 <td align="center">Id Pesanan</td>
23 <td><?php echo $data->id_pesanan; ?></td>
24 </tr>
25 <tr>
26 <td align="center">Barang</td>
27 <td><?php echo "[".$data->id_barang.", ".$data->deskripsi; ?></td>
28 </tr>
29 <tr>
30 <td>Harga</td>
31 <td><?php echo "Rp. ".$data->harga; ?></td>
32 </tr>
33 <tr>
34 <td>Total Pembayaran</td>
35 <td><?php echo "Rp. ".$data->total; ?></td>
36 </tr>
37 <tr>
38 <td>Bonus</td>
```

```
transaksi.php x
page > admin > transaksi > transaksi.php > div#box title
1 <div class="box-title">
2 | <p>Transaksi / <b>Transaksi Pembelian Barang</b></p>
3 </div>
4 <div id="box">
5 <h1>Transaksi</h1>
6
7 </div>
8 include 'lib/koneksi.php';
9 $query = $conn->prepare("SELECT * FROM tbl_pesanan
10 JOIN tbl_barang ON tbl_pesanan.id_barang=tbl_barang
11 JOIN tbl_users ON tbl_pesanan.id_user=tbl_users.id
12 ORDER BY date_in DESC");
13 $query->execute();
14 $data = $query->fetchAll();
15 $count = $query->rowCount();
16 >>>
17 <table class="news">
18 <tr>
19 <th>Id Pesanan</th>
20 <th>Pesanan</th>
21 <th>Id Barang</th>
22 <th>Bonus</th>
23 <th>Qty</th>
24 <th>Kurir</th>
25 <th>Tanggal Masuk</th>
26 <th>Total</th>
27 <th>Status</th>
28 </tr>
29 <tr>
30 <td><?php echo $value['id_pesanan'] ?></td>
31 <td><?php echo "$value['id_user']." . $value['nama_lengkap'] ?></td>
32 <td><?php echo $value['deskripsi'] ?></td>
33 <td><?php echo $value['bonus'] ?></td>
34 <td><?php echo $value['qty'] ?></td>
35 <td><?php echo $value['kurir'] ?></td>
```

## ❖ Folder user

Pada folder ini terdapat 4 file yaitu user.php, user\_edit.php, user\_editpro.php dan user\_hapus.php

The screenshot shows two PHP files side-by-side in Visual Studio Code:

**user\_edit.php:**

```
page > admin > user > user_edit.php > div.box-title
1 <div class="box-title">
2 | <p>User / <b>Manajemen User</b></p>
3 </div>
4 <div id="box">
5
6 <?php
7 include "lib/koneksi.php";
8
9 $id = $_GET['id'];
10 $result = $conn->prepare("SELECT * FROM tbl_users WHERE id=:id");
11 $result->bindparam(':id', $id);
12 $result->execute();
13 $row=$result->fetch(PDO::FETCH_OBJ);
14
15 <?>
16 <h1>User Ubah</h1>
17
18 <form name="edit" method="post" action="?page=user_editpro" enc...
```

**user\_editpro.php:**

```
page > admin > user > user_editpro.php > div.box-title
1 <div class="box-title">
2 | <p>User / <b>Manajemen User</b></p>
3 </div>
4 <div id="box">
5
6 <h1>User Ubah</h1>
7
8 <?php
9 include "lib/koneksi.php";
10
11 $id = $_POST['id_user'];
12 $nama_lengkap = $_POST['nama_lengkap'];
13 $email = $_POST['email'];
14 $alamat = addslashes($_POST['alamat']);
15 $no_hp = $_POST['no_hp'];
16 $username = $_POST['username'];
17 $password = $_POST['password'];
18
19 <try>
20   $conn ->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE...
```

The screenshot shows two PHP files side-by-side in Visual Studio Code:

**user.php:**

```
page > admin > user > user.php > div.box-title
1 <div class="box-title">
2 | <p>User / <b>Manajemen User</b></p>
3 </div>
4 <div id="box">
5 <h1>User</h1>
6
7 <?php
8 $status = "user";
9 include('lib/koneksi.php');
10
11 $query = $conn->prepare("SELECT * FROM tbl_users WHERE title=:title");
12 $query->bindparam(':title', $status);
13 $query->execute();
14 $data = $query->fetchAll();
15 $count = $query->rowCount();
16
17 <table class="new">
18   <tr>
19     <th>No:</th>
20     <th>Name:</th>
21     <th>Email:</th>
22     <th>Username:</th>
23     <th>Alamat:</th>
24     <th>No HP:</th>
25     <th>Aksi:</th>
26   </tr>
27   <?php
28     $no=1;
29     foreach ($data as $value): ?>
30       <tr>
31         <td><?php echo $no; ?></td>
32         <td><?php echo "(".$value['id_user'].") ".$value['nama_lengkap'] ?>

user_hapus.php:



```
page > admin > user > user_hapus.php > ...
1 <?php
2 include('lib/koneksi.php');
3
4 $id = $_GET['id'];
5
6 <try>
7   $conn ->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
8   $hapus = $conn->prepare("DELETE FROM tbl_users WHERE id_user = :id");
9   $deleteuser = array(':id' => $id);
10  $hapus->execute($deleteuser);
11
12 <?script>alert('User berhasil dihapus');window.location='?page=use...
13
14 } catch (PDOException $e) {
15   print "hapus berita gagal: " . $e->getMessage() . "<br/>";
16   die();
17 }
```


```

- ❖ Codingan pesanan.php dan belanja\_detail.php

The screenshot shows two code editors in Visual Studio Code. The left editor contains the file `belanja_detail.php`, which includes logic to fetch a product detail from the database based on the ID provided in the URL. The right editor contains the file `pesanan.php`, which handles payment processing, including inserting a new record into the `tbl_pesanan` table and displaying a success message.

```
File Edit Selection View Go Run Terminal Help
belanja_detail.php - TA-2007-SEVEN-SKY - Visual Studio Code
belanja_detail.php M x
page user > belanja_detail.php > div.box-title
  1 <div class="box-title">
  2   <p>Beranda / <b>Produk Jualan</b></p>
  3 </div>
  4 <div id="box">
  5
  6
  7 </?php
  8   include "lib/koneksi.php";
  9
 10   $user = $_SESSION["username"];
 11   $ambiluser = $conn->prepare("SELECT * FROM tbl_users WHERE username =:user");
 12   $ambiluser->bindparam(":user", $user);
 13   $ambiluser->execute();
 14   $data = $ambiluser->fetch(PDO::FETCH_OBJ);
 15
 16   $id = $_GET["id"];
 17   $sis = $_GET["st"];
 18   $result = $conn->prepare("SELECT * FROM tbl_barang WHERE id_barang =:id");
 19   $result->bindParam(":id", $id);
 20   $result->execute();
 21   $row=$result->fetch(PDO::FETCH_OBJ);
 22 }
 23
 24 <h1>Detail Barang</h1>
 25
 26 <form name="belanja" method="post" action="?page=belanja_detailpro" enctype="
 27
 28 <table class="artikel">
 29   <tr>
 30     <td>Gambar</td>
 31     <td>
 32       <input type="hidden" name="id_user" value=<?php echo $data->id_user
 33       <input type="hidden" name="id_barang" value=<?php echo $row->id_barang
 34       <br>
 35     </td>
 36   </tr>
 37   <tr>
 38     <td>
```

```
belanja.php M x
pesanan.php M x
page user > pesanan.php > div.box-title
  1 <div class="box-title">
  2   <p>Beranda / <b>Produk Jualan</b></p>
  3 </div>
  4 <div id="box">
  5   <h1>Pembayaran</h1>
  6 </?php
  7
  8   include "lib/koneksi.php";
  9
 10
 11   $total = $_GET['jumlah'];
 12   $id = $_GET['id'];
 13   try {
 14     $conn = >setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
 15     $insert = $conn->prepare("INSERT INTO tbl_pesanan (id_user,id_barang,b
 16     $insert->bindParam(":id", $id);
 17     $insert->execute();
 18
 19     $delete = $conn->prepare("DELETE FROM tbl_keranjang WHERE id_user=:id")
 20     $delete->bindParam(":id", $id);
 21     $delete->execute();
 22   }
 23
 24   <table class="article">
 25     <tr>
 26       <td>Status</td>
 27       <td><a class="tombol-biru">Pesanan Berhasil</a></td>
 28     </tr>
 29     <tr>
 30       <td>Jumlah Pembayaran</td>
 31       <td><b><?php echo "Rp. ".\$total; ?></b></td>
 32     </tr>
 33     <tr>
 34       <td>Deskripsi</td>
 35       <td>
 36         Lakukan pembayaran dengan mentransfer nominal <b>Jumlah Pembayaran</b>
 37         BANK MANDIRI<br>
 38         Rekening : 118-000-97255-9<br>
 39         A.N : Firstito Rahman Abdillah<br>
 40     </td>
```

#### ❖ Folder profil

Pada folder ini berisikan 3 file yaitu file profil.php, profil\_ubah.php dan profil\_ubahpro.php

File Edit Selection View Go Run Terminal Help profil.php - TA-200X-SEVEN-SKY - Visual Studio Code

profil\_ubah.php X

page > admin > profil > profil\_ubah.php > div.box-title

```
1 <div class="box-title">
2   |> Profil / <b>Detail User</b></p>
3 </div>
4 <div id="box">
5   <h1>Profil Ubah</h1>
6 </?php
7
8   include 'lib/koneksi.php';
9
10  $user = $_SESSION['username'];
11  $ambiluser = $conn->prepare("SELECT * FROM tb_
12  $ambiluser->bindparam(':user', '$user');
13  $ambiluser->execute();
14  $data = $ambiluser->fetch(PDO::FETCH_OBJ);
15  ?>
16
17  <form name="ubah" action="?page=profilad_ubah">
18
19    <table class="article">
20      <tr>
21        <td>Status</td>
22        <td>
23          <input type="hidden" name="id_user" value=
24          <input type="button" value="<?php echo $_
25        </td>
26      </tr>
27    </table>
28    <td>Nama Lengkap</td>
29    <td>
30      <input type="text" name="nama_lengkap" v_
31    </td>
32  </tr>
33  <td>Email</td>
34  <td>
35    <input type="text" name="email" value=<?
36    </td>
37  </tr>
38</table>
```

profil\_ubahpro.php X

page > admin > profil > profil\_ubahpro.php > div.box-title


```
1 <div class="box-title">
2   |> Barang / <b>Manajemen Barang Jualan</b></p>
3 </div>
4 <div id="box">
5   <h1>Barang Jualan Ubah</h1>
6 </?php
7
8   include 'lib/koneksi.php';
9
10  $user = $_SESSION['username'];
11  $ambiluser = $conn->prepare("SELECT * FROM tb_
12  $ambiluser->bindparam(':user', '$user');
13  $ambiluser->execute();
14  $data = $ambiluser->fetch(PDO::FETCH_OBJ);
15  ?>
16 <table class="article">
17   <tr>
18     <td>Status</td>
19     <td>
20       <input type="button" value="<?php echo
21     </td>
22   </tr>
23   <tr>
24     <td>Nama Lengkap</td>
25     <td>
26       <?php echo $data->nama_lengkap; ?>
27     </td>
28   </tr>
29   <tr>
30     <td>Email</td>
31     <td>
32       <?php echo $data->email; ?>
33     </td>
34   </tr>
35   <td>Alamat</td>
36   <td>
37     <?php echo $data->alamat; ?>
38</table>
```

profil.php M X

page > admin > profil > profil.php > div.box-title

```
1 <div class="box-title">
2   |> Profil / <b>Detail User</b></p>
3 </div>
4 <div id="box">
5   <h1>Profile</h1>
6 </?php
7
8   include 'lib/koneksi.php';
9
10  $user = $_SESSION['username'];
11  $ambiluser = $conn->prepare("SELECT * FROM tb_
12  $ambiluser->bindparam(':user', '$user');
13  $ambiluser->execute();
14  $data = $ambiluser->fetch(PDO::FETCH_OBJ);
15  ?>
16 <table class="article">
17   <tr>
18     <td>Status</td>
19     <td>
20       <input type="button" value="<?php echo
21     </td>
22   </tr>
23   <tr>
24     <td>Nama Lengkap</td>
25     <td>
26       <?php echo $data->nama_lengkap; ?>
27     </td>
28   </tr>
29   <tr>
30     <td>Email</td>
31     <td>
32       <?php echo $data->email; ?>
33     </td>
34   </tr>
35   <td>Alamat</td>
36   <td>
37     <?php echo $data->alamat; ?>
38</table>
```

## ❖ Codingan tentang.php



The screenshot shows a Windows desktop environment with a code editor window open. The title bar of the window reads "tentang.php". The code editor displays the following PHP script:

```
page > tentang.php
1 <div class="box-title">
2 | <p>Tentang / <b>Profil Pembuat</b></p>
3 </div>
4 <div id="box">
5
6 <h1>Global Computer, Kedaton, Bandar Lampung</h1>
7 
8 <table>
9 <tr>
10 <td width="25%">
11 | <ul>
12 | | <li><b>Nama Toko</b></li>
13 | </ul>
14 <td> Global computer</td>
15 </tr>
16 </table>
17 <ul>
18 | <li><b>email</b></li>
19 | <li><b>No. Telp</b></li>
20 | <li><b>Alamat</b></li>
21 | <li><b>Email</b>: globalcomputerkedatonis@gmail.com</li>
22 </ul>
23 <tr>
24 <td>
25 <ul>
26 | <li><b>No. Telp</b></li>
27 | <li><b>Alamat</b></li>
28 | <li><b>Email</b>: globalcomputerkedatonis@gmail.com</li>
29 </ul>
30 <td> 0822 7890 1245</td>
31 </tr>
32 <tr>
33 <td>
34 <ul>
35 | <li><b>No. Telp</b></li>
36 | <li><b>Alamat</b></li>
37 </ul>
```


The code editor interface includes a sidebar with file navigation, a status bar at the bottom showing "Ln 1, Col 1", "Spaces: 2", "UTF-8", "CRLF", "PHP", and a date/time stamp "21/01/2023".

## B. Front-end (Hasil atau Tampilan Website)

### 1. Halaman Admin


- ❖ Halaman Home atau beranda

Pada halaman ini belum ada yang login contohnya user ataupun admin




- ❖ Form Login Admin

Digunakan oleh admin untuk dapat login ke dalam halaman admin dengan cara memasukan username dan password dengan benar.



## ❖ Halaman Barang

Merupakan halaman yang memuat seluruh barang yang akan di jual atau di pasarkan.




The screenshot shows a web application interface for managing sellable items. The top navigation bar includes links for Beranda, Barang, Transaksi, User, Profil, Hey, admin seven, and keluar. The main content area is titled 'Barang / Manajemen Barang Jualan' and features a sub-section titled 'Barang Jualan'. Below this is a table with the following columns: Id Barang, Gambar, Deskripsi, Harga, Stok, Created, and Aksi. The table contains three rows of data:

| Id Barang | Gambar | Deskripsi                     | Harga    | Stok | Created    | Aksi                                          |
|-----------|--------|-------------------------------|----------|------|------------|-----------------------------------------------|
| 13        |        | Laptop ASUS M415DAO           | 5500000  | 5    | 2023-01-06 | <a href="#">ubah</a><br><a href="#">hapus</a> |
| 14        |        | Laptop HP 14S CF2500TX        | 11300000 | 10   | 2023-01-06 | <a href="#">ubah</a><br><a href="#">hapus</a> |
| 15        |        | Laptop Lenovo IP3 I4ITL6-COID | 12068000 | 5    | 2023-01-06 | <a href="#">ubah</a><br><a href="#">hapus</a> |

## ❖ Halaman Transaksi

Pada Halaman Transaksi memuat detail transaksi yang telah di lakukan oleh customer/user.



The screenshot shows a web application interface for transaction history. The top navigation bar includes links for Beranda, Barang, Transaksi, User, Profil, Hey, admin seven, and keluar. The main content area is titled 'Transaksi / Transaksi Pembelian Barang' and features a sub-section titled 'Transaksi'. Below this is a table with the following columns: Id Pesanan, Pemesan, Id Barang, Bonus, Qty, Kurir, Tanggal Masuk, Total, and Status. The table contains two rows of data:

| Id Pesanan | Pemesan    | Id Barang                     | Bonus | Qty | Kurir | Tanggal Masuk | Total    | Status                                           |
|------------|------------|-------------------------------|-------|-----|-------|---------------|----------|--------------------------------------------------|
| 35         | (9) Raihan | Laptop Lenovo IP3 I4ITL6-COID | Mouse | 1   | JNE   | 2023-01-15    | 12068000 | <a href="#">Sukses</a><br><a href="#">Detail</a> |
| 36         | (10) Reza  | Laptop HP 14S CF2500TX        | Mouse | 1   | JNE   | 2023-01-15    | 11300000 | <a href="#">Sukses</a><br><a href="#">Detail</a> |

Below the table is a summary bar labeled 'Keranjang Belanja' with a value of 0. At the bottom is another table with columns: No, Id Pesanan, Deskripsi, Harga, Bonus, Qty, Kurir, Total, and Aksi.

## ❖ Halaman User

Halaman User memuat semua data dari user yang telah mendaftar pada website ini.

The screenshot shows a web application interface for managing users. At the top, there is a navigation bar with links for Beranda, Barang, Transaksi, User, Profil, Hey, admin seven, and keluar. Below the navigation bar is a green header bar with the text "User / Manajemen User". The main content area has a title "User" and a table listing four users:

| No | Nama       | Email            | Username | Alamat         | No HP        | Aksi                                          |
|----|------------|------------------|----------|----------------|--------------|-----------------------------------------------|
| 1  | (7) yoga   | yoga@gmail.com   | yoga     | Bandar Lampung | 082390098756 | <a href="#">Ubah</a><br><a href="#">Hapus</a> |
| 2  | (8) risal  | risal@gmail.com  | risal    | Pesawaran      | 09876789098  | <a href="#">Ubah</a><br><a href="#">Hapus</a> |
| 3  | (9) Raihan | raihan@gmail.com | reihan   | Bandar Lampung | 082297765423 | <a href="#">Ubah</a><br><a href="#">Hapus</a> |
| 4  | (10) Reza  | reza@gamail.com  | reza     | Bandar Lampung | 082234567890 | <a href="#">Ubah</a><br><a href="#">Hapus</a> |

Below the table, there is an orange footer bar with the text "Keranjang Belanja : 0". At the bottom of the page is a green footer bar with columns for No, Id Pesanan, Deskripsi, Harga, Bonus, Qty, Kurir, Total, and Aksi.

## ❖ Halaman Profil

Merupakan halaman yang memuat profile singkat dari Toko. Pada case ini kami menggunakan nama kelompok.

The screenshot shows a web application interface for viewing a user's profile. At the top, there is a navigation bar with links for Beranda, Barang, Transaksi, User, Profil, Hey, admin seven, and keluar. Below the navigation bar is a green header bar with the text "SEVEN SKY STORE". The main content area has a title "Profil / Detail User" and a section titled "Profile".


|              |                    |
|--------------|--------------------|
| Status       | admin              |
| Nama Lengkap | Seven Sky          |
| Email        | SevenSky@gmail.com |
| Alamat       | JL.ZA, Pagar ALam  |
| No Hp        | 082248080870       |
| Username     | seven              |
| Password     | *****              |

Below the table, there is an orange footer bar with the text "Keranjang Belanja : 0". At the bottom of the page is a green footer bar with columns for No, Id Pesanan, Deskripsi, Harga, Bonus, Qty, Kurir, Total, and Aksi.

## 2. Halaman User


### ❖ Form Pendaftaran User Baru

Halaman daftar akun merupakan halaman yang memuat form biodata yang harus dilengkapi oleh calon customer untuk dapat login ke website ini.




### ❖ Form Login User

Digunakan oleh user untuk dapat login ke dalam halaman user dengan cara memasukan username dan password dengan benar.




## ❖ Halaman Beranda

Merupakan halaman yang memuat seluruh produk yang ada pada websie kami.



## ❖ Halaman Pesanan

Halaman Pesanan merupakan halaman yang akan memuat daftar pesanan yang telah di lakukan oleh user.



## ❖ Halaman Profil

Halaman Profil merupakan halaman yang memuat profil singkat dari user.

The screenshot shows a web browser window with multiple tabs open. The active tab is 'localhost/TA-20DX-SEVEN-SKY/index.php?page=profil'. The page has a green header with navigation links: Beranda, Pesanan, Profil, and Tentang. On the right of the header are 'Hey, user yoga' and 'keluar' buttons. Below the header is a section titled 'Profil / Detail User' with a sub-section titled 'Profil'. It displays the following user information:

|              |                |
|--------------|----------------|
| Id User      | 7              |
| Nama Lengkap | yoga           |
| Email        | yoga@gmail.com |
| Alamat       | Bandar Lampung |
| No Hp        | 082390098756   |
| Username     | yoga           |
| Password     | [REDACTED]     |

Below this are two buttons: 'Ubah' (Change) and 'Kembali' (Back). A shopping cart summary is shown below the profile section:

| Keranjang Belanja : 0 |            |           |       |       |     |       |       |      |
|-----------------------|------------|-----------|-------|-------|-----|-------|-------|------|
| No                    | Id Pesanan | Deskripsi | Harga | Bonus | Qty | Kurir | Total | Aksi |
| TOTAL PEMBAYARAN      |            |           |       |       |     |       | Rp. 0 |      |

## ❖ Halaman Tentang

Halaman Tentang memuat tentang detail singkat toko. Form ini masih dalam tahap pengembangan karena itu masih terdapat pesan error.

The screenshot shows a web browser window with multiple tabs open. The active tab is 'localhost/TA-20DX-SEVEN-SKY/index.php?page=tentang'. The page has a green header with navigation links: Beranda, Pesanan, Profil, and Tentang. On the right of the header are 'Hey, user yoga' and 'keluar' buttons. Below the header is a section titled 'Tentang / Profil Pembuat' with a sub-section titled 'Global Computer, Kedaton, Bandar Lampung'. It displays the following company information:

**Global Computer, Kedaton, Bandar Lampung**



|             |                                                       |
|-------------|-------------------------------------------------------|
| • Nama Toko | : Global Computer                                     |
| • email     | : globalcomputerkedaton158@gmail.com                  |
| • No. Telp  | : 0822 7890 1245                                      |
| • Alamat    | : Jl. Teuku Umar No. 158-159, Kedaton, Bandar Lampung |
| • Produk    | : Komputer & aksesoris komputer                       |

Below this is a shopping cart summary:

| Keranjang Belanja : 0 |            |           |       |       |     |       |       |      |
|-----------------------|------------|-----------|-------|-------|-----|-------|-------|------|
| No                    | Id Pesanan | Deskripsi | Harga | Bonus | Qty | Kurir | Total | Aksi |
| TOTAL PEMBAYARAN      |            |           |       |       |     |       | Rp. 0 |      |