Is operator, Is operator is used to @ Compare with NULL SYNTAX: Columnname / Enpression IS NULL; Example: WARTD Details of the Employee who don't earn any commission Select * From Emp Where CommIS NOLL; IS NOT operator Is not operator is used to compere NOTT NOT SYNTAX: Columnname/Enpression ISNOT NULL; Enample: WARTD Details or the Employee who's earning Commission select * From Emp Where 60 COMM IS NOT

WARTO Details or the Employee who's works as Salesman and Earn's Commission select x From Emp Where JOB = 'SALESMAN' And Comm IS NOT NULL; LIKE Operator Like operator is used to perform elamon Pattern matching We can achieve Pattern motching with the help of two special character. 1. - percentage underscoole It can accept any character It can accept any number of Estancies It can accept no character It can accept any character It will accept only one character :/. and - are also called as wild NOTE : Characters

Scanned by TapScanner

SYNVERY: Column norme/Expression Like Pattom-to-match; Enample WARTO Details or the Employee who's name start with character A. Select X From Emp where ename LIKE A-1.; WARTD Details Or the Employee who's name is having characters at the last character select * From Emp where Ename Like 1.5; WARTD details of the Employee who's names start with 5 having T as last but one Character Select X From Emp whose ename Like 5%. T-; WARTD Details Of the employed earning 4 digit Salory

WARTD Emp name, hired date for all the Employee hired during 81 Select ename, hiredate From Emp where hiredate between 01-7001-81 and where hiredate 1. 81; where hirodate Like 1.81; NA BUIL BUILDING DEGALO WARTD Details of the employee hired in athe month of december Solect X From Emp where hiredate like 1. dec? NOT LIKE Openator: not Like work similar to Like Openteur but insted of Selecting It reject the value SYNTAX: Column name/Enpression NOTLIKE pattern to motel Details or Employee except whos names
Start with character A. select X From Emp where ename NOTLIKE A%;

Scanned by TapScanner