



Scanned by TapScanner



Scanned by TapScanner



\* FROM clauses the starts the execution \* In From clause we can pass table name as argument (Input) A The Work of From Clause is to go to Database and search for Table. If the table is present It put the table under Execution \* select clause execute after clause \* For SELECT Clause we can pass 3 arguments are inputs 1) Asterisk (\*) TTOALL 2) Colomn\_name 3) Expression \* SELECT Clause will go to table under execution and check for the column mentioned and it so SELECT and display the Result \* SELECT Clause is Responsible ofor Production of Result Table 1) Asterisk (\*) (x) it moons select all the column from the table ; it means end of the statement are QUERY

WARTD CATHO Empname argument (Input) WARTD Emp Name Emp No SALARY and department number from all the Employes. Select Ename, EMPNO, 3AL, DEPTNO FROM EMP; WARTD All the Details of Employee Select \* From Emp; 1) Asterisk(\*) WARTD Emp Name, Salery, Commission for all the Employe Expression Solect Ename, SAL, COMM From Emp; WARTD Emp No, Emp name, designation for all employe Select Emp No France Job From Emp; WARTD Emp No, E Name, Job, hire deta, salery, Commission, Dept no for all de employe

WARTD Dept mornoume present in Dept Touble Select DName Fromorotal arma Dept Name, location Present in Dept table WARTD Solect pnome, location (See remed from compeptity our) Expression: Any statement which gives us result is known as expression or expression is Combination of operator and operents Operatorulas rotorgo emenmentos (i These are the symbol use for operation \* operator Operents: These are the values which we pass which operation Operents are also known ou values are Litrels Literals

Literals: we have three types of Literals Character Literals DATE Liferalls Number Literals NOTE: 1) Sal is case Insensitive Language (me uppor couse or Lower case) 2) Character and pate literals are Case Sensitive and they should written in Single @ Quotes 'tomotote 3) we have two formet for expression i) Colomn name operator value ii) Column name operator Column name one tounine out one over operator Sal x12 votorogo - openents / Literals / values Emp name atong salong along with annual solony for all the employe

WARTD annual salony with employe we cont use any other column mame along with astonisk, whenever we want an additional Column along with all the details we Soloto Emp. X, Sal x 12 use table name. \* From Empi. Hone . works as Access, Openators popular ano es umuno 10 Emp name, solony, 10%, hike in annual WARTD Salory Soloct Ename, sal, Sal x 12 + | Sal x 12 x 10 · ALTAS . ALLAS is a alternative moname used for Column name or expression We can use AlIAS name with our without using the keyword AS or should be separated with the holy of \_ If we want space between the string then be used within double Quete " " Select Sal × 2 Annual - \$13AL

Scanned by TapScanner