

MEGHNAD LABORATORY

Nagdeo Towers, Second Floor, Nashik Road, Bhosari, Pune - 411 039. Dr. Bhagyashree Padsalgikar

MBBS., DPB CONSULTING PATHOLOGIST

NAME: MR GAJANAN SHIRGOLE

AGE & SEX: 38Years / Male

REFERRED BY D DR RAHUL DESHMUKH SIR

Reg. ID:

REGISTERED ON :01/03/2022 10:07AM

REPORTED ON :01/03/2022 10:13AM

BIOCHEMISTRY

TEST RESULT UNIT BIOLOGICAL REF RANGE

BLOOD SUGAR - RANDOM

Sample Type

SERUM / PLASMA

Blood Sugar (R)

: 52.15

mg/dl

60-140

Method: GOD-POD method used

: Fully Automated Biochemistry Analyzer, EM-200

--- End Of Report ---

Dr.Bhagyashree Padsalgikar

MBBS, DPB

CONSULTING PATHOLOGIST



MEGHNAD LABORATORY

Nagdeo Towers, Second Floor, Nashik Road, Bhosari, Pune - 411 039. Dr. Bhagyashree Padsalgikar

MBBS., DPB CONSULTING PATHOLOGIST

NAME: MR GAJANAN SHIRGOLE

AGE & SEX: 38Years / Male

REFERRED BY D DR RAHUL DESHMUKH SIR

Reg. ID:

REGISTERED ON :01/03/2022 10:07AM

REPORTED ON :01/03/2022 10:13AM

EXAMINATION OF BODY FLUID

TEST RESULT UNIT BIOLOGICAL REF RANGE

CSF REPORT

Sample Type CSF

PHYSICAL EXAMINATION

Apperance : Clear
Blood : Absent
Cobweb : Absent
Deposit : Absent

CHEMICAL EXAMINATION

CYTOLOGICAL ANALYSIS

--- End Of Report ---

Dr.Bhagyashree Padsalgikar MBBS, DPB

CONSULTING PATHOLOGIST



MEGHNAD LABORATORY

Nagdeo Towers, Second Floor, Nashik Road, Bhosari, Pune - 411 039.

Dr. Bhagyashree Padsalgikar

MBBS., DPB
CONSULTING PATHOLOGIST

Reg. ID:

NAME: MR GAJANAN SHIRGOLE

38Years / Male

REFERRED BY D DR RAHUL DESHMUKH SIR

REGISTERED ON :01/03/2022 10:07AM REPORTED ON :01/03/2022 10:13AM

SPECIAL TEST

<u>TEST</u> <u>RESULT</u> <u>UNIT</u>

ADA REPORT

AGE & SEX:

Sample Type FLUID

ADA-Adenosine Deaminase, : 8.89 U/L Negative : < 11

CSF Suspect:11-12.35

Positive:> 12.35

Method & Instrument : Enzyamatic / MICROLAB 200

ADA is an enzyme catalyzing the deamination reaction from adenosine to inosine. The enzyme is widely distributed in human tissues especially high in T lymphocytes. Increased ADA activity is observed in patients with tuberculous effusions.

The levels of ADA increase in TB because of the stimulation of T cells by mycobacterial antigens. ADA is an enzyme catalyzing the deamination reaction from adenosine to inosine. The enzyme is widely distributed in human tissues especially high in T lymphocytes. Increased ADA activity is observed in patients with tuberculous effusions.

The levels of ADA increase in TB because of the stimulation of T cells by mycobacterial antigens. ADA is an enzyme catalyzing the deamination reaction from adenosine to inosine. The enzyme is widely distributed in human tissues especially high in T lymphocytes. Increased ADA activity is observed in patients with tuberculous effusions.

The levels of ADA increase in TB because of the stimulation of T cells by mycobacterial antigens.

--- End Of Report ---

Dr.Bhagyashree Padsalgikar MBBS, DPB

CONSULTING PATHOLOGIST