Status	Finished
Started	Thursday, 22 October 2026, 3:56 PM
Completed	Thursday, 22 October 2026, 4:04 PM
Duration	7 mins 25 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. No, No

b. Yes, No

c. Yes, Yes ✕

d. "==" is not supported for set in Python

Question **2**

Incorrect

Mark 0.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

- a. True ✗
- b. Error
- c. False
- d. Error

Question **3**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

- a. <class 'str'> ✓
- b. str
- c. <class 'tuple'>
- d. <class 'int'>

Question **4**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- a. True ✓
- b. False

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3,4,5,6) ✓

b. Error

c. (1,2,3)(4,5,6)

d. (1,2,3,3,2,1)

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. Error

b. {‘rec’, True, (‘cse’, ‘ece’)}

c. {‘rec’, 1, (‘cse’, ‘ece’),True}

d. {‘rec’, 1, (‘cse’, ‘ece’)} ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

a. (11,3,11,11,3,11,11,11,3)

b. (11,3)(11,3)(11,3)

c. (11, 3, 11, 3, 11, 3) ✓

d. [11,11,11,3,3,3]

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Computer
b. Error
c. () ✓
d. (Computer)

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

a. Error ✓
b. (55,78,64,25)
c. (12)
d. 12

Question **10**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['8', '30', '3', '2'] ✓
b. ['30', '8', '3', '2']
c. ['2', '3', '8', '30']
d. ['2', '3', '30', '8']

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl.append(2)

b. tupl.sort()

c. tupl1=tupl+tupl ✓

d. tupl[1]=2

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. i,ii

b. i,iii ✓

c. ii,iv

d. iii,iv

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

b. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

c. TypeError: update() doesn't allow list as a argument.

d. Name Error

Question **14**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

a. 2

b. 117 ✓

c. Error

d. 100

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓
True

b. False
True

c. True
False

d. False
False