Status	Finished
Started	Thursday, 22 October 2026, 4:06 PM
Completed	Thursday, 22 October 2026, 4:15 PM
Duration	8 mins 36 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

a. values
b. del
c. update
d. get ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Write the output of the following codes.
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

a. Error
b. [10, 20, 30, 40, 50]
c. [1, 2, 3, 4, 5]
d. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)] ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

a. delete
b. del ✓
c. pop
d. clear

Question **4**

Incorrect

Mark 0.00 out of 1.00

Which one of the following is correct?

- a. A dictionary can have two same keys or same values but cannot have two same key-value pair ✗
- b. A python, a dictionary can neither have two same keys nor two same values.
- c. A dictionary can have two same keys with different values.
- d. A dictionary can have two same values with different keys.

Question **5**

Correct

Mark 1.00 out of 1.00

Keys in dictionary are _____.

- a. antique
- b. Mutable
- c. Immutable ✓
- d. integers

Question **6**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

- a. ['Janice', 'Emily', 'John']
- b. ['Janice', 'Emily', 'John', 'Eleanor']
- c. ['Janice', 'John', 'Erik']
- d. ['Emily', 'John', 'Erik'] ✓

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. A

b. Invalid Synatx,Error

c. 4 ✓

d. 5

Question **8**

Correct

Mark 1.00 out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

a. append

b. update ✓

c. merge

d. get

Question **9**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.disp(7)

b. D1.values(7)

c. D1.pop(7)

d. D1.get(7) ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. convert

b. dict ✓

c. create

d. dictionary

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. d,e,f ✓
- b. c,d,e
- c. b,c
- d. a,b

Question **12**

Correct

Mark 1.00 out of 1.00

Dictionaries in python are _____.

- a. Both Mutable data type and Mapping data type ✓
- b. Mutable data type
- c. Non-Mutable data type
- d. Mapping data type

Question **13**

Correct

Mark 1.00 out of 1.00

pop function delete and _____ the element of dictionary.

- a. add
- b. display
- c. return ✓
- d. not return

Question **14**

Correct

Mark 1.00 out of 1.00

____ datatype fall under mapping.

a. List
b. Dictionary ✓
c. Tuple
d. String

Question **15**

Correct

Mark 1.00 out of 1.00

____ function returns the number of key: value pairs of the dictionary.

a. length
b. len ✓
c. items
d. total