STARVNT CORE

ULTIMATE A–Z MASTER ENGINEERING, PRODUCT, SECURITY & GROWTH DIRECTIVE

Premium Event Operating System

TECHNICAL OWNER	Yogesh
BRAND	STARVNT Entertainment
PRIMARY MARKET	India; Kolkata / West Bengal initial operations
INTELLIGENCE LAYER	Aura+
EXECUTION METHOD	REUSE → INTEGRATE → TEST → PROVE
PRIORITY	P0 → P1 → P2 → Future Roadmap

ONE CONNECTED PLATFORM. ONE AUTHORITATIVE BUSINESS TRUTH. MULTIPLE SPECIALISED EXPERIENCES.

Review edition: structured for readability, navigation and execution. It condenses the supplied 33-part directive into an engineering brief; use the original message as the detailed source specification for edge cases and full test wording.

EXECUTIVE OPERATING PRINCIPLES

- STARVNT connects Plan → Book → Execute → Experience → Remember → Inspire.
- Core owns authoritative business truth. Aura+ may understand, clarify, explain, compare, recommend and detect risk, but cannot independently decide authoritative business state.
- Audit first; reuse existing models, APIs, authentication, services and rules. Do not create duplicate sources of truth or state machines without approved justification.
- Never fabricate vendors, reviews, availability, prices, transactions, bookings, metrics or test results. Preserve legitimate records and audit history.
- Server-side permissions and business rules are mandatory. HTTP 200, a database row, clickable UI or screenshot alone is not proof.
- Confirmed ≠ inferred; phone collection ≠ verification; customer approval ≠ payment verification; payment verification ≠ booking confirmation; settlement eligibility ≠ release.
- Vendor profile completion ≠ eligibility; verification ≠ availability; an event date passing ≠ verified completion.
- Full STARVNT Shop is not in current scope. Current scope: truthful Coming Soon preview only.

CORE EVENT JOURNEY

Event Intent → Phone-First Identity → Planning → Requirement Confirmation → Vendor Discovery → Validated Options → Quote → Approval → Payment → Booking → Execution → Evidence → Completion Verification → Customer Protection → Settlement → Review → Event Memory

PART 01 — THE MISSION

- Build a premium, intelligent, reliable and scalable Event Operating System—not just a wedding CRM, vendor directory, chatbot, generic website, disconnected dashboards or unvalidated marketplace.
- Connect the event journey and keep future product commerce separate from event-service bookings.
- Test retries, concurrency and idempotency. Use sandbox payments for failure scenarios. Never weaken security to simplify UX.

PART 02 — PRODUCT ARCHITECTURE & SOURCE OF TRUTH

- Core owns identity, events, requirements, vendor status/capability/capacity/coverage/availability, eligibility, matching, quotes, bookings, payment verification, ledger, reconciliation, execution, completion evidence, protection, settlement, reviews, QR access, audit and feature access.
- Inspect repository, routes, APIs, schema/migrations, auth, workers, queues, integrations, tests and deployment before changing code.
- One event may have many requirements, vendors, quotes, bookings, payments, execution records, completion records, protection cases and settlements. Never equate one event with one booking.
- Requirement states: Known, Confirmed, Inferred, Missing, Ambiguous, Recommended, Not Required, Arranged Independently. Inferred is not Confirmed.
- Keep category-specific rules: Caterer ≠ Decorator; Photographer ≠ Videographer; DJ ≠ Sound Vendor; Venue ≠ Accommodation; Event Planner ≠ Event Coordinator.
- Separate vendor registration, profile completion, KYC, activation, capability, eligibility and availability. Availability considers date, duration, location, resources, travel, setup, buffers and concurrent jobs.
- Eligibility precedes ranking. The 60-second SLA is a response window, not winner selection. The 25 km policy is a default, not a universal hard limit. Show at most four validated options.
- Audit critical transitions and use idempotency for creation, opportunities, notifications, quotes, webhooks, booking, refunds, settlement and replacement.

PART 03 — AURA+ INTELLIGENCE & CONVERSATION

- Fix repetitive prompts, excessive CTAs, inaccurate readiness claims and weak intent mapping in orchestration/Core—not by merely hiding buttons.
- Default: one customer goal → one clear next step → one simple decision at a time. Reuse confirmed answers, clarify material ambiguity, preserve unrelated fields and allow optional unknowns.

- Distinguish independently arranged services from STARVNT bookings. Never invent a vendor identity or silently map ambiguous event types.
- Trace “I have started planning a other in Drag for 300 guests” through parser, category mapping, API and database; ask for clarification if confidence is insufficient.
- Fix the GET/HEAD request-body error by tracing the exact request and correct API contract; do not blindly convert every request to POST.
- Distinguish Draft Saved, Initial Details Captured, Requirements Confirmed, Service Plan Complete and Booking-Ready Plan.

PART 04 — PHONE-FIRST EVENT PLANNING

- Apply to event-creation entry points, Aura+ text/voice and supported quick starts; do not impose it on unrelated account actions.
- Flow: Event Intent → Phone Input/Confirmation → Validation → Required Verification → Identity Resolution → Restore Intent → Planning → Progressive Requirements → authorised Core create/update.
- Reuse auth/verification; normalise and server-validate numbers; rate-limit OTP; enforce expiry/cooldown/attempt limits; prevent account enumeration; never log OTPs or secrets.
- Phone collection is not verification, event creation or marketing consent. Never trust client-provided customer IDs or silently replace primary numbers.
- Preserve intent through login/signup, OTP outcomes, refresh, Back/Forward, network failure, retry and cancellation. Server—not client flags—determines verification.
- Test event types/languages, authenticated states, invalid numbers, OTP failure/expiry, refresh, retries, double-clicks, isolation and privacy.

PART 05 — PREMIUM DESIGN SYSTEM

- Palette: Obsidian Black #09090B; Platinum White #F5F5F7; Electric Aura Blue #03A9F4; Champagne Gold #D6B875.
- Standardise typography, spacing, buttons, forms, cards, icons, status indicators, navigation, modals, loading/empty/error states, charts and tables.
- Avoid generic AI templates, excessive glow, repetitive grids, fake badges, competing CTAs and inert buttons.
- Test 320–360 px, 390–430 px, tablet, 1366 px and 1920 px; check overflow, contrast, keyboard/focus, touch targets, reduced motion and mobile navigation.

PART 06 — HOMEPAGE, PUBLIC ROUTES & SEO

- Audit https://starvnt-core.vercel.app/ and actual destinations for logo, Plan Your Event, Explore Services, How It Works, For Vendors and Sign In.
- Use truthful hero messaging and preserve intent through phone-first verification. Separate customer, vendor and admin access.
- Verify claims such as 10K+ events, 4.8/5 rating, 5K+ verified vendors, 100% secure payments, escrow protection and verified reviews. Remove unsupported claims; never invent replacement metrics.
- Verify service pages, FAQ, footer, policies, support, metadata, canonical/social metadata, genuine structured data, assets, 404s and direct-route refresh.

PART 07 — CUSTOMER DASHBOARD, EVENTS & PROFILE

- Separate event creation date from event date. Unknown dates show Date TBD; never derive event day from createdAt.
- Document readiness/essentials calculations and reuse them across Aura+, dashboard, event details and admin.
- Support authorised edits for type, date, location, guests, budget and requirements. Editing one field must not confirm inferred fields.
- If no estimate exists, show “Not estimated yet”, not ■0 as an implied total. Separate budget, estimate, quote, booked value, paid amount, balance and vendor payable.
- Investigate unexpected “Drag”, duplicate-looking events and inconsistent Draft/Planning counts by IDs and API mappings; do not delete/merge by display similarity.
- Repair profile/photo upload, preview, change/remove, validation, persistence and safe storage; preserve prior image if replacement fails.
- Verify ownership, event counts, login/logout, protected routes, session invalidation, account isolation and deletion/deactivation semantics.

PART 08 — EVENT QR

- Each eligible event needs a distinct authoritative QR identity. Do not confuse event QR with booking/ticket/guest check-in QR.
- Use secure unguessable tokens or signed references resolved through a controlled endpoint; do not embed PII or payment details.
- Apply server access control, enumeration protection, safe logging and revocation where supported. QR generation must not confirm event, booking or payment.
- Test uniqueness, mapping, tampering, unauthorised access, retries, edits and lifecycle.

PART 09 — MESSAGES, NOTIFICATIONS & SUPPORT

- Reconcile All/Messages/Aura+/Important counts against authoritative conversations, sessions and updates; API failure must not look like an empty state.
- Where supported, notify about required actions, quotes, vendor responses, booking/payment, reminders, execution, completion, protection and security activity.
- Persist read/unread, deduplicate, use authorised deep links and safe retries. Do not claim delivery without evidence; separate marketing consent from operational messages/OTP.
- Support cases should link to relevant event/booking/payment and must not be marked resolved without actual resolution.

PART 10 — VENDOR OS

- Fix contradictory KYC Pending/PROFILE_INCOMPLETE with Approve and KYC Verified with Review KYC.
- Separate profile completion, KYC, activation, eligibility, capability, capacity, coverage, availability and commercial readiness.
- Actions must validate server-side prerequisites, reasons, audit and duplicate submission. Test filters, search and pagination; KYC verified does not mean available or eligible.

PART 11 — ADMIN DASHBOARD & EVENTS

- Investigate 23 Active/25 Total events, zero status buckets, ■20,000 GMV and charts extending into future months. Reconcile IDs, query/joins, date basis and timezone.
- Document GMV formula; separate it from collections, refunds, revenue, vendor payable and settlement.
- Investigate duplicate-looking customer/organisation/event records through IDs, timestamps, relationships and audit. Do not auto-merge or delete based on matching phone/name/date/location alone.
- Review login/IP logs and proxy representations without asserting an attack absent evidence.

PART 12 — BOOKING & COMMERCIAL INTEGRITY

- Investigate BK-3927 (■20,000; PAYMENT_VERIFIED, COMPLETION_VERIFIED, SETTLEMENT_ELIGIBLE) and generic Customer/Vendor labels.
- Verify event, requirement, vendor, service, quote, payment, execution, evidence, protection and settlement relationships.
- Payment verification, booking confirmation, completion, settlement eligibility and release are separate facts. A passed date is not completion proof.

PART 13 — PAYMENTS, REFUNDS & SETTLEMENTS

- Reconcile BK-3927 against the Payments & Settlements page reportedly showing ■0 and no rows. The discrepancy alone proves neither payment success nor failure.
- Trace payment intent/order, gateway transaction, server verification, webhook, ledger, reconciliation, refunds, settlement and screen queries/permissions.
- Document formulas/status scopes for collected, held, released, refunds, revenue, GMV, customer balance and vendor payable.
- Use Quote → Approval → Payment Policy → Payment Intent → Gateway → Webhook → Server Verification → Payment/Ledger → Reconciliation → Booking Confirmation.
- Verify webhook signatures, idempotency, bounded retries and audit. Use sandbox payments; say “escrow” only if legally and operationally accurate.

PART 14 — AUTOMATION & OPERATIONS

- Investigate empty Workflows/Queue/Logs/Retry/Alerts tabs: distinguish genuine emptiness from API, permission, configuration, worker or queue failures.
- Inspect existing event/rule/condition/action engines, queues/outbox, retries, workers and timelines before creating new infrastructure.
- Where supported, expose worker heartbeat, queue depth, oldest pending job, failed jobs, retry/backoff, dead-letter handling, correlation IDs and alerts.
- Test pending → processing → completed plus controlled failure/retry exhaustion. Do not fabricate jobs. Aura+ must use authorised Core context.

PART 15 — REPORTS, ANALYTICS & METRICS

- Investigate zero new customers/bookings and misleading zero ratings against source records and definitions.
- Document metric source, formula, date field/range, timezone, included statuses, joins, permissions and filters.
- If no eligible reviews exist, show “—” or “No reviews yet”, not 0/5. Test date ranges, filters, timezone boundaries and exports.

PART 16 — COUPONS & PROMOTIONS

- Investigate NEW10 (expiry 30 Sep 2026) still shown Active on 10 Oct and HEY20 expiring 10 Oct; inspect stored state, timezone and semantics.
- Validate stored discount type/value, percentage bounds, fixed amount, minimum order, cap, expiry, duplicate normalised codes and usage limits.
- Enforce expiry server-side and transaction-safe redemption; failed orders must not consume usage incorrectly. Test boundaries, retries and concurrent redemption.

PART 17 — USERS, ACCESS & ADMIN SECURITY

- Investigate why previously listed Super Admins admin@starvnt.com, automation@starvnt.com and superadmin@starvnt.com reportedly became Internal Admins = 0.
- Inspect DB/API/joins/filters/roles/auth/audit; do not blindly recreate, promote or delete accounts.
- Enforce server-side permissions for payments.refund, settlements.release, roles.delete, permissions.manage, audit.read and settings.update.
- Prevent self-escalation; apply least privilege and maker-checker controls where required; verify session revocation, disable/reset flows and MFA where supported.

PART 18 — AUDIT LOG INTEGRITY

- Investigate SEED_SUPER_ADMIN_CREATE, CUSTOMER_DELETED/VENDOR_DELETED dated 2, 4 and 5 Oct 2026, repeated login events and localhost/internal IPs.
- Verify actor, target, timestamp, outcome, reason, authorisation and correlation ID; do not infer an attack without evidence.
- Audit critical identity, permission, event/booking, payment/refund/settlement, completion, protection, settings, coupon, automation and QR actions.
- Never log secrets/OTPs; protect audit history from silent alteration and preserve evidence/linked records.

PART 19 — SETTINGS, TIMEZONE & CURRENCY

- Verify Platform Name STARVNT, support@starvnt.com, Asia/Kolkata, INR and missing Updated metadata.
- Ensure authorised settings persist and record actor, timestamp and before/after values.
- Use consistent India-local display for events, schedules, coupon expiry, automation and reports; preserve historical transaction currency. Test permissions and API failures.

PART 20 — CROSS-MODULE RECONCILIATION

- Reconcile Dashboard↔Events; Dashboard↔Bookings/GMV; Bookings↔Payments; Payments↔Settlements; Bookings↔Execution; Customers↔Events/Bookings/Protection.
- Also reconcile Vendors↔Matching; Coupons↔Orders/Payments; Automation↔Core; Users↔Admin APIs; Audit↔Critical Actions; Settings↔Modules.
- Verify QR↔Events; Profile↔Events; Messages↔Aura+/Bookings/Payments; Phone-First↔Event Creation; Requirements↔Matching; Quotes↔Bookings; Execution↔Completion↔Settlement.
- Future Shop identity integration must not confuse product order and event-service booking states. Never change legitimate data merely to make totals match.

PART 21 — CUSTOMER PROTECTION, EVENT MEMORY & COMMERCE BOUNDARIES

- Connect protection cases to customer, event, requirement, booking, vendor, payment, completion evidence, issue, policy, resolution and audit.
- Preserve evidence, enforce permissions/settlement holds and do not claim guarantees without real policy and implementation.
- Event Memory uses authorised media, verified history, actual outcomes and customer-approved memories. Keep product orders/returns/inventory separate from service execution/completion/settlement.

PART 22 — STARVNT SHOP — COMING SOON

- Current scope: premium Coming Soon preview only. Do not build full e-commerce now or delay P0/P1 reliability.
- Positioning: “Everything your celebration needs. Coming soon.” Planned previews may include wedding essentials, décor, stationery, gifts, celebration merchandise, photography accessories, fashion/jewellery, lifestyle and STARVNT exclusives.
- No fake prices, stock, ratings, reviews, delivery dates or checkout. “Notify Me” only if a real consent-based backend exists; otherwise no non-functional CTA.
- Waitlist must minimise data, use explicit consent, prevent duplicates, store consent evidence, support honest error/retry/already-registered states and not claim delivery without proof.
- Future approved commerce: Product → Category → Variant → Price → Inventory → Cart → Order → Payment → Fulfilment → Delivery → Return/Refund. Launch only after approved requirements, accurate data, inventory/tax, payments/refunds, fulfilment, support, security, admin controls, E2E and reconciliation.

PART 23 — ADDITIONAL CUSTOMER EXPERIENCE

- Saved Events show type, confirmed date/Date TBD, lifecycle, next action, requirements and validated quotes/bookings.
- Event summary separates confirmed/inferred/missing, independently arranged, STARVNT-managed services, quotes, bookings, payment and next action; read from Core.
- Collaboration is future/conditional and requires scoped roles, invite expiry/revocation, visibility, quote approval/payment authority and audit.
- Store only explicit useful preferences; show one context-aware next action valid for the authoritative state.

PART 24 — ADMIN CONTROL TOWER & OPERATIONS

- Where supported, consolidate events, requirements, vendor eligibility, opportunities, quotes, bookings, payments, refunds, protection, completion, settlements, Shop readiness, notifications, automation, audit and system health.
- Control Tower reads authoritative data, not a parallel database. Alerts must reflect genuine conditions and include severity, source, timestamp, reference/correlation ID, safe context and action.
- Use existing feature flags and documented rollback. Safe mode must not produce fake payment success or silently confirm bookings.

PART 25 — PERFORMANCE, RELIABILITY & DEPLOYMENT

- Measure page/API latency, slow queries, rerenders, assets, request volume, chat history and dashboard queries; report real before/after evidence.
- Verify timeouts, safe retries, rate limits, transactions, connection management, worker health, graceful provider failure, idempotency and recovery.

- Before deployment, test, validate migrations/configuration, staging/production separation, routes/contracts, permissions, observability and rollback.
- Inspect database/media backup and recovery, retention, permissions and recovery testing. Do not claim valid backups without evidence.

PART 26 — SECURITY, PRIVACY & DATA GOVERNANCE

- Enforce ownership/role permissions on protected APIs; test altered IDs, direct API access, unauthorised transitions and cross-customer/vendor access.
- Minimise duplicated PII; mask where appropriate; keep private data out of public URLs, QR payloads, logs, analytics and unauthorised responses.
- Validate upload content/metadata, size/type limits and storage. Review sessions, access control, injection, XSS, CSRF where applicable, redirects, rate limits, secrets, webhooks, CORS and dependencies.
- Follow actual privacy policy and applicable requirements. Separate service communication, OTP and marketing consent; handle data requests through auditable workflows.

PART 27 — INTEGRATION & DATA CONTRACTS

- For every integration document owner, API contract, auth, schema, source of truth, errors, retries, idempotency, timeout, rate limits, audit, monitoring and data ownership.
- Configuration alone is not proof. Verify provider responses and E2E behaviour; use stable IDs, explicit relationships and reviewed compatible migrations.

PART 28 — REQUIRED REGRESSION TEST MATRIX

- Identity: signup/profile, phone-first entry points, normalisation, OTP outcomes, intent preservation, cancellation, isolation.
- Aura+/events: Bengali/English/mixed intent, ambiguity, GET/HEAD, category/guest extraction, Draft/Date TBD, confirmed values, isolated edits, independent services, readiness truth.
- Vendor/matching: KYC/profile/activation/eligibility, capability/capacity, resource conflicts, no/partial matches, validated shortlist and retries.
- Finance: quote without booking, pending/verified/failed payment, webhook idempotency, reconciliation, refunds/disputes, completion evidence, settlement eligibility vs release, permissions/audit.
- Profile/QR: upload/change/remove, distinct IDs, mapping, tampering, access and idempotency. Messaging/operations: counts, read/unread, notification deduplication, job failures, dead-letter, worker outage, API failure vs empty.
- Admin/data: admin count, privileged permissions, isolation, audit, coupon expiry/concurrency, report reconciliation, timezone/currency, duplicate-looking records without unintended deletion.
- Shop: route, Coming Soon, no fake product data/success, consent-based waitlist, honest errors and no premature orders/bookings.
- General: mobile/desktop, accessibility, route refresh, loading/empty/error/denied/retry, deployment regression and no secrets in logs/URLs/responses.

PART 29 — TESTING & DEFINITION OF DONE

- Run relevant unit, component, API integration, DB/migration, auth, idempotency/retry, browser E2E, responsive/accessibility, reconciliation and deployed-route tests.
- Use controlled test data and sandbox payments; never use production records for destructive tests.
- UI rendering, HTTP 200, DB row, screenshot or developer assertion alone is insufficient. Verify business contract, persistence, ownership, relationships, lifecycle, security, errors and regressions.
- Status meanings: Not Started; In Progress; Fixed (verification may remain); Verified (root cause resolved, tests pass, permissions/data checked, evidence exists and deployed flow tested where applicable).

PART 30 — REQUIRED IMPLEMENTATION REPORT

- For every finding: ID, severity, reproduction, root cause, affected UI/API/DB/storage/worker, fix, exact files/components, commit/branch, test evidence, regression result, status and blockers.
- For data remediation: exact IDs, evidence, approved plan, linked-record impact, recovery considerations and preserved audit history.

- A phone input, payment callback, QR image, hidden admin button, matching-looking report or Coming Soon page alone does not prove end-to-end correctness.

PART 31 — PRIORITY & EXECUTION ROADMAP

P0 — Business truth, security and conversion blockers

- GET/HEAD defect; BK-3927 reconciliation; admin access; privileged API authorisation; payment/booking/settlement idempotency; audit/destructive-action investigation.
- Event date/lifecycle; phone-first planning; “other in Drag” interpretation; Aura+ orchestration; prevent premature event/identity errors; verify payment and booking against Core.

P1 — Core reliability and customer trust

- Event details/readiness/budget; profile/photo; QR; homepage intent; vendor state separation; matching/availability/quotes; booking relationships/completion evidence.
- Messages, data integrity, coupons, automation, reports, settings/timezone/currency, reconciliation, privacy/security, and supported support/notifications.

P2 — Premium UX and growth

- Visual refinement, contextual empty states, Aura+ polish, accessibility, SEO, exports/filters, event summary, Saved Events, contextual notifications, Shop Coming Soon, optional waitlist and measured performance.

Future — after stability and explicit approval

- Full Shop, inventory/cart/orders/fulfilment/returns, event bundles, collaboration, advanced Event Memory/Aura+, analytics and demand-validated integrations.

PART 32 — FINAL CUSTOMER EXPERIENCE

- Customer describes the event, verifies identity, answers a few relevant questions, reviews a clear plan, explores validated options, compares scope/price/conditions, approves a quote, pays securely, receives accurate booking confirmation, follows execution/completion and receives the post-event experience.
- Core handles categories, requirements, capability, capacity, availability, matching, commercial policy, payment verification, evidence, protection and settlement. Do not make customers solve internal system problems or remove essential checks.

PART 33 — FINAL DIRECTIVE TO YOGESH

- 1. Audit the implementation and produce an evidence-based findings register.
- 2. Fix P0 business-truth, identity, payment, admin-access and security issues.
- 3. Correct Aura+ orchestration and complete phone-first planning.
- 4. Reconcile customer, event, vendor, booking, payment, settlement, automation, reports and audit.
- 5. Complete P1 reliability and customer-trust improvements; then approved P2 UX.
- 6. Add Shop as Coming Soon only; full e-commerce requires separate approval.
- 7. Run regression/deployed tests and report evidence, changed files, commit/branch, status and blockers.
- Preserve legitimate records and audit history, reuse Core, enforce server-side rules and never claim success without proof.

STARVNT CORE — ONE CONNECTED EVENT OPERATING SYSTEM. Premium in experience. Intelligent in planning. Authoritative in business truth. Secure in transactions. Verifiable in execution. Trustworthy from first interaction to final completion.

REUSE → INTEGRATE → TEST → PROVE