

## C Quiz 6 Q&A (28-11-2023)

1. what will be the output of this code?

```
#include<stdio.h>
int main( void )
{
int a[5]={100,1,0,200,1};
int i=2,j,m;
m= a[i++]++ + ++a[++i] ;
printf("\n m = %d \n",m);
return 0;
}
```

Answers

1. 100
2. 200
3. 201
4. 2

2. #include <stdio.h>  
int main(void)  
{  
int arr[] = {11, 22, 12, 42, 58, 67};  
int \*ptr = (int\*)&arr+1;  
ptr--;  
printf("\nptr=%u",\*ptr+1);  
}

Answers

1. 67
2. Garbage
3. 23
4. 68

3. #include <stdio.h>  
int main(void)  
{  
int i=0;  
char \*name = "Sunbeam";  
name[i]='A';  
printf("%s",name);  
}

Answers

1. Compile time Error
2. Sunbeam
3. Aunbeam
4. Runtime Error

4. What will be the output of this code?

```
int main(void)
{
double arr[4]={11.1, 22.2, 33.3, 44.4};
double *p = arr+2;
p -= 1;
*p++ = 30.30;
printf("%.2f %.2f",*p,arr[2]);
return 0;
}
```

Answers

1. 30.30 22.20
2. 30.30 33.30
3. 33.30 33.30
4. 22.20 30.30

5. what will be the output of this code?

```
#include<stdio.h>
int main()
{
    int arr[] = {11, 12, 13, 14, 15};
    printf("%d\t%d\t%d",*(arr+3),++*(arr+3),++3[arr]);
    return 0;
}
```

Answers

1. Compile Time Error
2. 14                14                14
3. 14                15                15
4. 16                16                15

6. 1.What will be the O/P of the following code?

```
#include<stdio.h>
int main()
{
    int arr[8] = {1,2,3,4,5,6,7,8};
    printf("%d",(arr+1)[3]);
}
```

Answers

1. 3
2. 4
3. 5
4. Compile Error

```

7. #include <stdio.h>
int main(void)
{
int arr1[] = {1,2,3,4,5};
int arr2[] = {1,2,3,4,5};
if(arr1==arr2)
    printf("Same");
else
    printf("Not same");
}

```

Answers

1. Not same
2. Runtime Error
3. Same
4. Compile time Error

```

8. #include<stdio.h>
int main()
{
    int i;
    int arr[5]={1,2,3,4,5};
    *arr+=*(arr+3)-2[arr];
    for (i = 0; i < 5; ++i)
    {
        printf("\t%d,",arr[i]);
    }
}

```

Answers

1. 2,2,3,4,5
2. 1,2,3,4,5
3. Compile time error
4. 3,3,3,4,5

```

9. #include <stdio.h>
int main(void)
{
    char str1[]="Sunbeam";
    printf("%d",*(str1+strlen(str1)));
}

```

Answers

1. Garbage
2. 8
3. 7
4. 0

10. What will be the output of this code?

```
#include<stdio.h>
#include<string.h>
int main(void)
{
    char *str1 = "Sunbeam";
    char *str2= "Sunbeam";
    if ( str1 == str2 )
        printf("\n Strings Are Equal");
    else
        printf("\n Strings Are Not Equal");
    return 0;
}
```

Answers

1. Strings are Equal
2. Strings are Not Equal
3. Compile Time Error
4. No Output

-----Compiled by Utkarsh Singh -----

**ATTENTION :** This material is strictly confidential and intended solely for your use. It is imperative that you do not disseminate or share this material with the public, under any circumstances. Any breach of confidentiality will result in severe consequences. Protect the integrity of this material and the trust placed in you.