Database Technologies - Assignment 1

1. Create '**spj**' database'. (Database for suppliers, parts and jobs)
2. use spj database;
3. Create following tables in spj database.

Note : S denotes the Suppliers Table.
CREATE TABLE S (S# CHAR(5) NOT NULL, Sname CHAR(20), status SMALLINT, city CHAR(15));

TABLE S

S#	Sname	status	city
S1	Smith	20	London
S2	Jones	10	Paris
S3	Blake	30	Paris
S4	Clark	20	London
S5	Adams	30	Athens

Note : P denotes the Parts table.
CREATE TABLE P (P# CHAR(6) NOT NULL, Pname CHAR(20), color CHAR(6), weight SMALLINT, city CHAR(15));

TABLE P

P#	Pname	Color	Weight	City
P1	Nut	Red	12	London
P2	Bolt	Green	17	Paris
P3	Screw	Blue	17	Rome
P4	Screw	Red	14	London
P5	Cam	Blue	12	Paris
P6	Cog	Red	19	London

Note : J denotes the Jobs table.
CREATE TABLE J (J# CHAR(4) NOT NULL, Jname CHAR(10), City CHAR(15));

TABLE J

J#	Jname	City
J1	Sorter	Paris
J2	Punch	Rome
J3	Reader	Athens
J4	Console	Athens

SUNBEAM

```
J5      Collator      London
J6      Terminal      Oslo
J7      Tape          London
-----------------------------------------------------------------
```

CREATE TABLE sp (S# CHAR(4) NOT NULL, P# CHAR(4) NOT NULL, J# CHAR(4) NOT NULL, QTY INT);

```
TABLE SP
S#    P#      J#      QTY
=========================
S1     P1     J1     200
S1     P1     J4     700
S2     P3     J1     400
S2     P3     J2     200
S2     P3     J3     200
S2     P3     J4     500
S2     P3     J5     600
S2     P3     J6     400
S2     P3     J7     800
S2     P5     J2     100
S3     P3     J1     200
S3     P4     J2     500
S4     P6     J3     300
S4     P6     J7     300
S5     P2     J2     200
S5     P2     J4     100
S5     P5     J5     500
S5     P5     J7     100
S5     P6     J2     200
S5     P1     J4     100
S5     P3     J4     200
S5     P4     J4     800
S5     P5     J4     400
S5     P6     J4     500
-----------------------------------------
```

NOTE – Database Creation and user Creation, assigning privileges is responsibility of Database Administrator (root)

1. Create 'hr' database. Import hr-db.sql.
2. Create 'sales' database. Import sales-db.sql.
3. List all tables in hr database. Display contents of all tables (one by one).
4. List all tables in sales database. Display contents of all tables (one by one).

SUNBEAM

Database Technologies - Assignment 1

Answer the following questions (by observations only – not queries).

1. How many orders data is present in the database?
2. How many customers are present in the database?
3. How many salespeople are present in the database?
4. On which date order with highest amount is placed?
5. For which order salesman got maximum commission? Hint: you need to refer data of two tables.
6. Which salesmen are handling more than two customers? Hint: you need to refer data of two tables.
7. Which city have single customer?
8. Which city has multiple salespeople?
9. What is name of customer and salesman of the maximum amount order?
10. Study relationship between the tables in sales database.



SUNDARAM