9.DYNAMIC MEMORY

```
#include <iostream>
using namespace std;

class Student {
private:
   int roll;
   string name;
   float marks;

public:
   void input() {
      cout << "Enter Roll Number: ";
      cin >> roll;
      cout << "Enter Name: ";
      cin >> name;
      cout << "Enter Marks: ";
      cin >> marks;
   }

   void display() {
      cout << "Roll: " << roll << " ";
      cout << "Name: " << name << " ";
      cout << "Marks: " << marks << endl;
   }
};

int main() {

   int n;

   cout << "Enter number of students: ";
```

```
    cin >> n;

    Student *s = new Student[n];   // Dynamic memory allocation

    cout << "\nEnter Student Details\n";

    for(int i = 0; i < n; i++) {
        cout << "\nStudent " << i + 1 << endl;
        s[i].input();
    }

    cout << "\nStudent Records\n";

    for(int i = 0; i < n; i++) {
        s[i].display();
    }

    delete[] s;   // Free memory

    return 0;
}
```

9.DYNAMIC MEMORY

```
Enter number of students: 3

Enter Student Details

Student 1
Enter Roll Number: 2345
Enter Name: yogesh
Enter Marks: 78

Student 2
Enter Roll Number: 2346
Enter Name: murugan
Enter Marks: 89

Student 3
Enter Roll Number: 2347
Enter Name: ganesh
Enter Marks: 90

Student Records
Roll: 2345 Name: yogesh Marks: 78
Roll: 2346 Name: murugan Marks: 89
Roll: 2347 Name: ganesh Marks: 90

C:\Users\yoges\OneDrive\Documents>
```