

```
<!DOCTYPE html>

<html>

<head>

  <title>Login - Internship Portal</title>

  <style>

    body{

      font-family: Arial, sans-serif;

      background-color: #f4f7fb;

      margin: 0;

      padding: 0;

    }

    .login-box {

      width: 350px;

      margin: 100px auto;

      background-color: white;

      padding: 20px;

      border-radius: 8px;

      box-shadow: 0 0 10px rgba(0,0,0,0.1);

    }

    h2 {

      text-align: center;

      color: #2c3e50;

    }

    input {

      width: 100%;

      padding: 10px;
```

```
        margin: 8px 0;
        box-sizing: border-box;
    }
    button {
        width: 100%;
        padding: 10px;
        background-color: #2c3e50;
        color: white;
        border: none;
        cursor: pointer;
    }
    button:hover {
        background-color: #1a252f;
    }
    .error {
        color: red;
        text-align: center;
    }
</style>
</head>
<body>

    <div class="login-box">

        <h2>Login</h2>

        <div class="error" id="error"></div>
```

```
<input type="text" id="username" placeholder="Username" required>
```

```
<input type="password" id="password" placeholder="Password" required>
```

```
<button onclick="validateLogin()">Login</button>
```

```
</div>
```

```
<script>
```

```
function validateLogin() {
```

```
    var user = document.getElementById("username").value;
```

```
    var pass = document.getElementById("password").value;
```

```
    // Set your username & password here
```

```
    if (user === "admin" && pass === "12345") {
```

```
        window.location.href = "portal.html"; // redirect to portal
```

```
    } else {
```

```
        document.getElementById("error").innerHTML = "Invalid Username or Password!";
```

```
    }
```

```
}
```

```
</script>
```

```
</body>
```

```
</html>
```

Login