
GLOBAL AI HACKATHON / WORKING PROTOTYPE

FreshCheck

A human-in-the-loop review aid for time-sensitive claims in AI answers.



SEARCH-RESULT TEXT + LLM SUGGESTIONS

+ MANUAL SOURCE REVIEW


PROTOTYPE · NOT A FACT VERIFIER

Team Visionaries
github.com/yogeshx21/freshcheck

THE PROBLEM

A useful question, not an automatic verdict

Time-sensitive details in an AI answer can change: prices, versions, rules, roles, and statistics.



FreshCheck’s bounded role

Surface candidate claims and related search text so a person can inspect the linked source. It can miss claims, and its suggestions can be wrong.

CURRENT FLOW


What the prototype does today

01	**Input**	Paste text or ask a question.
02	**Extract**	An LLM proposes up to 8 time-sensitive claims.
03	**Search**	Tavily returns related result text; an optional query may look for updates.
04	**Assess**	An LLM suggests fresh / stale / unclear labels and wording.
05	**Review**	A fixed heuristic score and quote-match cue accompany the result.

The pipeline narrows review work; it does not prove a claim true or current.

ARCHITECTURE

A local prototype with optional integrati



Optional Bifrost setup

The sidecar and MCP endpoint can integrate with a configured Bifrost instance. They are integrations around Bifrost, not a Bifrost core extension; the sidecar does not support streaming.

Sidecar metadata is conditional: text replies meet FC_MIN_CHARS (40 by default).

INTERPRETATION

Read every output as a prompt to inspect

LLM label

“Fresh” suggests snippets support the claim; “stale” suggests possible contradiction. Neither certifies truth.

Quote match

Normalized contiguous text found in Tavily result content only. The original page is not fetched or authenticated.

Score

Fixed formula from label, hostname category, quote match, and model-reported conflict. Not probability or confidence.

Source category

Hostname category (listed domain, news, reference, or other); no topic-specific authority check.

Recheck date

A fixed review interval by claim type, not the source’s publication date or a validated expiry prediction.

Manual step

Open the source, check its date and context, then decide what the answer should say.

DEMO FLOW

A 2–3 minute demo that stays honest

01 **Paste a short answer with one time-sensitive claim.**
Set the scope: candidates may be missed.

02 **Run the review and inspect the extracted claim.**
Show that extraction is an LLM proposal.

03 **Open the returned search result and read its excerpt.**
Point out the source link and result text.

04 **Explain the suggested label and score.**
The score is a fixed heuristic, not confidence.

05 **Check the original page yourself.**
Compare date, context, and claim before editing.

Say this plainly

“This is a model suggestion from search-result text. Let’s inspect the linked source before we trust or change the answer.”

READINESS

What is ready — and what still needs evidence

In the repository

- Local FastAPI web prototype and browser UI
- Tavily search and LLM-generated review suggestions
- Optional sidecar and MCP endpoints

Not established by this prototype

- General factual accuracy or calibrated scores
- Authentication, freshness, or relevance of source pages
- A production deployment or benchmark result

Before submission

Keep the public README, demo, and slides aligned with the code. Confirm the exact portal fields and track selection there; do not describe unverified track labels or imply the entry is submitted.

Repository: github.com/yogeshx21/freshcheck