

postgres/postgres@localhost

Scratch Pad X Query Query History

No limit

Execute script F5

```

1 create table student (student_id
2 join_date date);
3 primary key, name text, email varchar(20), phone bigint, city text ,
4 insert into student values (101,'kavi','kavi@email.com',7876624,'chennai','2025-01-01');
5 insert into student values (102,'savi','savi@email.com',7876624,'madurai','2025-02-23');
6 insert into student values (103,'pavi','pavi@email.com',7876372,'thrifty','2025-03-22');
7 insert into student values (104,'divi','divi@email.com',7842378,'pudugai','2025-04-06');
8 insert into student values (105,'ravi','ravi@email.com',7843898,'covai','2025-05-22');
9 insert into student values (106,'puvi','puvi@email.com',7872896,'chennai','2025-06-22');
10 insert into student values (107,'jevi','jevi@email.com',7871538,'madurai','2025-07-06');
11 insert into student values (108,'kevi','kevi@email.com',7874567,'chennai','2025-08-16');
12 insert into student values (109,'aevi','aevi@email.com',7874567,'chennai','2025-08-16');
13 insert into student values (110,'kevi','kevi@email.com',7874567,'chennai','2025-08-16');
14 insert into student values (111,'aevi','aevi@email.com',7874567,'chennai','2025-08-16');
15 insert into student values (112,'ravi',null,null,'covai','2025-05-22');
16 insert into student values (113,'puvi',null,null,'chennai','2025-06-22');
17 insert into student values (114,'jevi','jevi@email.com',null,'madurai','2025-07-06');
18 select * from student

```

Data Output Messages Notifications

Showing rows: 1 to 14 Page No: 1 of 1

	student_id [PK] integer	name text	email character varying (20)	phone bigint	city text	join_date date
1	101	kavi	kavi@email.com	7876624	chennai	2025-01-01
2	102	savi	savi@email.com	7876624	madur...	2025-02-23

postgres/postgres@localhost

Scratch Pad X Query Query History

```
26 (1025,'data_analysis', 20000),(1026,'data_analysis', 20000),(1027,'data_analysis', 20000),(1028,'data_analysis', 20000)
27 (1029,'data_analysis', 20000),(1030,'data_analysis', 20000),(1031,'data_analysis', 20000),(1032,'data_analysis', 20000)
28 (1033,'data_analysis', 20000),(1035,'data_analysis', 20000),(1036,'data_analysis', 20000),(1037,'data_analysis', 20000)
29 insert into coures values (1003,'data_science', 50000);
30 insert into coures values (1004,'data_science', 50000);
31 insert into coures values (1044,'data_science', 50000);
32 insert into coures values (1045,'data_science', 50000);
33 insert into coures values (1046,'data_science', 50000);
34 insert into coures values (1005,'software_developers', 30000);
35 insert into coures values (1006,'web_development', 45000);
36 insert into coures values (1007,'cypersecurity', 53000);
37 insert into coures values (1008,'web_development', 45000);
38 insert into coures values (1009,'cypersecurity', 53000);
39 insert into coures values (1042,'cypersecurity', 53000);
40 insert into coures values (1041,'cypersecurity', 53000);
41 drop table coures
42 select * from coures
```

Data Output Messages Notifications

Showing rows: 1 to 38 Page No: 1 of 1

	coures_id [PK] integer	coures_name text	fees integer
1	1001	data_analysis	20000
2	1002	data_analysis	20000

Total rows: 38 Query complete 00:00:00.366

CRLF

Tools Edit View Window Help

PostgreSQL Client Explorer

postgres/postgres@localhost

No limit

Execute script (F5)

```
42 select * from coures
43
44 -- enrollment table
45 create table enrollment (enrollment_id varchar(20),enrollment_date date,student_id int,coures_id int,
46 foreign key(student_id) references student (student_id),
47 foreign key (coures_id) references coures (coures_id)
48 );
49 insert into enrollment values ('abc001','2025-01-01',101,1001);
50 insert into enrollment values ('abc002','2025-02-23',102,1002);
51 insert into enrollment values ('abc003','2025-03-22',103,1003);
52 insert into enrollment values ('abc004','2025-04-06',104,1004);
53 drop table enrollment
54 select * from enrollment
55
56 -- payment table
57 create table payment (payment_id int,payment_status text, fees_amount int , payment_date date,student_id int,coures,
58 foreign key (student_id) references student (student_id),
```

Data Output Messages Notifications

Showing rows: 1 to 4 Page No: 1 of 1

	enrollment_id character varying (20)	enrollment_date date	student_id integer	coures_id integer
1	abc001	2025-01-01	101	1001
2	abc002	2025-02-23	102	1002

Total rows: 4 Query complete 00:00:00.449 CRLF Ln 54, Col 1

Search

13:46 22-07-2026

Object Explorer | Servers

postgres/postgres@localhost

Scratch Pad | Query | Query History

Execute script (F5)

```
57 create table payment (payment_id integer, payment_status text, fees_amount integer, payment_date date, student_id integer, courses_id integer);
58 foreign key (student_id) references student (student_id);
59 foreign key (courses_id) references courses (courses_id);
60 insert into payment values (1,'paid', 20000, '2025-01-22',101,1001);
61 insert into payment values (2,'pending',null,null,102,1002);
62 insert into payment values (3,'paid',45000,'2025-04-23', 103,1003);
63 insert into payment values (4,'pending',null, null,104,1004);
64 insert into payment values (5,'paid', 20000,'2025-03-07',105,1005),
65 (6,'paid', 50000,'2025-07-12',106,1006), (7,'paid', 450000,'2025-08-05',107,1007),
66 (8,'paid', 20000,'2025-06-22',108,1008);
67 drop table payment;
68 select* from payment;
69 -- q1
70 select* from student where student_id in (select student_id from enrollment where enrollment_date>'2025-01-01');
71 -- q2
72 select distinct courses_name from courses;
73 -- q3
```

Data Output | Messages | Notifications

Showing rows: 1 to 8 | Page No: 1 of 1

	payment_id integer	payment_status text	fees_amount integer	payment_date date	student_id integer	courses_id integer
1	1	paid	20000	2025-01-22	101	1001
2	2	pending	[null]	[null]	102	1002

Total rows: 8 | Query complete 00:00:00.347 | CRLF | Ln 68, Col 1

13:47 22-07-2026

Window Help

postgres/postgres... x public.sales/postg... x public.sales/postg... x postgres/postgres... x postgres/postgres@localhost x

postgres/postgres@localhost

No limit

Execute script

```
57 create table payment (payment_id int, status text, fees_amount int, payment_date date, student_id int, coures_
58 foreign key (student_id) references student (student_id),
59 foreign key (coures_id) references coures (coures_id))
60 insert into payment values (1, 'paid', 20000, '2025-01-22', 101, 1001);
61 insert into payment values (2, 'pending', null, null, 102, 1002);
62 insert into payment values (3, 'paid', 45000, '2025-04-23', 103, 1003);
63 insert into payment values (4, 'pending', null, null, 104, 1004);
64 insert into payment values (5, 'paid', 20000, '2025-03-07', 105, 1005),
65 (6, 'paid', 50000, '2025-07-12', 106, 1006), (7, 'paid', 450000, '2025-08-05', 107, 1007),
66 (8, 'paid', 20000, '2025-06-22', 108, 1008);
67 drop table payment
68 select* from payment
69 -- q1
70 select* from student where student_id in (select student_id from enrollment where enrollment_date>'2025-01-01')
71 -- q2
72 select distinct coures_name from coures
73 -- q3
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

	student_id [PK] integer	name text	email character varying (20)	phone bigint	city text	join_date date
1	103	pavi	pavi@email.com	7876372	thrifty	2025-03-22
2	104	divi	divi@email.com	7842378	pudug...	2025-04-06

Total rows: 3 Query complete 00:00:00.363 CRLF Ln 70, Col 1

13:47 22-07-2026

postgres/postgres@localhost

Scratch Pad x Query Query History

Execute script FS

```
57 create table payment (payment_id int, status text, fees_amount int, payment_date date, student_id int, courses_id int);
58 foreign key (student_id) references student (student_id),
59 foreign key (courses_id) references courses (courses_id)
60 insert into payment values (1,'paid', 20000, '2025-01-22',101,1001);
61 insert into payment values (2,'pending',null,null,102,1002);
62 insert into payment values (3,'paid',45000,'2025-04-23', 103,1003);
63 insert into payment values (4,'pending',null, null,104,1004);
64 insert into payment values (5,'paid', 20000,'2025-03-07',105,1005),
65 (6,'paid', 50000,'2025-07-12',106,1006), (7,'paid', 45000,'2025-08-05',107,1007),
66 (8,'paid', 20000,'2025-06-22',108,1008);
67 drop table payment
68 select* from payment
69 -- q1
70 select* from student where student_id in (select student_id from enrollment where enrollment_date>'2025-01-01')
71 -- q2
72 select distinct courses_name from courses
73 -- q3
```

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

	courses_name text
1	cybersecurity
2	web_development

Total rows: 5 Query complete 00:00:00.371

CRLF Ln 72, Col 1

13:47 22-07-2026

postgres/postgres@localhost

No limit

Execute script
F5

Scratch Pad

Query

Query History

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

```
select distinct coures_name from
-- q3
select * from student where name like 'a%' or city = 'madurai'
-- q4
select * from coures where fees between 15000 and 40000
-- q5
select * from coures where fees >20000 limit 5
-- q6
select coures_name,count (fees) from coures group by coures_name
-- q7
select coures_name,count(*) from coures group by coures_name having count(*)>20
-- q8
select
sum(fees_amount),
avg(fees_amount),
max(fees_amount),
min(fees_amount) from payment
```

Data Output

Messages

Notifications

Showing rows: 1 to 5

Page No: 1 of 1

	student_id [PK] integer	name text	email character varying (20)	phone bigint	city text	join_date date
1	102	savi	savi@email.com	7876624	madur...	2025-02-23
2	107	jevi	jevi@email.com	7871538	madur...	2025-07-06

Total rows: 5

Query complete 00:00:00.356

CRLF

Search

Tools Edit View Window Help

postgres/postgres@localhost

Scratch Pad x Query Query History

```
72 select distinct coures_name from
73 -- q3
74 select * from student where name like 'a%' or city ='madurai'
75 -- q4
76 select * from coures where fees between 15000 and 40000
77 -- q5
78 select * from coures where fees >20000 limit 5
79 -- q6
80 select coures_name,count (fees) from coures group by coures_name
81 -- q7
82 select coures_name,count(*) from coures group by coures_name having count(*)>20
83 -- q8
84 select
85 sum(fees_amount),
86 avg(fees_amount),
87 max(fees_amount),
88 min(fees_amount) from payment
```

Execute script
F5

Data Output Messages Notifications

Showing rows: 1 to 27 Page No: 1 of 1

	coures_id [PK] integer	coures_name text	fees integer
1	1001	data_analysis	20000
2	1002	data_analysjs	20000

Total rows: 27 Query complete 00:00:00.523

CRLF

Search

ENG IN

File Window Help

postgres/postgres@localhost

Scratch Pad Query Query History

Execute script
F5

```
72 select distinct coures_name from
73 -- q3
74 select * from student where name like 'a%' or city='madurai'
75 -- q4
76 select * from coures where fees between 15000 and 40000
77 -- q5
78 select * from coures where fees >20000 limit 5
79 -- q6
80 select coures_name,count (fees) from coures group by coures_name
81 -- q7
82 select coures_name,count(*) from coures group by coures_name having count(*)>20
83 -- q8
84 select
85 sum(fees_amount),
86 avg(fees_amount),
87 max(fees_amount),
88 min(fees_amount) from payment
```

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

	coures_id [PK] integer	coures_name text	fees integer
1	1003	data_science	50000
2	1004	data_science	50000

Total rows: 5 Query complete 00:00:00.377

CRLF Ln 78, Col 1

13:48 22-07-2026

```
72 select distinct coures_name from
73 -- q3
74 select * from student where name like 'a%' or city ='madurai'
75 -- q4
76 select * from coures where fees between 15000 and 40000
77 -- q5
78 select * from coures where fees >20000 limit 5
79 -- q6
80 select coures_name,count (fees) from coures group by coures_name
81 -- q7
82 select coures_name,count(*) from coures group by coures_name having count(*)>20
83 -- q8
84 select
85 sum(fees_amount),
86 avg(fees_amount),
87 max(fees_amount),
88 min(fees_amount) from payment
```

	coures_name text	count bigint
1	cypersecurity	4
2	web_development	2

Total rows: 5 Query complete 00:00:00.278

Successfully run. Total query runtime: 278 msec. 5 rows affected

CRLF Ln 80



Search



Object Explorer Servers

postgres/postgres@localhost

Scratch Pad Query Query History

```
72 select distinct coures_name from
73 -- q3
74 select * from student where name like 'a%' or city ='madurai'
75 -- q4
76 select * from coures where fees between 15000 and 40000
77 -- q5
78 select * from coures where fees >20000 limit 5
79 -- q6
80 select coures_name,count (fees) from coures group by coures_name
81 -- q7
82 select coures_name,count(*) from coures group by coures_name having count(*)>20
83 -- q8
84 select
85 sum(fees_amount),
86 avg(fees_amount),
87 max(fees_amount),
88 min(fees_amount) from payment
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	coures_name text	count bigint
1	data_analysis	26

Total rows: 1 Query complete 00:00:00.324

CRLF Ln 82, Col 1

13:48 22-07-2026

Object Explorer | Servers

postgres/postgres@localhost

Execute script (F5)

```
72 select distinct coures_name from
73 -- q3
74 select * from student where name like 'a%' or city ='madurai'
75 -- q4
76 select * from coures where fees between 15000 and 40000
77 -- q5
78 select * from coures where fees >20000 limit 5
79 -- q6
80 select coures_name,count (fees) from coures group by coures_name
81 -- q7
82 select coures_name,count(*) from coures group by coures_name having count(*)>20
83 -- q8
84 select
85 sum(fees_amount),
86 avg(fees_amount),
87 max(fees_amount),
88 min(fees_amount) from payment
```

Data Output | Messages | Notifications

Showing rows: 1 to 1 | Page No: 1 of 1

	sum bigint	avg numeric	max integer	min integer
1	605000	100833.33333333333	450000	20000

Total rows: 1 | Query complete 00:00:00.259 | CRLF | Ln 84, Col 1

Windows Taskbar: Search, 13:49, 22-07-2026

View Window Help

postgres/postgres@localhost

Scratch Pad x Query Query History

```
89 -- q9
90 select s.student_id ,c. coures_id, e.enrollment_id from enrollment e
91 inner join student s on e.student_id= s.student_id
92 inner join coures c on e. coures_id= c. coures_id
93 -- q10
94 select s.student_name,c.coures_name,p.fees_amount,p.payment_date
95 from enrollment e
96 join student s on e.student_id=s.student_id
97 join coures c on e. coures_id=c.coures_id
98 join payment p on p.payment_id=payment_id
99 -- q11
100 select* from payment where payment_status='pending'
101 -- q12
102 select * from payment where fees_amount >(select avg(fees_amount)from payment)
103 -- q13
```

Data Output Messages Notifications

Showing rows: 1 to 4 Page No: 1 of 1

	student_id integer	coures_id integer	enrollment_id character varying (20)
1	101	1001	abc001
2	102	1002	abc002
3	103	1003	abc003
4	104	1004	abc004

Total rows: 4 Query complete 00:00:00.306

CRLF Ln 90, Col 1

13:49 22-07-2026

ervers

postgres/postgres@localhost

Scratch Pad x Query Query History

```
89 -- q9
90 select s.student_id ,c. coures_id, e.enrollment_id from enrollment e
91 inner join student s on e.student_id= s.student_id
92 inner join coures c on e. coures_id= c. coures_id
93 -- q10
94 select s.student_name,c.coures_name,p.fees_amount,p.payment_date
95 from enrollment e
96 join student s on e.student_id=s.student_id
97 join coures c on e. coures_id=c.coures_id
98 join payment p on p.payment_id=payment_id
99 -- q11
100 select* from payment where payment_status='pending'
101 -- q12
102 select * from payment where fees_amount > (select avg(fees_amount) from payment)
103 -- q13
```

Execute script FS

Data Output Messages Notifications

Showing rows: 1 to 32 Page No: 1 of 1

	student_name student	coures_name text	fees_amount integer	payment_date date
1	(101,kavi,kavi@email.com,7876624,chennai,2025-01-...	data_analysis	20000	2025-01-22
2	(102,savi,savi@email.com,7876624,madurai,2025-0...	data_analysis	20000	2025-01-22
3	(103,pavi,pavi@email.com,7876372,thrifty,2025-03-...	data_science	20000	2025-01-22
4	(104,divi,divi@email.com,7842378,pudugai,2025-04-...	data_science	20000	2025-01-22

Total rows: 32 Query complete 00:00:00.289

Search

ENG IN

The screenshot shows a PostgreSQL IDE interface. The top bar indicates the connection is to 'postgres/postgres@localhost'. Below the toolbar, the 'Query' tab is active, displaying a SQL script. The script contains three queries: q9, q10, and q11. Query q11 is highlighted in blue. The 'Data Output' tab shows the results of the query, displaying a table with 7 columns: payment_id, payment_status, fees_amount, payment_date, student_id, and courses_id. The results show two rows of data. A status bar at the bottom indicates 'Total rows: 2' and 'Query complete 00:00:00.694'. A notification box at the bottom right states 'Successfully run. Total query runtime: 694 msec. 2 rows affected'.

```

89  -- q9
90  select s.student_id ,c. coures_id, enrollment_id from enrollment e
91  inner join student s on e.student_id= s.student_id
92  inner join coures c on e. coures_id= c. coures_id
93  -- q10
94  select s student_name,c.coures_name,p.fees_amount,p.payment_date
95  from enrollment e
96  join student s on e.student_id=s.student_id
97  join coures c on e. coures_id=c.coures_id
98  join payment p on p.payment_id=payment_id
99  -- q11
100 select* from payment where payment_status='pending'
101 -- q12
102 select * from payment where fees_amount >(select avg(fees_amount)from payment)
103 -- q13

```

	payment_id integer	payment_status text	fees_amount integer	payment_date date	student_id integer	courses_id integer
1	2	pending	[null]	[null]	102	1002
2	4	pending	[null]	[null]	104	1004

Total rows: 2 Query complete 00:00:00.694

Successfully run. Total query runtime: 694 msec. 2 rows affected

postgres/postgres@localhost

Scratch Pad X Query Query History

```
89 -- q9
90 select s.student_id ,c. coures_id, e.enrollment_id from enrollment e
91 inner join student s on e.student_id= s.student_id
92 inner join coures c on e. coures_id= c. coures_id
93 -- q10
94 select s.student_name,c.coures_name,p.fees_amount,p.payment_date
95 from enrollment e
96 join student s on e.student_id=s.student_id
97 join coures c on e. coures_id=c.coures_id
98 join payment p on p.payment_id=payment_id
99 -- q11
100 select* from payment where payment_status='pending'
101 -- q12
102 select * from payment where fees_amount >(select avg(fees_amount)from payment)
103 -- q13
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	payment_id integer	payment_status text	fees_amount integer	payment_date date	student_id integer	coures_id integer
1	7	paid	450000	2025-08-05	107	1007

Total rows: 1 Query complete 00:00:00.310

✓ Successfully run. Total query runtime: 310 msec. 1 rows affected



Search



ENG
IN

22-07

postgres/postgres@localhost

Scratch Pad x Query Query History

```
102 select * from payment where fees_a
103 -- q13
104 select coures_name, count(*) from coures group by coures_name having count (*)>2 limit 3
105 -- q14
106 select email,count(*) from student group by email having count (*)>1
107 -- q15
108 select count(*) filter (where email is null)as null_email , count (*) filter
109 (where phone is null)as null_phone from student
110 select * from student where email is null
111 select* from student where phone is null
112 -- q16
113 select *,upper(name) as student_name from student
114 select*,length(name)as student_name from student
115 -- q17
```

Execute script
F5

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

	coures_name text	count bigint
1	cypersecurity	4
2	data_science	5
3	data_analysis	26

Total rows: 3 Query complete 00:00:00.238

Search

ENG IN

Object Explorer Servers

postgres/postgres@localhost

Scratch Pad Query Query History

```
102 select * from payment where fees_a
103 -- q13
104 select cores_name, count(*) from cores group by cores_name having count (*)>2 limit 3
105 -- q14
106 select email,count(*) from student group by email having count (*)>1
107 -- q15
108 select count(*) filter (where email is null)as null_email , count (*) filter
109 (where phone is null)as null_phone from student
110 select * from student where email is null
111 select* from student where phone is null
112 -- q16
113 select *,upper(name) as student_name from student
114 select*,length(name)as student_name from student
115 -- q17
```

Execute script FS

Data Output Messages Notifications

Showing rows: 1 to 4 Page No: 1

	email character varying (20)	count bigint
1	[null]	2
2	kevi@email.com	2
3	jevi@email.com	2
4	aevi@email.com	2

Total rows: 4 Query complete 00:00:00.413

Search

ENG IN

postgres/postgres@localhost

Scratch Pad x Query Query History

```
102 select * from payment where fees_a
103 -- q13
104 select coures_name, count(*) from coures group by coures_name having count (*)>2 limit 3
105 -- q14
106 select email,count(*) from student group by email having count (*)>1
107 -- q15
108 select count(*) filter (where email is null)as null_email , count (*) filter
109 (where phone is null)as null_phone from student
110 select * from student where email is null
111 select* from student where phone is null
112 -- q16
113 select *,upper(name) as student_name from student
114 select*,length(name)as student_name from student
115 -- q17
---
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	null_email bigint	null_phone bigint
1	2	3

Total rows: 1 Query complete 00:00:00.214

✓ Successfully run. Total query runtime: 209 msec. 1 rows affected. CRLF Ln 108, C



Search



postgres/postgres@localhost

Scratch Pad x Query Query History

```
102 select * from payment where fees_a
103 -- q13 select avg(fees_amount)from payment)
104 select coures_name, count(*) from coures group by coures_name having count (*)>2 limit 3
105 -- q14
106 select email,count(*) from student group by email having count (*)>1
107 -- q15
108 select count(*) filter (where email is null)as null_email , count (*) filter
109 (where phone is null)as null_phone from student
110 select * from student where email is null
111 select* from student where phone is null
112 -- q16
113 select *,upper(name) as student_name from student
114 select*,length(name)as student_name from student
115 -- q17
```

Data Output Messages Notifications

Showing rows: 1 to 2 Page No: 1 of 1

	student_id [PK] integer	name text	email character varying (20)	phone bigint	city text	join_date date
1	112	ravi	[null]	[null]	covai	2025-05-22
2	113	puvi	[null]	[null]	chenn...	2025-06-22

Total rows: 2 Query complete 00:00:00.264

Successfully run. Total query runtime: 264 msec. 2 rows affected

CRLF Ln 110,



Search



ENG
IN

13
22-07-20

postgres/postgres@localhost

No limit

Scratch Pad Query Query History

```

102 select * from payment where fees_amount > 0;
103 -- q13
104 select courses_name, count(*) from courses group by courses_name having count (*) > 2 limit 3
105 -- q14
106 select email, count(*) from student group by email having count (*) > 1
107 -- q15
108 select count(*) filter (where email is null) as null_email, count (*) filter
109 (where phone is null) as null_phone from student
110 select * from student where email is null
111 select * from student where phone is null
112 -- q16
113 select *, upper(name) as student_name from student
114 select *, length(name) as student_name from student
115 -- q17

```

Execute script

F5

Data Output Messages Notifications

SQL

Showing rows: 1 to 3 Page No: 1 of 1

	student_id [PK] integer	name text	email character varying (20)	phone bigint	city text	join_date date
1	112	ravi	[null]	[null]	covai	2025-05-22
2	113	puvi	[null]	[null]	chennai	2025-06-22
3	114	jevi	jevi@email.com	[null]	madur...	2025-07-06

Total rows: 3 Query complete 00:00:00.206

✓ Successfully run. Total query runtime: 206 msec. 3 rows

CRLF



Search



postgres/postgres@localhost

Scratch Pad X Query Query History

Execute script FS

```
102 select * from payment where fees_a
103 -- q13
104 select coures_name, count(*) from coures group by coures_name having count (*)>2 limit 3
105 -- q14
106 select email,count(*) from student group by email having count (*)>1
107 -- q15
108 select count(*) filter (where email is null)as null_email , count (*) filter
109 (where phone is null)as null_phone from student
110 select * from student where email is null
111 select* from student where phone is null
112 -- q16
113 select *,upper(name) as student_name from student
114 select*,length(name)as student_name from student
115 -- q17
```

Data Output Messages Notifications

Showing rows: 1 to 14 Page No: 1 of 1

	student_id [PK] integer	name text	email character varying (20)	phone bigint	city text	join_date date	student_name text
1	101	kavi	kavi@email.com	7876624	chennai	2025-01-01	KAVI
2	102	savi	savi@email.com	7876624	madur...	2025-02-23	SAVI
3	103	pavi	pavi@email.com	7876372	thrifty	2025-03-22	PAVI
4	104	divi	divi@email.com	7842378	pudug...	2025-04-06	

Total rows: 14 Query complete 00:00:00.399

Successfully run. Total query runtime: 399 msec. 14 rows affected

CRLF Ln 11

postgres/postgres@localhost

Scratch Pad x Query Query History

```
102 select * from payment where fees_a
103 -- q13
104 select coures_name, count(*) from coures group by coures_name having count (*)>2 limit 3
105 -- q14
106 select email,count(*) from student group by email having count (*)>1
107 -- q15
108 select count(*) filter (where email is null)as null_email , count (*) filter
109 (where phone is null)as null_phone from student
110 select * from student where email is null
111 select* from student where phone is null
112 -- q16
113 select *,upper(name) as student_name from student
114 select*,length(name)as student_name from student
115 -- q17
```

Data Output Messages Notifications

Showing rows: 1 to 14 Page No: 1 of 1

	student_id [PK] integer	name text	email character varying (20)	phone bigint	city text	join_date date	student_name integer
1	101	kavi	kavi@email.com	7876624	chennai	2025-01-01	4
2	102	savi	savi@email.com	7876624	madur...	2025-02-23	4
3	103	pavi	pavi@email.com	7876372	thrifty	2025-03-22	4
4	104	divi	divi@email.com	7842378	pudug...	2025-04-06	

Total rows: 14 Query complete 00:00:00.252

Successfully run. Total query runtime: 252 msec. 14 rows

postgres/postgres@localhost

Scratch Pad x Query Query History

```
115 -- q17
116 select *,case
117 when fees>20000 then 'basic'
118 when fees between 30000 and 40000 then 'intermediate'
119 else 'advanced'
120 end as fees_status
121 from coures
122 -- q18
123 select *,case
124 when payment_status='paid' then 'paid'
125 when fees_amount>0 then 'paistry_paid'
126 else 'pending'
127 end as fees_status
128 from payment
```

Data Output Messages Notifications

Showing rows: 1 to 38 Page No: 1

	coures_id [PK] integer	coures_name text	fees integer	fees_status text
1	1001	data_analysis	20000	advanced
2	1002	data_analysis	20000	advanced
3	1011	data_analysis	20000	advanced
4	1012	data_analysis	20000	advanced

Total rows: 38 Query complete 00:00:00.585

Successfully run. Total query runtime

postgres/postgres@localhost

Scratch Pad X Query Query History

```
114 select *, length(name) as student_name
115 -- q17
116 select *, case
117 when fees > 20000 then 'basic'
118 when fees between 30000 and 40000 then 'intermediate'
119 else 'advanced'
120 end as fees_status
121 from coures
122 -- q18
123 select *, case
124 when payment_status = 'paid' then 'paid'
125 when fees_amount > 0 then 'paityry_paid'
126 else 'pending'
127 end as fees_status
128 from payment
```

Execute script
F5

Data Output Messages Notifications

Showing rows: 1 to 8 Page No: 1 of 1

	payment_id integer	payment_status text	fees_amount integer	payment_date date	student_id integer	coures_id integer	fees_status text
1	1	paid	20000	2025-01-22	101	1001	paid
2	2	pending	[null]	[null]	102	1002	pending
3	3	paid	45000	2025-04-23	103	1003	paid
4	4	pending	[null]	[null]	104		

Total rows: 8 Query complete 00:00:00.375

Successfully run. Total query runtime: 372 msec. 8



Search



ENG
IN



postgres/postgres... X public.sales/postg... X public.sales/postg... X postgres/postgres...
postgres/postgres@localhost

Scratch Pad X Query Query History

```
127 end as fees_status
128 from payment
129 -- q19
130 create index idx_student_id on enrollment (student_id)
131 create index idx_coures_id on enrollment (coures_id)
132 -- q20
133 select s student_name, c.coures_name, p.fees_amount, case
134 when payment_status='paid' then 'paid'
135 when fees_amount>0 then 'paityery_paid'
136 else 'pending'
137 end as fees_status
138 from enrollment e
139 join student s on e.student_id=s.student_id
140 join coures c on e.coures_id=c.coures_id
141 ioin payment p on p.payment id=payment id
```

Data Output Messages Notifications

ow Help

postgres/postgres@localhost

No limit

Execute script
F5

```
132 -- q20
133 select s.student_name, c.coures_name, p.fees_amount, case
134 when payment_status='paid' then 'paid'
135 when fees_amount>0 then 'paistry_paid'
136 else 'pending'
137 end as fees_status
138 from enrollment e
139 join student s on e.student_id=s.student_id
140 join coures c on e.coures_id=c.coures_id
141 join payment p on p.payment_id=payment_id
142 order by p.fees_amount desc
143
144
145
146
```

Data Output Messages Notifications

Showing rows: 1 to 32 Page No: 1

	student_name student	coures_name text	fees_amount integer	fees_status text
1	(101,kavi,kavi@email.com,7876624,chennai,2025-01-...	data_analysis	[null]	pending
2	(102,savi,savi@email.com,7876624,madurai,2025-02-...	data_analysis	[null]	pending
3	(103,pavi,pavi@email.com,7876372,thrifty,2025-03-2...	data_science	[null]	pending
4	(104,divi,divi@email.com,7842378,pudugai,2025-04-0...	data_science	[null]	pending