Copyright © tutorialspoint.com

http://www.tutorialspoint.com/mysgl/mysgl-create-tables.htm

The table creation command requires:

- Name of the table
- Names of fields
- Definitions for each field

## Syntax:

Here is generic SQL syntax to create a MySQL table:

```
CREATE TABLE table_name (column_name column_type);
```

Now we will create following table in TUTORIALS database.

```
tutorials_tbl(
  tutorial_id INT NOT NULL AUTO_INCREMENT,
  tutorial_title VARCHAR(100) NOT NULL,
  tutorial_author VARCHAR(40) NOT NULL,
  submission_date DATE,
  PRIMARY KEY ( tutorial_id )
);
```

Here few items need explanation:

- Field Attribute **NOT NULL** is being used because we do not want this field to be NULL. SO if user will try to create a record with NULL value then MySQL will raise an error.
- Field Attribute **AUTO\_INCREMENT** tells to MySQL to go ahead and add the next available number to the id field.
- Keyword **PRIMARY KEY** is used to define a column as primary key. You can use multiple columns separated by comma to define a primary key.

#### **Creating Tables from Command Prompt:**

This is easy to create a MySQL table from mysql> prompt. You will use SQL command **CREATE TABLE** to create a table.

### **Example:**

Here is an example which creates tutorials\_tbl:

```
root@host# mysql -u root -p
Enter password:*****
mysql> use TUTORIALS;
Database changed
mysql> CREATE TABLE tutorials_tbl(
    -> tutorial_id INT NOT NULL AUTO_INCREMENT,
    -> tutorial_title VARCHAR(100) NOT NULL,
    -> tutorial_author VARCHAR(40) NOT NULL,
    -> submission_date DATE,
    -> PRIMARY KEY ( tutorial_id )
    -> );
```

```
Query OK, 0 rows affected (0.16 sec) mysql>
```

NOTE: MySQL does not terminate a command until you give a semi colon (;) at the end of SQL command.

# **Creating Tables Using PHP Script:**

To create new table in any existing database you would need to use PHP function **mysql\_query**(). You will pass its second argument with proper SQL command to create a table.

### **Example:**

Here is an example to create a table using PHP script:

```
<html>
<head>
<title>Creating MySQL Tables</title>
</head>
<body>
<?php
$dbhost = 'localhost:3036';
$dbuser = 'root';
$dbpass = 'rootpassword';
$conn = mysql_connect($dbhost, $dbuser, $dbpass);
if(! $conn)
  die('Could not connect: ' . mysql_error());
echo 'Connected successfully<br />';
$sql = "CREATE TABLE tutorials_tbl( ".
       "tutorial id INT NOT NULL AUTO INCREMENT, ".
       "tutorial_title VARCHAR(100) NOT NULL, ".
       "tutorial_author VARCHAR(40) NOT NULL, ".
       "submission_date DATE, ".
       "PRIMARY KEY ( tutorial_id )); ";
mysql_select_db( 'TUTORIALS' );
$retval = mysql_query( $sql, $conn );
if(! $retval)
  die('Could not create table: ' . mysql_error());
echo "Table created successfully\n";
mysql_close($conn);
</body>
</html>
```