VB.NET - DATA TYPES

Data types refer to an extensive system used for declaring variables or functions of different types. The type of a variable determines how much space it occupies in storage and how the bit pattern stored is interpreted.

Data Types Available in VB.Net

VB.Net provides a wide range of data types. The following table shows all the data types available:

Data Type	Storage Allocation	Value Range
Boolean	Depends on implementing platform	**True** or **False**
Byte	1 byte	0 through 255 (unsigned)
Char	2 bytes	0 through 65535 (unsigned)
Date	8 bytes	0:00:00 (midnight) on January 1, 0001 through 11:59:59 PM on December 31, 9999
Decimal	16 bytes	0 through +/-79,228,162,514,264,337,593,543,950,335 (+/-7.9...E+28)with no decimal point; 0 through +/-7.9228162514264337593543950335 with 28 places to the right of the decimal
Double	8 bytes	-1.79769313486231570E+308 through -4.94065645841246544E-324, for negative values 4.94065645841246544E-324 through 1.79769313486231570E+308, for positive values
Integer	4 bytes	-2,147,483,648 through 2,147,483,647 (signed)
Long	8 bytes	-9,223,372,036,854,775,808 through 9,223,372,036,854,775,807(signed)
Object	4 bytes on 32-bit platform 8 bytes on 64-bit platform	Any type can be stored in a variable of type Object
SByte	1 byte	-128 through 127 (signed)
Short	2 bytes	-32,768 through 32,767 (signed)
Single	4 bytes	-3.4028235E+38 through -1.401298E-45 for negative values; 1.401298E-45 through 3.4028235E+38 for positive values

String	Depends on implementing platform	0 to approximately 2 billion Unicode characters
UInteger	4 bytes	0 through 4,294,967,295 (unsigned)
ULong	8 bytes	0 through 18,446,744,073,709,551,615 (unsigned)
User-Defined	Depends on implementing platform	Each member of the structure has a range determined by its data type and independent of the ranges of the other members
UShort	2 bytes	0 through 65,535 (unsigned)

Example

The following example demonstrates use of some of the types:

```
Module DataTypes
   Sub Main()
      Dim b As Byte
      Dim n As Integer
      Dim si As Single
      Dim d As Double
      Dim da As Date
      Dim c As Char
      Dim s As String
      Dim bl As Boolean
      b = 1
      n = 1234567
      si = 0.12345678901234566
      d = 0.12345678901234566
      da = Today
      c = "U"c
      s = "Me"
      If ScriptEngine = "VB" Then
         bl = True
      Else
         bl = False
      End If
      If bl Then
         'the oath taking
          Console.Write(c & " and," & s & vbCrLf)
          Console.WriteLine("declaring on the day of: {0}", da)
          Console.WriteLine("We will learn VB.Net seriously")
          Console.WriteLine("Lets see what happens to the floating point variables:")
          Console.WriteLine("The Single: {0}, The Double: {1}", si, d)
      End If
      Console.ReadKey()
   End Sub

End Module
```

When the above code is compiled and executed, it produces following result:

```
U and, Me
declaring on the day of: 12/4/2012 12:00:00 PM
We will learn VB.Net seriously
Lets see what happens to the floating point variables:
The Single:0.1234568, The Double: 0.123456789012346
```

The Type Conversion Functions in VB.Net

VB.Net provides the following inline type conversion functions:

S.N	Functionss & Description
1	**CBool(expression)** Converts the expression to Boolean data type.
2	**CByte(expression)** Converts the expression to Byte data type.
3	**CChar(expression)** Converts the expression to Char data type.
4	**CDate(expression)** Converts the expression to Date data type
5	**CDbl(expression)** Converts the expression to Double data type.
6	**CDec(expression)** Converts the expression to Decimal data type.
7	**CInt(expression)** Converts the expression to Integer data type.
8	**CLng(expression)** Converts the expression to Long data type.
9	**CObj(expression)** Converts the expression to Object type.
10	**CSByte(expression)** Converts the expression to SByte data type.
11	**CShort(expression)** Converts the expression to Short data type.
12	**CSng(expression)** Converts the expression to Single data type.
13	**CStr(expression)** Converts the expression to String data type.
14	**CUInt(expression)** Converts the expression to UInt data type.
15	**CULng(expression)** Converts the expression to ULng data type.
16	**CUShort(expression)** Converts the expression to UShort data type.

Example:

The following example demonstrates some of these functions:

```
Module DataTypes
   Sub Main()
      Dim n As Integer
      Dim da As Date
      Dim bl As Boolean = True
      n = 1234567
      da = Today
      Console.WriteLine(bl)
      Console.WriteLine(CSByte(bl))
      Console.WriteLine(CStr(bl))
      Console.WriteLine(CStr(da))
      Console.WriteLine(CChar(CChar(CStr(n))))
      Console.WriteLine(CChar(CStr(da)))
      Console.ReadKey()
   End Sub
End Module
```

When the above code is compiled and executed, it produces following result:

```
True
-1
True
12/4/2012
1
1
```