http://www.tutorialspoint.com/vb.net/vb.net functions.htm

A procedure is a group of statements that together perform a task, when called. After the procedure is executed, the control returns to the statement calling the procedure. VB.Net has two types of procedures:

- Functions
- Sub procedures or Subs

Functions return a value, where Subs do not return a value.

Defining a Function

The Function statement is used to declare the name, parameter and the body of a function. The syntax for the Function statement is:

```
[Modifiers] Function FunctionName [(ParameterList)] As ReturnType [Statements]
End Function
```

Where,

Tutorial content goes here.....

- *Modifiers*: specify the access level of the function; possible values are: Public, Private, Protected, Friend, Protected Friend and information regarding overloading, overriding, sharing, and shadowing.
- FunctionName: indicates the name of the function
- *ParameterList*: specifies the list of the parameters
- ReturnType: specifies the data type of the variable the function returns

Example

Following code snippet shows a function *FindMax* that takes two integer values and returns the larger of the two.

```
Function FindMax(ByVal num1 As Integer, ByVal num2 As Integer) As Integer
  ' local variable declaration */
  Dim result As Integer
  If (num1 > num2) Then
      result = num1
  Else
      result = num2
  End If
  FindMax = result
End Function
```

Function Returning a Value

In VB.Net a function can return a value to the calling code in two ways:

- By using the return statement
- By assigning the value to the function name

The following example demonstrates using the *FindMax* function:

```
Module myfunctions
  Function FindMax(ByVal num1 As Integer, ByVal num2 As Integer) As Integer
      ' local variable declaration */
     Dim result As Integer
     If (num1 > num2) Then
         result = num1
         result = num2
     End If
     FindMax = result
   End Function
  Sub Main()
     Dim a As Integer = 100
     Dim b As Integer = 200
     Dim res As Integer
     res = FindMax(a, b)
     Console.WriteLine("Max value is : {0}", res)
     Console.ReadLine()
  End Sub
End Module
```

When the above code is compiled and executed, it produces following result:

```
Max value is : 200
```

Recursive Function

A function can call itself. This is known as recursion. Following is an example that calculates factorial for a given number using a recursive function:

```
Module myfunctions
   Function factorial (ByVal num As Integer) As Integer
      ' local variable declaration */
     Dim result As Integer
     If (num = 1) Then
         Return 1
     Else
         result = factorial(num - 1) * num
          Return result
     End If
   End Function
   Sub Main()
      'calling the factorial method
     Console.WriteLine("Factorial of 6 is: {0}", factorial(6))
     Console.WriteLine("Factorial of 7 is: {0}", factorial(7))
     Console.WriteLine("Factorial of 8 is: {0}", factorial(8))
     Console.ReadLine()
  End Sub
End Module
```

When the above code is compiled and executed, it produces following result:

```
Factorial of 6 is: 720
Factorial of 7 is: 5040
Factorial of 8 is: 40320
```

Param Arrays

At times, while declaring a function or sub procedure you are not sure of the number of arguments passed as a parameter. VB.Net param arrays (or parameter arrays) come into help at these times.

The following example demonstrates this:

```
Module myparamfunc
   Function AddElements(ParamArray arr As Integer()) As Integer
     Dim sum As Integer = 0
     Dim i As Integer = 0
     For Each i In arr
         sum += i
     Next i
     Return sum
  End Function
  Sub Main()
     Dim sum As Integer
     sum = AddElements (512, 720, 250, 567, 889)
     Console.WriteLine("The sum is: {0}", sum)
     Console.ReadLine()
  End Sub
End Module
```

When the above code is compiled and executed, it produces following result:

```
The sum is: 2938
```

Passing Arrays as Function Arguments

You can pass an array as a function argument in VB.Net. The following example demonstrates this:

```
Module arrayParameter
   Function getAverage (ByVal arr As Integer(), ByVal size As Integer) As Double
      'local variables
      Dim i As Integer
       Dim avg As Double
       Dim sum As Integer = 0
       For i = 0 To size - 1
          sum += arr(i)
      Next i
      avg = sum / size
      Return avg
    End Function
    Sub Main()
        ' an int array with 5 elements '
       Dim balance As Integer() = {1000, 2, 3, 17, 50}
        Dim avg As Double
        'pass pointer to the array as an argument
        avg = getAverage(balance, 5)
        ' output the returned value '
        Console.WriteLine("Average value is: {0} ", avg)
        Console.ReadLine()
    End Sub
End Module
```

When the above code is compiled and executed, it produces following result:

```
Average value is: 214.4
```