Etent with the HTMLS doc Type to leverage

HTMLS features:

< 1 DOCTUPE html>

* use New Semanti Elements:- Replace generic edivs and spans tags with HML5 semantic elements to improve readability & accessibility

* < heady for header.

* < nau > four navigation & will.

* <selection > four section.

* (article > four self confained content.

* < ouide > four side content

* < footers four footer

* < main > for primary content.

* update forms with New input:

Types:- HTML 5 introduces new input types that Enhance wer experience and validation.

* (input type = "email"> four email address.

x < input type = "url" > four ORLS

* <input type = "date" > for dale

* < input type = "number" > four numeric input.

* Add form attributes: - utilize new attribute to improve from functionally.

* original to make field mandatory

* placeholden to provide hint text

* pattern for custom validation with reger.

* alifo complète to sugget ou viennembre inpulle

* Implement new form Elements:

Take advantage of new fourn elements.

* < datalist > to provide options from un (in pur)

Suprem Remarking * ARIA Roses and Attitudes we ARIA violes and attribule to improve accentability. Example for transitioned forms Cform action = " | submit". method = "post"> <div> < label for = "wername" > wername: < label > <input type = "text"</pre> id = "wername" name = " wumame". Placeholder = " Enter your currons" enquired > < ldiu > < d 2 U >

<input type = "submit" Output:-

value = "submit">

welcome to our we wite

< (div> < I form>

Birtholay Mame

8) HTML Structure:-

<! DOCTUPE html>

Th+m1 lang="en">

Thead

< weta (manse + = "OTE-8") < meta name = " viewport" content = " width = vece - width, initial -Scale = 1.042 <title> wer Registration form < | title> (Style> Pog 88 font -family : Arial.

```
Sans - Seref
                  may - width; coops;
                   margin rauth 3
                forms
                    displaye frez;
                    flex - directions
            Columne
                    1 also {
                      margin: lopx o 5px;
          input, text aread
                  Pudding: 8px;
                  margin - bottom : lops,
                  borden: 1px solid #ccc;
           button &
                 pudding : lopx ?
                 border : none;
                                              output:-
                 borden-radius : 4px ;
                 back ground - colors
                                              win registration
      # 4CASOO,
                (olor : white;
                                                        MS 9
                                               Maild
                                        Marne
                CUNOr spointer?
       If headnds
                 < | Style >
                < h1> wer Registration ( h1)
                 < formed = "registration form ">
                      < lake for = "name"> Name: < label>
do current - get Element By Ed ("bregistration form") add
 Eventsance (11 sum+) &
              van name = doumers. get Element Byin
         if (!namell ! omail! menage)s
                        alert ("All field one enquisted"
                         I soripi >
                    <160dg>
                    < Ihtml>.
```

```
3) & Freed Layout L
          I DOCTUPE WANTS
          Stitmi lang = "en">
          chead >
              < metachamet = " UT = - ?">
              smeta name=" view port".
           content = " width = device - width, inited recas = 10",
           carries
                 body !
                     marginso:
                     Paddengio:
               <div clas = "contain">
                     < div class = " heads"> fixed layou
                         Heads < 1dio>
                     < diu claus = man" > fixed width
   2 344 7 1 20 10
                         content < Idius
                   </bay>
Fluid Layouts -
          <! postupe html?
            <n+m1 lang = "en">
            < head >
                  < meta charset = "UTF-8">
             <meta name = "viewport" >
            mains
                   raddings 20pls
            < (style>
        < lhead>
        < b0dy7
```