

UPGRADE TO A SMARTER AND SAFER RIDE

- Keep your original radio unit and all functions.
- Get CarPlay and Android Auto features.
- Auto-connect in seconds via Wireless.
- Keep your phone in your pocket! or do it wired too.
- Excellent Audio and Video resolution.
- Supports wireless/wired mirroring and more...

TOYOTA TACOMA 2014 - 2019

CARSYNCTECH.COM



ORIGINAL FACTORY UPGRADE

This product seamlessly enhances the original factory system by adding an intermediate module. It preserves the car screen, style, and functions while enabling CarPlay/Android Auto and Mirroring, transforming it into a versatile all-in-one intelligent radio unit.

The system also uses the original car microphone and It is compatible with the car's steering wheel controls, such as up/down song controls, and answering/hanging up calls. It also incorporates a one-button Siri function for easy access to the CarPlay system, making it more user-friendly.

The hardware does not affect the audio and video processing. You will be surprised how colourful the radio screen will turn into.

BEFORE YOU INSTALL

From 2014–2019 there are 2 Tacoma (Entune 2.0, must have APPS button) factory head unit versions:



← JBL & non-JBL versions
Software pre-installed
for this version



← Needs a software
adjustment!
Please contact us or check
support page at our website

Before you proceed with the installation, we would like to draw your attention to the following important information regarding the use of our product.

- **Professional Installation Recommended:** While we have designed the module to be user-friendly, we strongly recommend professional installation to ensure proper integration with your automobile radio unit. Incorrect installation may result in damage to the radio unit, voiding any warranty provided by the manufacturer.
- **Read the Instructions Carefully:** Please thoroughly read and follow the installation instructions provided. Failure to adhere to the recommended installation procedures may lead to malfunctions and potential damage to your radio unit.
- **Limitation of Liability:** CarSyncTech shall not be liable for any damage to your automobile radio unit or any other connected devices arising from the installation. This includes, but is not limited to, damage resulting from improper installation, misuse, or any other actions contrary to the provided instructions.
- **No Warranty for Damages:** Any warranty provided for the decoder covers only defects in materials and workmanship under normal use. It does not extend to damages caused by the user's failure to follow installation instructions or misuse.
- **Indemnification:** By installing the decoder, you agree to indemnify and hold harmless CarSyncTech from any claims, liabilities, damages, costs, and expenses arising out of the installation or use of the product.

By proceeding with the installation, you acknowledge that you have read and understood this disclaimer and agree to abide by the terms outlined herein.

THE DECODER MODULE



Linux Architecture



Wifi 5GHz & 2.4GHz




Bluetooth 5.0



USB interface (up to 32GB)



THE MENU SYSTEM



- Music: Play music from the module USB drive
- Wireless or Wired CarPlay/Android Auto
- Apple/Android screen mirroring
- Video: Play video from the module USB drive
- Video input: Dashboard camera (optional)
- Exit: go back to factory car system
- Setup: Module system settings (Display, Sound, Language, etc)

PACKAGE CONTENTS

- Module unit with mounting brackets.
- WiFi antenna.
- USB connection cable.
- Cable harness connectors for module and factory radio.
- This instruction manual.

HOW TO INSTALL

Please follow the install instructions and let us know if you need any help!

Scan the QR code to watch a video on how to install the decoder to your head unit radio.



TO REMOVE THE RADIO HEAD UNIT:

1. Turn off the vehicle.
2. Locate the trim panel and pull it out carefully.
1. Once the trim panel is removed, you should see the head unit secured in place with 4 bolts. Remove the bolts using a socket wrench (10mm size).
1. Carefully pull the head unit forward and disconnect the wiring harnesses and antenna cables by pressing the release tabs and gently pulling them out.
2. With all the connections detached, you can now completely remove the head unit from the dashboard.



Please note that the process may vary slightly depending on the specific trim level and optional equipment installed. If you're uncomfortable performing these steps yourself, it's recommended to consult the vehicle's manual or seek professional assistance.

1. REMOVE HEAD UNIT MOUNTING BRACKETS

Each bracket (left and right) has 5x screws. The box under the head unit is the XM Radio module. NOTE: You must remove the XM module but it can be connected back and leave behind the radio. Optional XM cable extension can be purchased.



2. UNSCREW THE RADIO FRONT SCREEN

To release the front screen there are 5 small phillips screws. Two on each side and one (flange head type) near the left side. See images for reference.



2 on each side




flange screw

3. CAREFULLY DETACH THE FRONT

Slowly detach the front panel. 2x flat PCB cables will be exposed and need to be disconnected at the head unit side.

Don't panic! This is very simple process, locate the connector latch (black) and flip it upwards to release the cable. Check the images for details.





flip the latch
upwards



4. UNSCREW THE FRONT MOUNT PLATE

These are the last screws! 5x small phillips screws to detach the front plate.




5. MOUNTING THE DECODER



Side view to show bracket upwards



IT SHOULD LOOK LIKE THIS ON THE BACK...




6. SCREW THE FRONT PLATE BACK

Screw the front plate back and check that the 2 flat cables come out at front and upwards. Be careful to not to chip or damage the flat cables.



7. CONNECT THE FLAT CABLES

The decoder has 2 flat cables, the top one is to connect to the head unit connector and the bottom one connects to the front screen (remove the factory one). Connect the last flat cable back from the front screen to the head unit. To connect the flat cables, keep the latch open and push the cable in. Flip the latch down to lock. Note the corner guides to lock them in. **IMPORTANT!** Check that the flat cable is straight and well inserted.



lock guides

8. SCREW THE FRONT SCREEN

Screw the front screen unit back to the front plate with the head unit.

9. ADD THE MOUNTING SIDE BRACKETS

Notice that now the brackets will push the decoder bracket and fix it to the head unit. Check the image for the right position of the screws.



10. TIME TO CONNECT

Check the image for reference on the harness cable connectors, usb and WiFi antenna. 2 connectors go to the head unit and one black to the decoder.



Harness cable

Connects to head
unit 24PIN and 28PIN
sockets

**USB cable
connector**

WiFi antenna



DIP Switches

Switch #1 enables
optional reverse
camera.

**Attention: When
ON it will
disable factory
reverse camera.**

Switch #2 to #4:
have no function



**Optional
reverse camera
video input and
12V power**

11. BACK TO YOUR CAR

Use the picture reference on how to connect all the cables back. When finished. Carefully install the unit back inside and screw in the 4 bolts. Put back the trim panel by pushing it in place.

The WiFi antenna can stay inside on the back of the head unit. **DO NOT stick the antenna to any metal parts only plastic to avoid interference.**



The USB is useful for usb audio or video files you want to play and firmware updates. Best to run the wire to an easy access out.

12. FIRST TIME SYSTEM SETUP

IMPORTANT! Keep **Toyota Factory Bluetooth** connected to your phone. Your phone **Bluetooth** and **Wifi** must be **turned ON** to allow wireless communication.

1. Set the Toyota radio Audio Source to **Bluetooth**.
2. Press and hold radio **HOME** button to access decoder system.
3. Go to the decoder Bluetooth settings and connect your phone to “**Car Audio_xxxx**”, set to **Auto Connect**.
4. When connection is completed CarPlay/Android Auto will be available.



YOU ARE ALL SET!

Try Apple CarPlay or Android Auto. The system will auto connect when you are back in the car again using the wireless connection. Give it some seconds to sync and your screen will automatically load to CarPlay or Android Auto. There may be wait time differences depending on how fast the phone connects to the WiFi signal.

MIRRORING: Phone must be disconnected from CarPlay/Android-Auto. Connect your phone to the Mirroring Wifi as described on the screen. After connecting enable Mirroring/Cast on your phone. **To listen to audio the factory radio must be set to AUX audio source.**

FM radio listening: the system will still provide voice feedback for maps or calls. However, if you want to stream music it is necessary to switch back from Radio to Bluetooth source manually.

TROUBLESHOOTING

Screen is not turning ON.

Verify that the radio unit is being powered by checking the radio button lights. Check that the decoder is being powered ON. The back of the decoder have 2 lights, green solid and red blinking indicates it is correct. If there are no power issues, then the issue is with the flat FPC cables not being connected properly. Check that they are correctly inserted, straight and that the latch is closed and tight. Verify that the cables are not damaged or pinched.

The steering wheel controls are not working.

Verify that the connections on the back of the head unit are all correctly pushed-in.

My radio head unit GPS is not working.

Verify that the connections on the back of the head unit are all correctly pushed-in. Check the GPS antenna is connected on the head unit.

The touch screen is not working correctly. Does not respond.

This can be a software issue and it is easily fixed with a firmware update. Contact us and we will send instructions on how to update to a different firmware.

FREQUENTLY ASKED QUESTIONS

What is the password for the decoder WiFi?

Do not connect to the decoder wifi. The connection will be done automatically on the background when connecting to the decoder bluetooth. There is no need to setup the Wifi, just leave the Wifi ON from your phone.

I can't hear music from CarPlay/Android Auto.

Check that your radio audio source is set to Bluetooth audio.

Can I connect my phone wirelessly and with cable at same time? or connect 2 devices?

Not recommended. Once you are setup wirelessly it is not recommended to connect it with the decoder USB, it will mix connections and does not support 2 devices at same time.

Should I disable radio head unit Bluetooth?

No, the factory radio bluetooth is necessary for correct function of the decoder.

Sometimes the audio is lost. How do I check the issue?

Check your phone audio is set to CarPlay/Android Auto. Some phones may change the audio source if there are other bluetooth devices trying to interact at the same time. Check that your radio head unit bluetooth is disabled.

Can I keep the XM radio module?

Yes, you can install decoder and XM radio module with the head unit, but cannot be kept under the head unit. You can purchase cable extension accessory (Amazon product: B0D7QM92VC).

It is possible to upgrade decoder firmware, if there is a new version?

Yes, updates are done using the USB cable. Whenever there is an update we will notify all customers and send the new firmware with the update instructions.

Can I enable Huawei auto features?

Yes, to have Huawei enabled please do the following: Go to the decoder Settings > System Select "Phone Link Setting" option. The screen will show a list of settings, tap on the "Link Type" and Select "USB & Wireless Huawei" Tap Apply and restart the car.

I have a JBL sound system and Birds Eyeview camera. Is the decoder compatible with it?

Yes, the decoder is fully compatible with JBL head units and the 360 Eyeview system. It will not affect any functions.

Will my radio unit Entune Maps and GPS continue to work?

Yes, It will not affect any functions.

**IF YOU ARE SATISFIED WITH THE PRODUCT, PLEASE TAKE A
MOMENT TO SUBMIT A REVIEW AND SHARE IT TO OTHER
TOYOTA DRIVERS.**

ENJOY YOUR NEW UPGRADED TRUCK!

QUESTIONS?

Please feel free to reach out! honk@carsyncotech.com
We will be very happy to assist you.