

Assignment 1.1

Submitted By: Yogesh Indoria

1. Directories & Files

- First check your current working directory
- Now create directory with name "linux" in your current directory.
- Then create a another directory with name "Assignment-01" inside your "linux" directory .
- Now create one more directory inside "/tmp" with name "dir1" without changing your present directory.
- At last create two more directories having below tree structure .It should create a below structure via single command only .

/tmp

- dir1

- dir2

- dir3

```
C:\Users\Admin>wsl
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin$ pwd
/mnt/c/Users/Admin
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin$ mkdir linux
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin$ cd linux
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ mkdir Assignment-01
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ mkdir /tmp/dir1
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ mkdir -p /tmp/dir1/dir2/dir3
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ sudo apt install tree
```

```
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ tree /tmp/dir1
/tmp/dir1
├── dir2
│   └── dir3
```

2. Write and Modify Files and Directories.

- Find a command that will delete a "dir3" that you have created before.
- Now create a empty file with your "first-name" in /tmp directory.
- After creating a empty file , add "This is my first line " into a file without using any editor.
- Now add one more line "this is a additional content " into a same file .Make sure it will not overwrite the previous line of the file.
- Then create new file with your "last-name" along with some content like "last-name is my last name".Do not use any editor
- Now add "this is line at the beginning" into "last-name" file in such a manner that it will add the line at beginning of the file.Do not use any editor.
- Then add some more 8-10 lines to the same file .

```
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ touch /tmp/yogi.txt
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ ls -l /tmp
total 24
drwxr-xr-x 3 admin01 admin01 4096 Jul 27 05:10 dir1
drwx----- 2 root      root      4096 Jul 27 05:01 snap-private-tmp
drwx----- 3 root      root      4096 Jul 27 05:25 systemd-private-b560c534a25948089c4df9b1f537c663-polkit.service-XMaBrU
drwx----- 3 root      root      4096 Jul 27 05:01 systemd-private-b560c534a25948089c4df9b1f537c663-systemd-logind.service-2YfCsk
drwx----- 3 root      root      4096 Jul 27 05:01 systemd-private-b560c534a25948089c4df9b1f537c663-systemd-resolved.service-0Hikcr
drwx----- 3 root      root      4096 Jul 27 05:01 systemd-private-b560c534a25948089c4df9b1f537c663-systemd-timesyncd.service-yo500t
-rw-r--r-- 1 admin01 admin01    0 Jul 27 05:52 yogi.txt
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ ls -l /tmp/yogi
```

```
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ ls -l /tmp/yogi
ls: cannot access '/tmp/yogi': No such file or directory
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ echo This is my first line >> /tmp/yogi
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ cat /tmp/yogi
This is my first line
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ echo this is a additional content >> /tmp/yogi
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ cat /tmp/yogi
This is my first line
this is a additional content
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ echo Indoria is my last name > /tmp/indoria.txt
```

```
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ cat /tmp/indoria.txt
Indoria is my last name
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ cat /tmp/yogi.txt
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ cat /tmp/yogi
This is my first line
this is a additional content
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ echo "this is line at the beginning" | cat - /tmp/indoria.txt > temp && mv temp /tmp/indoria.txt
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ cat /tmp/indoria.txt
this is line at the beginning
Indoria is my last name
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ |
```

```
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ cat >> /tmp/indoria.txt << EOF
> this is line 1
> this is line 2
> this is line 3
> this is line 4
> this is line 5
> this is line 6
> this is line 7
> this is line 8
> EOF
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ cat /tmp/indoria.txt
this is line at the beginning
Indoria is my last name
this is line 1
this is line 2
this is line 3
this is line 4
this is line 5
this is line 6
this is line 7
this is line 8
```

3. Head & Tail Commands

- Now find a command that will show:
- Top 5 lines of the file.
- Bottom 2 lines of the file.
- Only 6th line of the file.
- 3-8 lines of the file .

```
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ head -n 5 /tmp/indoria.txt
this is line at the beginning
Indoria is my last name
this is line 1
this is line 2
this is line 3
```

```
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ tail -n 2 /tmp/indoria.txt
this is line 7
this is line 8
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ head -n 6 /tmp/indoria.txt | tail -n 1
this is line 4
```

```
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ head -n 8 /tmp/dir1/indoria.txt | tail -n 6
this is line 1
this is line 2
this is line 3
this is line 4
this is line 5
this is line 6
```

4. Listing Commands

- Find a command that will list below things of /tmp directory
- list all content(including hidden files)
- list only files
- list only directories

```
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ ls -la /tmp
total 40
drwxrwxrwt  9 root    root    4096 Jul 27 06:48 .
drwxr-xr-x 22 root    root    4096 Jul 27 05:01 ..
drwxrwxrwx  2 root    root      60 Jul 27 05:01 .X11-unix
drwxr-xr-x  3 admin01 admin01 4096 Jul 27 05:10 dir1
-rwxrwxrwx  1 admin01 admin01  174 Jul 27 06:43 indoria.txt
drwx----- 2 root    root    4096 Jul 27 05:01 snap-private-tmp
drwx----- 3 root    root    4096 Jul 27 05:25 systemd-private-b560c534a259486
drwx----- 3 root    root    4096 Jul 27 05:01 systemd-private-b560c534a259486
drwx----- 3 root    root    4096 Jul 27 05:01 systemd-private-b560c534a259486
drwx----- 3 root    root    4096 Jul 27 05:01 systemd-private-b560c534a259486
-rw-r--r--  1 admin01 admin01   51 Jul 27 05:57 yogi
-rw-r--r--  1 admin01 admin01    0 Jul 27 05:52 yogi.txt
```

```

admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ find /tmp -maxdepth 1 -type f
/tmp/indoria.txt
/tmp/yogi.txt
/tmp/yogi
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ find /tmp -maxdepth 1 -type d
/tmp
/tmp/systemd-private-b560c534a25948089c4df9b1f537c663-systemd-resolved.service-0Hikcr
/tmp/snap-private-tmp
/tmp/systemd-private-b560c534a25948089c4df9b1f537c663-systemd-logind.service-2YfCsk
/tmp/systemd-private-b560c534a25948089c4df9b1f537c663-polkit.service-XMaBrU
/tmp/.X11-unix
/tmp/systemd-private-b560c534a25948089c4df9b1f537c663-systemd-timesyncd.service-yo500t
/tmp/dir1
/tmp/systemd-private-b560c534a25948089c4df9b1f537c663-wsl-pro.service-bPIqML
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ |

```

5. Copy Commands

- Now copy the "last-name" into the /tmp/dir2 with same name.
- Then again copy the "last-name" into the /tmp/dir2, this time with different name i.e "last-name".copy
- Now change the name of the "first-name" file to some other name at same location

```

admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ cp /tmp/indoria.txt /tmp/dir2
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ cp /tmp/indoria.txt /tmp/dir2/indoria.copy
cp: cannot stat '/tmp/dir2/indoria.copy': Not a directory
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ ls -l /tmp
total 36
drwxr-xr-x 3 admin01 admin01 4096 Jul 27 05:10 dir1
-rwxr-xr-x 1 admin01 admin01 174 Jul 27 07:23 dir2
-rwxrwxrwx 1 admin01 admin01 174 Jul 27 06:43 indoria.txt
drwx----- 2 root root 4096 Jul 27 05:01 snap-private-tmp
drwx----- 3 root root 4096 Jul 27 05:25 systemd-private-b560c534a25948089c4df9b1f537c663-polkit.service-XMaBrU
drwx----- 3 root root 4096 Jul 27 05:01 systemd-private-b560c534a25948089c4df9b1f537c663-systemd-logind.service-2YfCsk
drwx----- 3 root root 4096 Jul 27 05:01 systemd-private-b560c534a25948089c4df9b1f537c663-systemd-resolved.service-0Hikcr
drwx----- 3 root root 4096 Jul 27 05:01 systemd-private-b560c534a25948089c4df9b1f537c663-systemd-timesyncd.service-yo500t
-rw-r--r-- 1 admin01 admin01 51 Jul 27 05:57 yogi
-rw-r--r-- 1 admin01 admin01 0 Jul 27 05:52 yogi.txt

```

```

admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ mv /tmp/yogi /tmp/yogesh
admin01@DESKTOP-KD9EIE8:/mnt/c/Users/Admin/linux$ ls -l /tmp
total 40
drwxr-xr-x 3 admin01 admin01 4096 Jul 27 05:10 dir1
drwxr-xr-x 2 admin01 admin01 4096 Jul 27 07:41 dir2
-rwxrwxrwx 1 admin01 admin01 174 Jul 27 06:43 indoria.txt
drwx----- 2 root root 4096 Jul 27 05:01 snap-private-tmp
drwx----- 3 root root 4096 Jul 27 05:25 systemd-private-b560c534a25948089c4df9b1f537c663-polkit.service-XMaBrU
drwx----- 3 root root 4096 Jul 27 05:01 systemd-private-b560c534a25948089c4df9b1f537c663-systemd-logind.service-2YfCsk
drwx----- 3 root root 4096 Jul 27 05:01 systemd-private-b560c534a25948089c4df9b1f537c663-systemd-resolved.service-0Hikcr
drwx----- 3 root root 4096 Jul 27 05:01 systemd-private-b560c534a25948089c4df9b1f537c663-systemd-timesyncd.service-yo500t
drwx----- 3 root root 4096 Jul 27 07:41 systemd-private-b560c534a25948089c4df9b1f537c663-wsl-pro.service-Ywllp5
-rw-r--r-- 1 admin01 admin01 51 Jul 27 05:57 yogesh
-rw-r--r-- 1 admin01 admin01 0 Jul 27 05:52 yogi.txt

```


6. Move & Remove Commands

- Find a command that will move the "last-name" file to /tmp/dir1
- Find a command that will clear the content of /tmp/dir2/"last-name".copy .Make sure it will not even contain empty line .
- Now delete the same file i.e /tmp/dir2/last-name.copy

```
admin01@DESKTOP-KD9EIE8:/$ mv /tmp/indoria.txt /tmp/dir1
admin01@DESKTOP-KD9EIE8:/$ ls -l /tmp/dir1
total 8
drwxr-xr-x 2 admin01 admin01 4096 Jul 27 05:50 dir2
-rwxrwxrwx 1 admin01 admin01 174 Jul 27 06:43 indoria.txt
admin01@DESKTOP-KD9EIE8:/$ ls -l /tmp/dir2
total 8
-rwxr-xr-x 1 admin01 admin01 174 Jul 27 07:41 indoria.copy
-rwxr-xr-x 1 admin01 admin01 174 Jul 27 07:41 indoria.txt
admin01@DESKTOP-KD9EIE8:/$ > /tmp/dir2/indoria.copy
admin01@DESKTOP-KD9EIE8:/$ ls -l /tmp/dir2
total 4
-rwxr-xr-x 1 admin01 admin01 0 Jul 27 07:59 indoria.copy
-rwxr-xr-x 1 admin01 admin01 174 Jul 27 07:41 indoria.txt
admin01@DESKTOP-KD9EIE8:/$ rm /tmp/dir2/indoria.copy
admin01@DESKTOP-KD9EIE8:/$ |
```

```
admin01@DESKTOP-KD9EIE8:/$ ls -la /tmp/dir2/
total 12
drwxr-xr-x 2 admin01 admin01 4096 Jul 27 08:40 .
drwxrwxrwt 10 root root 4096 Jul 27 11:37 ..
-rwxr-xr-x 1 admin01 admin01 174 Jul 27 07:41 indoria.txt
admin01@DESKTOP-KD9EIE8:/$ |
```