TestDataExcel

Execution Environment

Host name Yogi Moch Nur - DESKTOP-DB1MUI4

OS Windows 10 64bit

Katalon version 7.2.1.1

Browser Chrome 80.0.3987.122

Summary

ID Test Suites/TestDataExcel

Description

Total 2

Passed 2 Failed 0
Error 0 Incomplete 0

Start 2020-02-26 16:15:58 End 2020-02-26 16:17:12

Elapsed 1m - 13.952s

#	ID	Description	Status
1	Test Cases/Account Maintenance		PASSED
2	Test Cases/Account Maintenance		PASSED

Information

ID Test Cases/Account Maintenance

Description

Tag

Start 2020-02-26 16:15:58 End 2020-02-26 16:16:38

Elapsed 40.362s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	6.616s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	3.024s	PASSED
3	delay(5) Delayed 5 second(s)	5.072s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	0.784s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), findTestData("data1").getValue(1, 1)) Text 'Maahkinderjoy' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	2.359s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), findTestData("data1").getValue(2, 1)) Text 'alamsyah333' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.869s	PASSED

Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on 8 delay(10) 10.007s PASSED Delayed 10 second(s) 0.004s NOT_RU 9 scrollToPosition(0, 9) 0.002s NOT_RU NOT_RUN: scrollToPosition(0, 9) 0.002s NOT_RU NOT_RUN: scrollToPosition(0, 99) 0.002s NOT_RU NOT_RUN: delay(10) 0.001s NOT_RU NOT_RUN: scrollToPosition(0, 999) 0.001s NOT_RU NOT_RUN: scrollToPosition(0, 999) 0.001s NOT_RU NOT_RUN: delay(10) 0.001s NOT_RU 15 scrollToPosition(0, 9999) 0.002s NOT_RU NOT_RUN: scrollToPosition(0, 9999) 0.002s NOT_RU	#	Description	Elapsed	Status
Delayed 10 second(s) 0.004s NOT_RU 9 scrollToPosition(0, 9) 0.004s NOT_RU 10 delay(10) 0.002s NOT_RU NOT_RUN: delay(10) 0.002s NOT_RU 11 scrollToPosition(0, 99) 0.002s NOT_RU NOT_RUN: scrollToPosition(0, 99) 0.001s NOT_RU NOT_RUN: delay(10) 0.001s NOT_RU 14 delay(10) 0.001s NOT_RU NOT_RUN: delay(10) 0.001s NOT_RU 15 scrollToPosition(0, 9999) 0.002s NOT_RU NOT_RUN: scrollToPosition(0, 9999) 0.002s NOT_RU NOT_RUN: scrollToPosition(0, 9999) 0.002s NOT_RU 16 sendKeys(findTestObject(null), Keys.chord(HOME)) 0.003s NOT_RU	7		2.844s	PASSED
NOT_RUN: scrollToPosition(0, 9) 10 delay(10)	8		10.007s	PASSED
NOT_RUN: delay(10) 0.002s NOT_RU 11 scrollToPosition(0, 99) 0.002s NOT_RU 12 delay(10) 0.001s NOT_RU NOT_RUN: delay(10) 0.001s NOT_RU 13 scrollToPosition(0, 999) 0.001s NOT_RU NOT_RUN: scrollToPosition(0, 999) 0.001s NOT_RU 14 delay(10) 0.001s NOT_RU NOT_RUN: delay(10) 0.002s NOT_RU NOT_RUN: scrollToPosition(0, 9999) 0.002s NOT_RU NOT_RUN: scrollToPosition(0, 9999) 0.003s NOT_RU 16 sendKeys(findTestObject(null), Keys.chord(HOME)) 0.003s NOT_RU	9		0.004s	NOT_RUN
12 delay(10) 0.001s NOT_RU 13 scrollToPosition(0, 999) 0.001s NOT_RU NOT_RUN: scrollToPosition(0, 999) 0.001s NOT_RU 14 delay(10) 0.001s NOT_RU NOT_RUN: delay(10) 0.002s NOT_RU 15 scrollToPosition(0, 9999) 0.002s NOT_RU NOT_RUN: scrollToPosition(0, 9999) 0.002s NOT_RU 16 sendKeys(findTestObject(null), Keys.chord(HOME)) 0.003s NOT_RU	10		0.002s	NOT_RUN
13 scrollToPosition(0, 999) 0.001s NOT_RU 14 delay(10) 0.001s NOT_RU NOT_RUN: delay(10) 0.001s NOT_RU 15 scrollToPosition(0, 9999) 0.002s NOT_RU NOT_RUN: scrollToPosition(0, 9999) 0.002s NOT_RU 16 sendKeys(findTestObject(null), Keys.chord(HOME)) 0.003s NOT_RU	11		0.002s	NOT_RUN
NOT_RUN: scrollToPosition(0, 999) 14 delay(10) 0.001s NOT_RU NOT_RUN: delay(10) 15 scrollToPosition(0, 9999) 0.002s NOT_RU NOT_RUN: scrollToPosition(0, 9999) 16 sendKeys(findTestObject(null), Keys.chord(HOME)) 0.003s NOT_RU	12		0.001s	NOT_RUN
NOT_RUN: delay(10) 15 scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999) 16 sendKeys(findTestObject(null), Keys.chord(HOME)) 0.003s NOT_RU	13		0.001s	NOT_RUN
NOT_RUN: scrollToPosition(0, 9999) 16 sendKeys(findTestObject(null), Keys.chord(HOME)) 0.003s NOT_RU	14		0.001s	NOT_RUN
	15		0.002s	NOT_RUN
	16		0.003s	NOT_RUN

#	Description	Elapsed	Status
17	delay(5)	0.001s	NOT_RUN
	NOT_RUN: delay(5)		
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.001s	NOT_RUN
	NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")		
40	delects)	0.004-	NOT DUN
19	delay(5)	0.001s	NOT_RUN
	NOT_RUN: delay(5)		
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"),		
	STOP_ON_FAILURE)		
21	dolov/20)	0.001s	NOT_RUN
۷1	delay(20)	0.0015	NOT_RUN
	NOT_RUN: delay(20)		
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))		
23	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
24	click(findTestObject("Maintenance/Klik Retweet"))	0.011s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))		
25	delay(10)	0.007s	NOT_RUN
	NOT_RUN: delay(10)	3.307.0	
26	click(findTestObject("Maintenance/Follow 1"))	0.003s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Follow 1"))		

#	Description	Elapsed	Status
27	delay(10)	0.002s	NOT_RUN
	NOT_RUN: delay(10)		
28	click(findTestObject("Maintenance/Follow 2"))	0.002s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Follow 2"))		
29	delay(20)	0.002s	NOT_RUN
	NOT_RUN: delay(20)		
30	click(findTestObject("Maintenance/Follow 3"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Follow 3"))		
31	delay(15)	0.003s	NOT_RUN
	NOT_RUN: delay(15)		
32	click(findTestObject("Maintenance/Follow 4"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Follow 4"))		
33	delay(10)	0.000s	NOT_RUN
	NOT_RUN: delay(10)		
34	click(findTestObject("Maintenance/Follow 5"))	0.005s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Follow 5"))		
35	delay(15)	0.002s	NOT_RUN
	NOT_RUN: delay(15)		
36	click(findTestObject("Maintenance/Button Close"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Button Close"))		

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.003s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.007s	NOT_RUN
41	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.003s	NOT_RUN
42	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
43	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.001s	NOT_RUN
44	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
45	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.002s	NOT_RUN
46	delay(10) NOT_RUN: delay(10)	0.005s	NOT_RUN

#	Description	Elapsed	Status
47	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.002s	NOT_RUN
48	delay(10) NOT_RUN: delay(10)	0.005s	NOT_RUN
49	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.002s	NOT_RUN
50	sendKeys(findTestObject(null), Keys.chord(HOME)) NOT_RUN: sendKeys(findTestObject(null), Keys.chord(HOME))	0.003s	NOT_RUN
51	delay(5) NOT_RUN: delay(5)	0.004s	NOT_RUN
52	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.002s	NOT_RUN
53	delay(10) NOT_RUN: delay(10)	0.011s	NOT_RUN
54	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.001s	NOT_RUN
55	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
56	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.004s	NOT_RUN

#	Description	Elapsed	Status
57	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
58	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.004s	NOT_RUN
59	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
60	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.002s	NOT_RUN
61	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
62	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.001s	NOT_RUN
63	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
64	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.001s	NOT_RUN
65	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
66	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.003s	NOT_RUN

#	Description	Elapsed	Status
67	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
68	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.001s	NOT_RUN
69	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
70	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.001s	NOT_RUN
71	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
72	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
73	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
74	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.001s	NOT_RUN
75	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.001s	NOT_RUN
76	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

#	Description	Elapsed	Status
77	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.002s	NOT_RUN
78	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
79	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.001s	NOT_RUN
80	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
81	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.001s	NOT_RUN
82	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
83	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.001s	NOT_RUN
84	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
85	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.001s	NOT_RUN
86	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

#	Description	Elapsed	Status
87	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.001s	NOT_RUN
88	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
89	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.001s	NOT_RUN
90	delay(10) NOT_RUN: delay(10)	0.005s	NOT_RUN
91	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
92	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
93	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	0.628s	PASSED
94	delay(5) Delayed 5 second(s)	5.004s	PASSED
95	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	1.145s	PASSED
96	closeBrowser() Browser is closed	1.054s	PASSED

Information

ID Test Cases/Account Maintenance

Description

Tag

Start 2020-02-26 16:16:39 End 2020-02-26 16:17:12

Elapsed 33.006s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.234s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	3.167s	PASSED
3	delay(5) Delayed 5 second(s)	5.006s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	0.428s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), findTestData("data1").getValue(1, 1)) Text 'Maahkinderjoy' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	1.161s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), findTestData("data1").getValue(2, 1)) Text 'alamsyah333' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.59 7 s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in"))	2.601s	PASSED
	Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on		
8	delay(10)	10.003s	PASSED
	Delayed 10 second(s)		
9	scrollToPosition(0, 9)	0.001s	NOT_RUN
	NOT_RUN: scrollToPosition(0, 9)		
10	delay(10)	0.004s	NOT_RUN
	NOT_RUN: delay(10)		
11	scrollToPosition(0, 99)	0.001s	NOT_RUN
	NOT_RUN: scrollToPosition(0, 99)		
12	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
13	scrollToPosition(0, 999)	0.001s	NOT_RUN
	NOT_RUN: scrollToPosition(0, 999)		
14	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
15	scrollToPosition(0, 9999)	0.001s	NOT_RUN
	NOT_RUN: scrollToPosition(0, 9999)		
16	sendKeys(findTestObject(null), Keys.chord(HOME))	0.001s	NOT_RUN
	NOT_RUN: sendKeys(findTestObject(null), Keys.chord(HOME))		

#	Description	Elapsed	Status
17	delay(5)	0.000s	NOT_RUN
	NOT_RUN: delay(5)		
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.001s	NOT_RUN
	NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")		
19	delay(5)	0.001s	NOT_RUN
.0	NOT_RUN: delay(5)	0.0010	1101_11011
	NOT_RON. delay(3)		
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.000s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"),		
	STOP_ON_FAILURE)		
21	delay(20)	0.000s	NOT_RUN
	NOT_RUN: delay(20)		
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))		
23	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
0.4		0.004	NOT DUN
24	click(findTestObject("Maintenance/Klik Retweet"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))		
25	delay(10)	0.000s	NOT_RUN
	NOT_RUN: delay(10)		
26	click(findTestObject("Maintenance/Follow 1"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Follow 1"))		

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.000s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.000s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.000s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.001s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.001s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.001s	NOT_RUN

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.000s	NOT_RUN
41	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.000s	NOT_RUN
42	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
43	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.000s	NOT_RUN
44	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
45	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN
46	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

#	Description	Elapsed	Status
47	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
48	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
49	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.000s	NOT_RUN
50	sendKeys(findTestObject(null), Keys.chord(HOME)) NOT_RUN: sendKeys(findTestObject(null), Keys.chord(HOME))	0.000s	NOT_RUN
51	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
52	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.001s	NOT_RUN
53	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
54	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.001s	NOT_RUN
55	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
56	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.001s	NOT_RUN

#	Description	Elapsed	Status
57	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
58	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.000s	NOT_RUN
59	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
60	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.001s	NOT_RUN
61	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
62	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.001s	NOT_RUN
63	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
64	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.001s	NOT_RUN
65	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
66	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.001s	NOT_RUN

#	Description	Elapsed	Status
67	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
68	click(findTestObject("Maintenance/Profile - Media"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))		
69	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
70	click(findTestObject("Maintenance/Profile - Likes"))	0.003s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))		
71	delay(10)	0.000s	NOT_RUN
	NOT_RUN: delay(10)		
72	click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Button Home"))		
73	delay(10)	0.000s	NOT_RUN
	NOT_RUN: delay(10)		
74	click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))		
75	click(findTestObject("Maintenance/Setting and Privacy"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))		
76	delay(10)	0.000s	NOT_RUN
	NOT_RUN: delay(10)		

#	Description	Elapsed	Status
77	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.001s	NOT_RUN
78	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
79	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.001s	NOT_RUN
80	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
81	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.001s	NOT_RUN
82	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
83	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.001s	NOT_RUN
84	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
85	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.000s	NOT_RUN
86	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

#	Description	Elapsed	Status
87	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.000s	NOT_RUN
88	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
89	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.000s	NOT_RUN
90	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
91	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
92	delay(15) NOT_RUN: delay(15)	0.007s	NOT_RUN
93	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	1.185s	PASSED
94	delay(5) Delayed 5 second(s)	5.004s	PASSED
95	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.533s	PASSED
96	closeBrowser() Browser is closed	0.899s	PASSED