

Maintenance

Execution Environment

Host name	Yogi Moch Nur - DESKTOP-DB1MU14
OS	Windows 10 64bit
Katalon version	7.2.1.1
Browser	Firefox 73.0

Summary

ID	Test Suites/Maintenance		
Description			
Total	10		
Passed	10	Failed	0
Error	0	Incomplete	0
Start	2020-02-27 10:54:00	End	2020-02-27 11:01:51
Elapsed	7m - 51.941s		

#	ID	Description	Status
1	Test Cases/Maintenance 1		PASSED
2	Test Cases/Maintenance 1		PASSED
3	Test Cases/Maintenance 1		PASSED
4	Test Cases/Maintenance 1		PASSED
5	Test Cases/Maintenance 1		PASSED
6	Test Cases/Maintenance 1		PASSED
7	Test Cases/Maintenance 1		PASSED
8	Test Cases/Maintenance 1		PASSED
9	Test Cases/Maintenance 1		PASSED
10	Test Cases/Maintenance 1		PASSED

Maintenance 1

Information

ID	Test Cases/Maintenance 1		
Description			
Tag			
Start	2020-02-27 10:54:00	End	2020-02-27 10:54:51
Elapsed	51.395s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	9.544s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	4.899s	PASSED
3	delay(5) Delayed 5 second(s)	5.034s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	1.198s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), Username) Text 'jeromepolinnnn' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	0.807s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), Password) Text 'indraramdan123' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.611s	PASSED

Maintenance 1

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on	2.898s	PASSED
8	delay(10) Delayed 10 second(s)	10.006s	PASSED
9	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.013s	NOT_RUN
10	delay(10) NOT_RUN: delay(10)	0.004s	NOT_RUN
11	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.004s	NOT_RUN
12	delay(10) NOT_RUN: delay(10)	0.006s	NOT_RUN
13	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.002s	NOT_RUN
14	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
15	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.004s	NOT_RUN
16	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.002s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
17	delay(5) NOT_RUN: delay(5)	0.006s	NOT_RUN
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt") NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.002s	NOT_RUN
19	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE) NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.001s	NOT_RUN
21	delay(20) NOT_RUN: delay(20)	0.001s	NOT_RUN
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan")) NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.002s	NOT_RUN
23	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
24	click(findTestObject("Maintenance/Klik Retweet")) NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))	0.003s	NOT_RUN
25	delay(10) NOT_RUN: delay(10)	0.005s	NOT_RUN
26	click(findTestObject("Maintenance/Follow 1")) NOT_RUN: click(findTestObject("Maintenance/Follow 1"))	0.002s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.002s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.005s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.004s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.002s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.003s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.003s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.001s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.002s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.007s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.002s	NOT_RUN
41	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
42	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.003s	NOT_RUN
43	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
44	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.002s	NOT_RUN
45	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
46	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.003s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
47	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
48	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.001s	NOT_RUN
49	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
50	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.001s	NOT_RUN
51	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.001s	NOT_RUN
52	delay(5) NOT_RUN: delay(5)	0.011s	NOT_RUN
53	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.002s	NOT_RUN
54	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
55	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.003s	NOT_RUN
56	delay(10) NOT_RUN: delay(10)	0.003s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
57	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.003s	NOT_RUN
58	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
59	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.002s	NOT_RUN
60	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
61	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.001s	NOT_RUN
62	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
63	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.001s	NOT_RUN
64	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
65	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.002s	NOT_RUN
66	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
67	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.002s	NOT_RUN
68	delay(10) NOT_RUN: delay(10)	0.006s	NOT_RUN
69	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.002s	NOT_RUN
70	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
71	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.002s	NOT_RUN
72	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
73	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
74	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
75	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.001s	NOT_RUN
76	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.002s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
77	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
78	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.001s	NOT_RUN
79	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
80	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.002s	NOT_RUN
81	delay(10) NOT_RUN: delay(10)	0.007s	NOT_RUN
82	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.001s	NOT_RUN
83	delay(10) NOT_RUN: delay(10)	0.011s	NOT_RUN
84	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.002s	NOT_RUN
85	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
86	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.002s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
87	delay(10) NOT_RUN: delay(10)	0.008s	NOT_RUN
88	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.001s	NOT_RUN
89	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
90	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.001s	NOT_RUN
91	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
92	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.002s	NOT_RUN
93	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
94	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	0.968s	PASSED
95	delay(5) Delayed 5 second(s)	5.002s	PASSED
96	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.705s	PASSED

Maintenance 1

#	Description	Elapsed	Status
97	closeBrowser() Browser is closed	8.717s	PASSED

Maintenance 1

Information

ID	Test Cases/Maintenance 1		
Description			
Tag			
Start	2020-02-27 10:54:51	End	2020-02-27 10:55:39
Elapsed	47.768s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	6.102s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	5.257s	PASSED
3	delay(5) Delayed 5 second(s)	5.002s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	0.700s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), Username) Text 'mizinkoma' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	1.151s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), Password) Text 'indraramdan123' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.570s	PASSED

Maintenance 1

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on	3.024s	PASSED
8	delay(10) Delayed 10 second(s)	10.004s	PASSED
9	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.004s	NOT_RUN
10	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
11	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN
12	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
13	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.001s	NOT_RUN
14	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
15	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.001s	NOT_RUN
16	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.002s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
17	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt") NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.002s	NOT_RUN
19	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE) NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.001s	NOT_RUN
21	delay(20) NOT_RUN: delay(20)	0.000s	NOT_RUN
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan")) NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.001s	NOT_RUN
23	delay(10) NOT_RUN: delay(10)	0.003s	NOT_RUN
24	click(findTestObject("Maintenance/Klik Retweet")) NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))	0.000s	NOT_RUN
25	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
26	click(findTestObject("Maintenance/Follow 1")) NOT_RUN: click(findTestObject("Maintenance/Follow 1"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.001s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.001s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.001s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.002s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.001s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.000s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.001s	NOT_RUN
41	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
42	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.000s	NOT_RUN
43	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
44	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.000s	NOT_RUN
45	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
46	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
47	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
48	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
49	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
50	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.000s	NOT_RUN
51	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.001s	NOT_RUN
52	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
53	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.000s	NOT_RUN
54	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
55	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.002s	NOT_RUN
56	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
57	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.001s	NOT_RUN
58	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
59	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.000s	NOT_RUN
60	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
61	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.001s	NOT_RUN
62	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
63	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.000s	NOT_RUN
64	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
65	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.001s	NOT_RUN
66	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
67	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.001s	NOT_RUN
68	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
69	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.001s	NOT_RUN
70	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
71	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.003s	NOT_RUN
72	delay(10) NOT_RUN: delay(10)	0.008s	NOT_RUN
73	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
74	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
75	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.001s	NOT_RUN
76	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
77	delay(10) NOT_RUN: delay(10)	0.005s	NOT_RUN
78	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.000s	NOT_RUN
79	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
80	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.000s	NOT_RUN
81	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
82	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.001s	NOT_RUN
83	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
84	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.000s	NOT_RUN
85	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
86	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
87	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
88	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.001s	NOT_RUN
89	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
90	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.001s	NOT_RUN
91	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
92	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.003s	NOT_RUN
93	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
94	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	0.689s	PASSED
95	delay(5) Delayed 5 second(s)	5.002s	PASSED
96	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.630s	PASSED

Maintenance 1

#	Description	Elapsed	Status
97	closeBrowser() Browser is closed	9.276s	PASSED

Maintenance 1

Information

ID	Test Cases/Maintenance 1		
Description			
Tag			
Start	2020-02-27 10:55:39	End	2020-02-27 10:56:24
Elapsed	44.428s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	5.194s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	5.572s	PASSED
3	delay(5) Delayed 5 second(s)	5.003s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	0.738s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), Username) Text 'markuspeaaa' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	1.068s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), Password) Text 'indraramdan123' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.865s	PASSED

Maintenance 1

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on	2.991s	PASSED
8	delay(10) Delayed 10 second(s)	10.003s	PASSED
9	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.001s	NOT_RUN
10	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
11	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.002s	NOT_RUN
12	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
13	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.001s	NOT_RUN
14	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
15	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.002s	NOT_RUN
16	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.004s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
17	delay(5) NOT_RUN: delay(5)	0.002s	NOT_RUN
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt") NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.001s	NOT_RUN
19	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE) NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.001s	NOT_RUN
21	delay(20) NOT_RUN: delay(20)	0.001s	NOT_RUN
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan")) NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.000s	NOT_RUN
23	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
24	click(findTestObject("Maintenance/Klik Retweet")) NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))	0.000s	NOT_RUN
25	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
26	click(findTestObject("Maintenance/Follow 1")) NOT_RUN: click(findTestObject("Maintenance/Follow 1"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.001s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.010s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.006s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.002s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.001s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.001s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.016s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.001s	NOT_RUN
41	delay(5) NOT_RUN: delay(5)	0.003s	NOT_RUN
42	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.001s	NOT_RUN
43	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
44	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.001s	NOT_RUN
45	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
46	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.007s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
47	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
48	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
49	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
50	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.000s	NOT_RUN
51	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.002s	NOT_RUN
52	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
53	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.001s	NOT_RUN
54	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
55	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.000s	NOT_RUN
56	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
57	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.011s	NOT_RUN
58	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
59	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.017s	NOT_RUN
60	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
61	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.008s	NOT_RUN
62	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
63	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.001s	NOT_RUN
64	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
65	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.001s	NOT_RUN
66	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
67	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.001s	NOT_RUN
68	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
69	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.001s	NOT_RUN
70	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
71	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.001s	NOT_RUN
72	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
73	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.002s	NOT_RUN
74	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
75	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.001s	NOT_RUN
76	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
77	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
78	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.002s	NOT_RUN
79	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
80	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.001s	NOT_RUN
81	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
82	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.000s	NOT_RUN
83	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
84	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.000s	NOT_RUN
85	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
86	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
87	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
88	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.003s	NOT_RUN
89	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
90	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.001s	NOT_RUN
91	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
92	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
93	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
94	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	0.673s	PASSED
95	delay(5) Delayed 5 second(s)	5.002s	PASSED
96	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.645s	PASSED

Maintenance 1

#	Description	Elapsed	Status
97	closeBrowser() Browser is closed	6.431s	PASSED

Maintenance 1

Information

ID	Test Cases/Maintenance 1		
Description			
Tag			
Start	2020-02-27 10:56:24	End	2020-02-27 10:57:12
Elapsed	47.795s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	6.060s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	6.089s	PASSED
3	delay(5) Delayed 5 second(s)	5.002s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	0.948s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), Username) Text 'firmanfeer' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	0.991s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), Password) Text 'indraramdan123' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.788s	PASSED

Maintenance 1

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on	2.856s	PASSED
8	delay(10) Delayed 10 second(s)	10.005s	PASSED
9	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.002s	NOT_RUN
10	delay(10) NOT_RUN: delay(10)	0.003s	NOT_RUN
11	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.003s	NOT_RUN
12	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
13	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.001s	NOT_RUN
14	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
15	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.001s	NOT_RUN
16	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
17	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt") NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.003s	NOT_RUN
19	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE) NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.004s	NOT_RUN
21	delay(20) NOT_RUN: delay(20)	0.003s	NOT_RUN
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan")) NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.001s	NOT_RUN
23	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
24	click(findTestObject("Maintenance/Klik Retweet")) NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))	0.001s	NOT_RUN
25	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
26	click(findTestObject("Maintenance/Follow 1")) NOT_RUN: click(findTestObject("Maintenance/Follow 1"))	0.002s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.004s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.001s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.001s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.000s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.000s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.000s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.001s	NOT_RUN
41	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
42	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.000s	NOT_RUN
43	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
44	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.000s	NOT_RUN
45	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
46	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
47	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
48	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.001s	NOT_RUN
49	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
50	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.000s	NOT_RUN
51	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.001s	NOT_RUN
52	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
53	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.001s	NOT_RUN
54	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
55	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.000s	NOT_RUN
56	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
57	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.000s	NOT_RUN
58	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
59	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.001s	NOT_RUN
60	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
61	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.001s	NOT_RUN
62	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
63	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.001s	NOT_RUN
64	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
65	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.001s	NOT_RUN
66	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
67	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.000s	NOT_RUN
68	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
69	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.000s	NOT_RUN
70	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
71	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.000s	NOT_RUN
72	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
73	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
74	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
75	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.000s	NOT_RUN
76	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
77	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
78	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.001s	NOT_RUN
79	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
80	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.000s	NOT_RUN
81	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
82	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.000s	NOT_RUN
83	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
84	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.001s	NOT_RUN
85	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
86	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
87	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
88	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.000s	NOT_RUN
89	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
90	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.001s	NOT_RUN
91	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
92	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
93	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
94	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	0.780s	PASSED
95	delay(5) Delayed 5 second(s)	5.005s	PASSED
96	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.718s	PASSED

Maintenance 1

#	Description	Elapsed	Status
97	closeBrowser() Browser is closed	8.434s	PASSED

Maintenance 1

Information

ID	Test Cases/Maintenance 1		
Description			
Tag			
Start	2020-02-27 10:57:12	End	2020-02-27 10:57:57
Elapsed	45.495s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	5.571s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	4.480s	PASSED
3	delay(5) Delayed 5 second(s)	5.003s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	0.983s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), Username) Text 'falahudog' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	1.532s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), Password) Text 'indraramdan123' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.679s	PASSED

Maintenance 1

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on	2.934s	PASSED
8	delay(10) Delayed 10 second(s)	10.003s	PASSED
9	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.000s	NOT_RUN
10	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
11	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.001s	NOT_RUN
12	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
13	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.001s	NOT_RUN
14	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
15	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.001s	NOT_RUN
16	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
17	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt") NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.001s	NOT_RUN
19	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE) NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.000s	NOT_RUN
21	delay(20) NOT_RUN: delay(20)	0.001s	NOT_RUN
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan")) NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.001s	NOT_RUN
23	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
24	click(findTestObject("Maintenance/Klik Retweet")) NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))	0.001s	NOT_RUN
25	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
26	click(findTestObject("Maintenance/Follow 1")) NOT_RUN: click(findTestObject("Maintenance/Follow 1"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.001s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.001s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.001s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.002s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.000s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.000s	NOT_RUN
41	delay(5) NOT_RUN: delay(5)	0.002s	NOT_RUN
42	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.001s	NOT_RUN
43	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
44	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.000s	NOT_RUN
45	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
46	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
47	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
48	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
49	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
50	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.000s	NOT_RUN
51	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.000s	NOT_RUN
52	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
53	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.001s	NOT_RUN
54	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
55	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.001s	NOT_RUN
56	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
57	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.001s	NOT_RUN
58	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
59	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.000s	NOT_RUN
60	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
61	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.000s	NOT_RUN
62	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
63	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.000s	NOT_RUN
64	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
65	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.001s	NOT_RUN
66	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
67	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.000s	NOT_RUN
68	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
69	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.000s	NOT_RUN
70	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
71	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.000s	NOT_RUN
72	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
73	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
74	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
75	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.000s	NOT_RUN
76	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
77	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
78	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.000s	NOT_RUN
79	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
80	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.001s	NOT_RUN
81	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
82	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.001s	NOT_RUN
83	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
84	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.000s	NOT_RUN
85	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
86	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.004s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
87	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
88	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.001s	NOT_RUN
89	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
90	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.000s	NOT_RUN
91	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
92	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
93	delay(15) NOT_RUN: delay(15)	0.002s	NOT_RUN
94	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	1.459s	PASSED
95	delay(5) Delayed 5 second(s)	5.002s	PASSED
96	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.673s	PASSED

Maintenance 1

#	Description	Elapsed	Status
97	closeBrowser() Browser is closed	7.079s	PASSED

Maintenance 1

Information

ID	Test Cases/Maintenance 1		
Description			
Tag			
Start	2020-02-27 10:57:57	End	2020-02-27 10:58:47
Elapsed	50.127s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	5.416s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	5.679s	PASSED
3	delay(5) Delayed 5 second(s)	5.004s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	1.326s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), Username) Text 'fawazgobleh' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	1.517s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), Password) Text 'indraramdan123' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.723s	PASSED

Maintenance 1

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on	3.038s	PASSED
8	delay(10) Delayed 10 second(s)	10.003s	PASSED
9	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.001s	NOT_RUN
10	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
11	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN
12	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
13	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
14	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
15	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.000s	NOT_RUN
16	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
17	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt") NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.001s	NOT_RUN
19	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE) NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.001s	NOT_RUN
21	delay(20) NOT_RUN: delay(20)	0.000s	NOT_RUN
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan")) NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.000s	NOT_RUN
23	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
24	click(findTestObject("Maintenance/Klik Retweet")) NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))	0.000s	NOT_RUN
25	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
26	click(findTestObject("Maintenance/Follow 1")) NOT_RUN: click(findTestObject("Maintenance/Follow 1"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.000s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.000s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.001s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.000s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.000s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.002s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.003s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.000s	NOT_RUN
41	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
42	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.000s	NOT_RUN
43	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
44	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.000s	NOT_RUN
45	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
46	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
47	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
48	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
49	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
50	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.001s	NOT_RUN
51	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.001s	NOT_RUN
52	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
53	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.001s	NOT_RUN
54	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
55	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.000s	NOT_RUN
56	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
57	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.001s	NOT_RUN
58	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
59	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.003s	NOT_RUN
60	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
61	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.001s	NOT_RUN
62	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
63	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.000s	NOT_RUN
64	delay(10) NOT_RUN: delay(10)	0.009s	NOT_RUN
65	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.001s	NOT_RUN
66	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
67	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.000s	NOT_RUN
68	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
69	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.007s	NOT_RUN
70	delay(10) NOT_RUN: delay(10)	0.016s	NOT_RUN
71	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.001s	NOT_RUN
72	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
73	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
74	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
75	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.001s	NOT_RUN
76	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
77	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
78	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.002s	NOT_RUN
79	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
80	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.001s	NOT_RUN
81	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
82	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.001s	NOT_RUN
83	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
84	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.002s	NOT_RUN
85	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
86	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
87	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
88	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.001s	NOT_RUN
89	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
90	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.005s	NOT_RUN
91	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
92	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.002s	NOT_RUN
93	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
94	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	1.922s	PASSED
95	delay(5) Delayed 5 second(s)	5.005s	PASSED
96	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.877s	PASSED

Maintenance 1

#	Description	Elapsed	Status
97	closeBrowser() Browser is closed	9.468s	PASSED

Maintenance 1

Information

ID	Test Cases/Maintenance 1		
Description			
Tag			
Start	2020-02-27 10:58:47	End	2020-02-27 10:59:32
Elapsed	44.493s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	4.885s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	4.219s	PASSED
3	delay(5) Delayed 5 second(s)	5.004s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	1.109s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), Username) Text 'uzumaki__ii' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	1.055s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), Password) Text 'indraramdan123' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.645s	PASSED

Maintenance 1

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on	3.047s	PASSED
8	delay(10) Delayed 10 second(s)	10.003s	PASSED
9	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.001s	NOT_RUN
10	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
11	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN
12	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
13	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
14	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
15	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.001s	NOT_RUN
16	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
17	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt") NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.001s	NOT_RUN
19	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE) NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.001s	NOT_RUN
21	delay(20) NOT_RUN: delay(20)	0.000s	NOT_RUN
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan")) NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.001s	NOT_RUN
23	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
24	click(findTestObject("Maintenance/Klik Retweet")) NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))	0.001s	NOT_RUN
25	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
26	click(findTestObject("Maintenance/Follow 1")) NOT_RUN: click(findTestObject("Maintenance/Follow 1"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.000s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.000s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.001s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.001s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.001s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.002s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.001s	NOT_RUN
41	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
42	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.001s	NOT_RUN
43	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
44	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.001s	NOT_RUN
45	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
46	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
47	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
48	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
49	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
50	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.000s	NOT_RUN
51	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.001s	NOT_RUN
52	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
53	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.001s	NOT_RUN
54	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
55	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.001s	NOT_RUN
56	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
57	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.001s	NOT_RUN
58	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
59	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.000s	NOT_RUN
60	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
61	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.000s	NOT_RUN
62	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
63	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.000s	NOT_RUN
64	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
65	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.000s	NOT_RUN
66	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
67	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.000s	NOT_RUN
68	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
69	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.001s	NOT_RUN
70	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
71	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.001s	NOT_RUN
72	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
73	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
74	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
75	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.001s	NOT_RUN
76	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.016s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
77	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
78	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.004s	NOT_RUN
79	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
80	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.001s	NOT_RUN
81	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
82	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.002s	NOT_RUN
83	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
84	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.000s	NOT_RUN
85	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
86	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
87	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
88	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.000s	NOT_RUN
89	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
90	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.001s	NOT_RUN
91	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
92	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
93	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
94	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	0.786s	PASSED
95	delay(5) Delayed 5 second(s)	5.003s	PASSED
96	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.670s	PASSED

Maintenance 1

#	Description	Elapsed	Status
97	closeBrowser() Browser is closed	7.978s	PASSED

Maintenance 1

Information

ID	Test Cases/Maintenance 1		
Description			
Tag			
Start	2020-02-27 10:59:32	End	2020-02-27 11:00:19
Elapsed	47.405s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	4.847s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	5.126s	PASSED
3	delay(5) Delayed 5 second(s)	5.003s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	0.872s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), Username) Text 'ainulyakinn_' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	0.994s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), Password) Text 'indraramdan123' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.699s	PASSED

Maintenance 1

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on	2.826s	PASSED
8	delay(10) Delayed 10 second(s)	10.003s	PASSED
9	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.001s	NOT_RUN
10	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
11	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN
12	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
13	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.001s	NOT_RUN
14	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
15	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.001s	NOT_RUN
16	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
17	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt") NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.001s	NOT_RUN
19	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE) NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.000s	NOT_RUN
21	delay(20) NOT_RUN: delay(20)	0.001s	NOT_RUN
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan")) NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.000s	NOT_RUN
23	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
24	click(findTestObject("Maintenance/Klik Retweet")) NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))	0.000s	NOT_RUN
25	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
26	click(findTestObject("Maintenance/Follow 1")) NOT_RUN: click(findTestObject("Maintenance/Follow 1"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.000s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.001s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.000s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.001s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.001s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.000s	NOT_RUN
41	delay(5) NOT_RUN: delay(5)	0.002s	NOT_RUN
42	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.001s	NOT_RUN
43	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
44	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.002s	NOT_RUN
45	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
46	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
47	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
48	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
49	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
50	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.001s	NOT_RUN
51	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.000s	NOT_RUN
52	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
53	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.000s	NOT_RUN
54	delay(10) NOT_RUN: delay(10)	0.003s	NOT_RUN
55	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.001s	NOT_RUN
56	delay(10) NOT_RUN: delay(10)	0.004s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
57	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.001s	NOT_RUN
58	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
59	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.000s	NOT_RUN
60	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
61	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.001s	NOT_RUN
62	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
63	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.001s	NOT_RUN
64	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
65	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.001s	NOT_RUN
66	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
67	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.000s	NOT_RUN
68	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
69	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.000s	NOT_RUN
70	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
71	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.008s	NOT_RUN
72	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
73	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
74	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
75	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.001s	NOT_RUN
76	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
77	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
78	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.000s	NOT_RUN
79	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
80	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.000s	NOT_RUN
81	delay(10) NOT_RUN: delay(10)	0.013s	NOT_RUN
82	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.000s	NOT_RUN
83	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
84	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.001s	NOT_RUN
85	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
86	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.069s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
87	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
88	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.001s	NOT_RUN
89	delay(10) NOT_RUN: delay(10)	0.005s	NOT_RUN
90	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.001s	NOT_RUN
91	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
92	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
93	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
94	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	0.899s	PASSED
95	delay(5) Delayed 5 second(s)	5.004s	PASSED
96	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	1.322s	PASSED

Maintenance 1

#	Description	Elapsed	Status
97	closeBrowser() Browser is closed	9.624s	PASSED

Maintenance 1

Information

ID	Test Cases/Maintenance 1		
Description			
Tag			
Start	2020-02-27 11:00:19	End	2020-02-27 11:01:04
Elapsed	45.213s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	5.325s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	5.066s	PASSED
3	delay(5) Delayed 5 second(s)	5.005s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	0.702s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), Username) Text 'ikhsantatep' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	0.589s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), Password) Text 'indraramdan123' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.687s	PASSED

Maintenance 1

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on	3.120s	PASSED
8	delay(10) Delayed 10 second(s)	10.003s	PASSED
9	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.001s	NOT_RUN
10	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
11	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN
12	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
13	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.001s	NOT_RUN
14	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
15	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.000s	NOT_RUN
16	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
17	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt") NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.001s	NOT_RUN
19	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE) NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.001s	NOT_RUN
21	delay(20) NOT_RUN: delay(20)	0.001s	NOT_RUN
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan")) NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.000s	NOT_RUN
23	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
24	click(findTestObject("Maintenance/Klik Retweet")) NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))	0.000s	NOT_RUN
25	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
26	click(findTestObject("Maintenance/Follow 1")) NOT_RUN: click(findTestObject("Maintenance/Follow 1"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.000s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.000s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.001s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.000s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.000s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.002s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.000s	NOT_RUN
41	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
42	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.000s	NOT_RUN
43	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
44	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.000s	NOT_RUN
45	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
46	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
47	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
48	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.001s	NOT_RUN
49	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
50	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.000s	NOT_RUN
51	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.001s	NOT_RUN
52	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
53	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.000s	NOT_RUN
54	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
55	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.000s	NOT_RUN
56	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
57	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.000s	NOT_RUN
58	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
59	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.001s	NOT_RUN
60	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
61	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.000s	NOT_RUN
62	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
63	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.000s	NOT_RUN
64	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
65	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.001s	NOT_RUN
66	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
67	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.000s	NOT_RUN
68	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
69	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.000s	NOT_RUN
70	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
71	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.000s	NOT_RUN
72	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
73	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
74	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
75	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.000s	NOT_RUN
76	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
77	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
78	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.000s	NOT_RUN
79	delay(10) NOT_RUN: delay(10)	0.005s	NOT_RUN
80	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.001s	NOT_RUN
81	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
82	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.001s	NOT_RUN
83	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
84	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.001s	NOT_RUN
85	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
86	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
87	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
88	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.000s	NOT_RUN
89	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
90	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.001s	NOT_RUN
91	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
92	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.004s	NOT_RUN
93	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
94	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	0.902s	PASSED
95	delay(5) Delayed 5 second(s)	5.003s	PASSED
96	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.619s	PASSED

Maintenance 1

#	Description	Elapsed	Status
97	closeBrowser() Browser is closed	8.119s	PASSED

Maintenance 1

Information

ID	Test Cases/Maintenance 1		
Description			
Tag			
Start	2020-02-27 11:01:04	End	2020-02-27 11:01:51
Elapsed	47.023s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	6.013s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	4.323s	PASSED
3	delay(5) Delayed 5 second(s)	5.002s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	0.805s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), Username) Text 'asepbalonnn' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	1.484s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), Password) Text 'indraramdan123' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.644s	PASSED

Maintenance 1

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on	2.789s	PASSED
8	delay(10) Delayed 10 second(s)	10.009s	PASSED
9	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.000s	NOT_RUN
10	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
11	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.002s	NOT_RUN
12	delay(10) NOT_RUN: delay(10)	0.003s	NOT_RUN
13	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
14	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
15	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.001s	NOT_RUN
16	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
17	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt") NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.001s	NOT_RUN
19	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE) NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.001s	NOT_RUN
21	delay(20) NOT_RUN: delay(20)	0.000s	NOT_RUN
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan")) NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.000s	NOT_RUN
23	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
24	click(findTestObject("Maintenance/Klik Retweet")) NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))	0.000s	NOT_RUN
25	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
26	click(findTestObject("Maintenance/Follow 1")) NOT_RUN: click(findTestObject("Maintenance/Follow 1"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.000s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.000s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.000s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.000s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.000s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.001s	NOT_RUN
41	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
42	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.000s	NOT_RUN
43	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
44	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.001s	NOT_RUN
45	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
46	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.001s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
47	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
48	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
49	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
50	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.001s	NOT_RUN
51	scrollToPosition(0, 0) NOT_RUN: scrollToPosition(0, 0)	0.001s	NOT_RUN
52	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
53	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.000s	NOT_RUN
54	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
55	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.001s	NOT_RUN
56	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
57	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.001s	NOT_RUN
58	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
59	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.001s	NOT_RUN
60	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
61	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.000s	NOT_RUN
62	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
63	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.000s	NOT_RUN
64	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
65	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.001s	NOT_RUN
66	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
67	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.000s	NOT_RUN
68	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
69	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.000s	NOT_RUN
70	delay(10) NOT_RUN: delay(10)	0.003s	NOT_RUN
71	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.001s	NOT_RUN
72	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
73	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
74	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
75	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.000s	NOT_RUN
76	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
77	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
78	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.000s	NOT_RUN
79	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
80	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.000s	NOT_RUN
81	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
82	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.001s	NOT_RUN
83	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
84	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.001s	NOT_RUN
85	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
86	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.000s	NOT_RUN

Maintenance 1

#	Description	Elapsed	Status
87	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
88	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.000s	NOT_RUN
89	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
90	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.000s	NOT_RUN
91	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
92	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.000s	NOT_RUN
93	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
94	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	0.778s	PASSED
95	delay(5) Delayed 5 second(s)	5.003s	PASSED
96	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.608s	PASSED

Maintenance 1

#	Description	Elapsed	Status
97	closeBrowser() Browser is closed	9.484s	PASSED