TestDataExcel

Execution Environment

Host name Yogi Moch Nur - DESKTOP-DB1MUI4

OS Windows 10 64bit

Katalon version 7.2.1.1
Browser Firefox 73.0

Summary

ID Test Suites/TestDataExcel

Description

Total 2

Passed 2 Failed 0
Error 0 Incomplete 0

Start 2020-02-26 15:58:20 End 2020-02-26 15:59:58

Elapsed 1m - 38.401s

#	ID	Description	Status
1	Test Cases/Account Maintenance		PASSED
2	Test Cases/Account Maintenance		PASSED

Information

ID Test Cases/Account Maintenance

Description

Tag

Start 2020-02-26 15:58:20 End 2020-02-26 15:59:07

Elapsed 46.779s
Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	6.584s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	4.691s	PASSED
3	delay(5) Delayed 5 second(s)	5.040s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	0.772s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), findTestData("data1").getValue(1, 1)) Text 'Maahkinderjoy' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	1.532s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), findTestData("data1").getValue(2, 1)) Text 'alamsyah333' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.608s	PASSED

NOT_RUN: scrollToPosition(0, 9) 10	#	Description	Elapsed	Status
Delayed 10 second(s)	7		3.046s	PASSED
9 scrollToPosition(0, 9)	8	delay(10)	10.010s	PASSED
NOT_RUN: scrollToPosition(0, 9) 0.002s NOT_RUN 10 delay(10) 0.002s NOT_RUN NOT_RUN: delay(10) 0.002s NOT_RUN 12 delay(10) 0.001s NOT_RUN NOT_RUN: delay(10) 0.002s NOT_RUN 13 scrollToPosition(0, 999) 0.002s NOT_RUN NOT_RUN: scrollToPosition(0, 999) 0.002s NOT_RUN NOT_RUN: delay(10) 0.001s NOT_RUN 15 scrollToPosition(0, 9999) 0.002s NOT_RUN		Delayed 10 second(s)		
10 delay(10)	9		0.003s	NOT_RUN
NOT_RUN: delay(10) 0.002s NOT_RUN 11 scrollToPosition(0, 99) 0.002s NOT_RUN 12 delay(10) 0.001s NOT_RUN NOT_RUN: delay(10) 0.002s NOT_RUN 13 scrollToPosition(0, 999) 0.002s NOT_RUN NOT_RUN: scrollToPosition(0, 999) 0.001s NOT_RUN 14 delay(10) 0.001s NOT_RUN NOT_RUN: delay(10) 0.002s NOT_RUN	10		0.0026	NOT DUN
NOT_RUN: scrollToPosition(0, 99) 12 delay(10) 0.001s NOT_RUN NOT_RUN: delay(10) 0.002s NOT_RUN 13 scrollToPosition(0, 999) 0.002s NOT_RUN NOT_RUN: scrollToPosition(0, 999) 0.001s NOT_RUN 14 delay(10) 0.001s NOT_RUN NOT_RUN: delay(10) 0.002s NOT_RUN	10		0.0028	NOT_RUN
12 delay(10)	11	scrollToPosition(0, 99)	0.002s	NOT_RUN
NOT_RUN: delay(10) 13 scrollToPosition(0, 999) 0.002s NOT_RUN NOT_RUN: scrollToPosition(0, 999) 0.001s NOT_RUN 14 delay(10) 0.001s NOT_RUN NOT_RUN: delay(10) 0.002s NOT_RUN		NOT_RUN: scrollToPosition(0, 99)		
13 scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999) 14 delay(10) NOT_RUN: delay(10) 15 scrollToPosition(0, 9999) 0.002s NOT_RUN 0.002s NOT_RUN	12		0.001s	NOT_RUN
NOT_RUN: scrollToPosition(0, 999) 14				
NOT_RUN: delay(10) 15 scrollToPosition(0, 9999) 0.002s NOT_RUN	13		0.002s	NOT_RUN
NOT_RUN: delay(10) 15 scrollToPosition(0, 9999) 0.002s NOT_RUN	14	delay(10)	0.001s	NOT_RUN
				_
NOT_RUN: scrollToPosition(0, 9999)	15	scrollToPosition(0, 9999)	0.002s	NOT_RUN
		NOT_RUN: scrollToPosition(0, 9999)		
16 sendKeys(findTestObject(null), Keys.chord(HOME)) 0.003s NOT_RUN NOT_RUN: sendKeys(findTestObject(null), Keys.chord(HOME))	16		0.003s	NOT_RUN
110 1_1011. Senditeys(inital estableat(fidil), freys.chold(fidil))		TO I_NOW. Sentine (Setting restor) setting, Neys. on order (NIE))		

#	Description	Elapsed	Status
17	delay(5)	0.001s	NOT_RUN
	NOT_RUN: delay(5)		
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.001s	NOT_RUN
	NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")		
19	delay(5)	0.001s	NOT_RUN
	NOT_RUN: delay(5)		
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)		
21	delay(20)	0.001s	NOT_RUN
	NOT_RUN: delay(20)		
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))		
23	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
24	click(findTestObject("Maintenance/Klik Retweet"))	0.002s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))		
25	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
26	click(findTestObject("Maintenance/Follow 1"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Follow 1"))		

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.004s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.002s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.001s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.002s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.002s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.002s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.002s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.002s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.002s	NOT_RUN

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.001s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.004s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.002s	NOT_RUN
41	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.001s	NOT_RUN
42	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
43	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.002s	NOT_RUN
44	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
45	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.002s	NOT_RUN
46	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

#	Description	Elapsed	Status
47	scrollToPosition(0, 999)	0.001s	NOT_RUN
	NOT_RUN: scrollToPosition(0, 999)		
48	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
49	scrollToPosition(0, 9999)	0.001s	NOT_RUN
	NOT_RUN: scrollToPosition(0, 9999)		
50	sendKeys(findTestObject(null), Keys.chord(HOME))	0.001s	NOT_RUN
	NOT_RUN: sendKeys(findTestObject(null), Keys.chord(HOME))		
51	delay(5)	0.001s	NOT_RUN
	NOT_RUN: delay(5)		
52	click(findTestObject("Maintenance/Button Notifikasi"))	0.002s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))		
53	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
54	click(findTestObject("Maintenance/Notification Mention"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))		
55	delay(10)	0.002s	NOT_RUN
	NOT_RUN: delay(10)		
56	click(findTestObject("Maintenance/Button Message"))	0.002s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Button Message"))		

#	Description	Elapsed	Status
57	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
58	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.002s	NOT_RUN
59	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
60	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.001s	NOT_RUN
61	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
62	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.001s	NOT_RUN
63	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
64	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.002s	NOT_RUN
65	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
66	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.000s	NOT_RUN

#	Description	Elapsed	Status
67	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
68	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.002s	NOT_RUN
69	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
70	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.001s	NOT_RUN
71	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
72	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
73	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
74	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.000s	NOT_RUN
75	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.001s	NOT_RUN
76	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

#	Description	Elapsed	Status
77	click(findTestObject("Maintenance/Setting - Privacy and safety")) NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.001s	NOT_RUN
78	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
79	click(findTestObject("Maintenance/Setting - Notification")) NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))	0.001s	NOT_RUN
80	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
81	click(findTestObject("Maintenance/Setting - Content preferences")) NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))	0.001s	NOT_RUN
82	delay(10) NOT_RUN: delay(10)	0.002s	NOT_RUN
83	click(findTestObject("Maintenance/Setting - Display")) NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))	0.001s	NOT_RUN
84	delay(10) NOT_RUN: delay(10)	0.009s	NOT_RUN
85	click(findTestObject("Maintenance/Setting - Data Usage")) NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))	0.004s	NOT_RUN
86	delay(10) NOT_RUN: delay(10)	0.003s	NOT_RUN

#	Description	Elapsed	Status
87	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.002s	NOT_RUN
88	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
89	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.001s	NOT_RUN
90	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
91	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.002s	NOT_RUN
92	delay(15) NOT_RUN: delay(15)	0.008s	NOT_RUN
93	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	1.232s	PASSED
94	delay(5) Delayed 5 second(s)	5.004s	PASSED
95	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.645s	PASSED
96	closeBrowser() Browser is closed	6.791s	PASSED

Information

ID Test Cases/Account Maintenance

Description

Tag

Start 2020-02-26 15:59:07 End 2020-02-26 15:59:58

Elapsed 51.047s
Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	4.826s	PASSED
2	navigateToUrl("https://twitter.com") Navigate to 'https://twitter.com' successfully	4.594s	PASSED
3	delay(5) Delayed 5 second(s)	5.003s	PASSED
4	click(findTestObject("Maintenance/Halaman Awal/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Awal/div_Log in' is clicked on	8.239s	PASSED
5	setText(findTestObject("Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email"), findTestData("data1").getValue(1, 1)) Text 'Maahkinderjoy' is set on object 'Object Repository/Maintenance/Halaman Login/input_Phone email or username_sessionusername_or_email'	1.063s	PASSED
6	setText(findTestObject("Maintenance/Halaman Login/input_Password_sessionpassword"), findTestData("data1").getValue(2, 1)) Text 'alamsyah333' is set on object 'Object Repository/Maintenance/Halaman Login/input_Password_sessionpassword'	0.587s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Maintenance/Halaman Login/div_Log in")) Object: 'Object Repository/Maintenance/Halaman Login/div_Log in' is clicked on	2.943s	PASSED
8	delay(10)	10.003s	PASSED
	Delayed 10 second(s)		
9	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.001s	NOT_RUN
10	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		_
11	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.001s	NOT_RUN
40		0.004	NOT BUN
12	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
13	scrollToPosition(0, 999)	0.001s	NOT_RUN
	NOT_RUN: scrollToPosition(0, 999)		
14	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
15	scrollToPosition(0, 9999)	0.001s	NOT_RUN
	NOT_RUN: scrollToPosition(0, 9999)		
16	sendKeys(findTestObject(null), Keys.chord(HOME)) NOT_RUN: sendKeys(findTestObject(null), Keys.chord(HOME))	0.000s	NOT_RUN

#	Description	Elapsed	Status
17	delay(5)	0.000s	NOT_RUN
	NOT_RUN: delay(5)		
18	setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")	0.001s	NOT_RUN
	NOT_RUN: setText(findTestObject("Maintenance/Search Mutualan"), "mutualan rt")		
19	delay(5)	0.001s	NOT_RUN
	NOT_RUN: delay(5)		
20	click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)	0.000s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Span Mutualan RT"), STOP_ON_FAILURE)		
	STOP_ON_FAILURE)		
21	delay(20)	0.001s	NOT_RUN
	NOT_RUN: delay(20)		
22	click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))	0.000s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Tweet Pertama Mutualan"))		
23	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
24	click(findTestObject("Maintenance/Klik Retweet"))	0.000s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Klik Retweet"))	0.000	
25	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
26	click(findTestObject("Maintenance/Follow 1"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Follow 1"))		

#	Description	Elapsed	Status
27	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
28	click(findTestObject("Maintenance/Follow 2")) NOT_RUN: click(findTestObject("Maintenance/Follow 2"))	0.000s	NOT_RUN
29	delay(20) NOT_RUN: delay(20)	0.001s	NOT_RUN
30	click(findTestObject("Maintenance/Follow 3")) NOT_RUN: click(findTestObject("Maintenance/Follow 3"))	0.000s	NOT_RUN
31	delay(15) NOT_RUN: delay(15)	0.000s	NOT_RUN
32	click(findTestObject("Maintenance/Follow 4")) NOT_RUN: click(findTestObject("Maintenance/Follow 4"))	0.001s	NOT_RUN
33	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
34	click(findTestObject("Maintenance/Follow 5")) NOT_RUN: click(findTestObject("Maintenance/Follow 5"))	0.001s	NOT_RUN
35	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
36	click(findTestObject("Maintenance/Button Close")) NOT_RUN: click(findTestObject("Maintenance/Button Close"))	0.000s	NOT_RUN

#	Description	Elapsed	Status
37	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
38	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
39	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
40	click(findTestObject("Maintenance/Button Explore")) NOT_RUN: click(findTestObject("Maintenance/Button Explore"))	0.000s	NOT_RUN
41	click(findTestObject("Maintenance/Show More Hastag")) NOT_RUN: click(findTestObject("Maintenance/Show More Hastag"))	0.001s	NOT_RUN
42	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
43	scrollToPosition(0, 9) NOT_RUN: scrollToPosition(0, 9)	0.001s	NOT_RUN
44	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
45	scrollToPosition(0, 99) NOT_RUN: scrollToPosition(0, 99)	0.000s	NOT_RUN
46	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN

#	Description	Elapsed	Status
47	scrollToPosition(0, 999) NOT_RUN: scrollToPosition(0, 999)	0.000s	NOT_RUN
48	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
49	scrollToPosition(0, 9999) NOT_RUN: scrollToPosition(0, 9999)	0.000s	NOT_RUN
50	sendKeys(findTestObject(null), Keys.chord(HOME)) NOT_RUN: sendKeys(findTestObject(null), Keys.chord(HOME))	0.001s	NOT_RUN
51	delay(5) NOT_RUN: delay(5)	0.000s	NOT_RUN
52	click(findTestObject("Maintenance/Button Notifikasi")) NOT_RUN: click(findTestObject("Maintenance/Button Notifikasi"))	0.001s	NOT_RUN
53	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
54	click(findTestObject("Maintenance/Notification Mention")) NOT_RUN: click(findTestObject("Maintenance/Notification Mention"))	0.000s	NOT_RUN
55	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
56	click(findTestObject("Maintenance/Button Message")) NOT_RUN: click(findTestObject("Maintenance/Button Message"))	0.001s	NOT_RUN

#	Description	Elapsed	Status
57	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
58	click(findTestObject("Maintenance/Button List")) NOT_RUN: click(findTestObject("Maintenance/Button List"))	0.001s	NOT_RUN
59	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
60	click(findTestObject("Maintenance/List Subscribed")) NOT_RUN: click(findTestObject("Maintenance/List Subscribed"))	0.001s	NOT_RUN
61	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
62	click(findTestObject("Maintenance/List Member")) NOT_RUN: click(findTestObject("Maintenance/List Member"))	0.000s	NOT_RUN
63	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
64	click(findTestObject("Maintenance/Button Profile")) NOT_RUN: click(findTestObject("Maintenance/Button Profile"))	0.001s	NOT_RUN
65	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
66	click(findTestObject("Maintenance/Tweet and Replies")) NOT_RUN: click(findTestObject("Maintenance/Tweet and Replies"))	0.000s	NOT_RUN

#	Description	Elapsed	Status
67	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
68	click(findTestObject("Maintenance/Profile - Media")) NOT_RUN: click(findTestObject("Maintenance/Profile - Media"))	0.001s	NOT_RUN
69	delay(10) NOT_RUN: delay(10)	0.000s	NOT_RUN
70	click(findTestObject("Maintenance/Profile - Likes")) NOT_RUN: click(findTestObject("Maintenance/Profile - Likes"))	0.001s	NOT_RUN
71	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
72	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
73	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
74	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) NOT_RUN: click(findTestObject("Maintenance/Logout/div_Selengkapnya"))	0.001s	NOT_RUN
75	click(findTestObject("Maintenance/Setting and Privacy")) NOT_RUN: click(findTestObject("Maintenance/Setting and Privacy"))	0.000s	NOT_RUN
76	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN

#	Description	Elapsed	Status
77	click(findTestObject("Maintenance/Setting - Privacy and safety"))	0.002s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Setting - Privacy and safety"))		
78	delay(10)	0.002s	NOT_RUN
	NOT_RUN: delay(10)		
79	click(findTestObject("Maintenance/Setting - Notification"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Setting - Notification"))		
80	delay(10)	0.000s	NOT_RUN
	NOT_RUN: delay(10)		
81	click(findTestObject("Maintenance/Setting - Content preferences"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Setting - Content preferences"))		
82	delay(10)	0.000s	NOT_RUN
	NOT_RUN: delay(10)		
83	click(findTestObject("Maintenance/Setting - Display"))	0.001s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Setting - Display"))		
84	delay(10)	0.001s	NOT_RUN
	NOT_RUN: delay(10)		
85	click(findTestObject("Maintenance/Setting - Data Usage"))	0.000s	NOT_RUN
	NOT_RUN: click(findTestObject("Maintenance/Setting - Data Usage"))		
86	delay(10)	0.000s	NOT_RUN
	NOT_RUN: delay(10)		

	Description	Elapsed	Status
87	click(findTestObject("Maintenance/Setting - Accessibility")) NOT_RUN: click(findTestObject("Maintenance/Setting - Accessibility"))	0.000s	NOT_RUN
88	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
89	click(findTestObject("Maintenance/Setting - About Twitter")) NOT_RUN: click(findTestObject("Maintenance/Setting - About Twitter"))	0.000s	NOT_RUN
90	delay(10) NOT_RUN: delay(10)	0.001s	NOT_RUN
91	click(findTestObject("Maintenance/Button Home")) NOT_RUN: click(findTestObject("Maintenance/Button Home"))	0.001s	NOT_RUN
92	delay(15) NOT_RUN: delay(15)	0.001s	NOT_RUN
93	click(findTestObject("Maintenance/Logout/div_Selengkapnya")) Object: 'Object Repository/Maintenance/Logout/div_Selengkapnya' is clicked on	0.825s	PASSED
94	delay(5) Delayed 5 second(s)	5.003s	PASSED
95	click(findTestObject("Maintenance/Keluar/div_Keluar")) Object: 'Object Repository/Maintenance/Keluar/div_Keluar' is clicked on	0.687s	PASSED
96	closeBrowser() Browser is closed	7.108s	PASSED