

miView™

User Manual

Reporting



Version 1.1
28 January 2011

Document Control

Document Owner

Indrani Ghosh	Senior Technical Writer, TCS
---------------	------------------------------

Document Distribution

Name	Title
Lauren Kyle	Manager, MI
Praveen Kannan	Manager, Chep
Michele Lemmens	Engagement manager, TCS
B Anand	Project manager, TCS
Arnab Bhowmik	Project manager, TCS
S Janardhan	Project manager, TCS
Ropan Bhattacharya	Business analyst, TCS
Rohith D	Business analyst, TCS

Version Control

Version	Author	Inputs	Date	Description
0.1	Indrani Ghosh	--	2 Dec 2010	First Draft
0.2	Meenu Mumtaz		15 Dec 2010	Reviewed by S Janardhan and comments incorporated
1.0	Meenu Mumtaz		31 Dec 2010	Reviewed by B Anandraj and comments incorporated
1.1	Indrani Ghosh	Client Comments	28 Jan 2011	Incorporated client comments

Table of Contents

1	INTRODUCTION.....	8
1.1	INTENDED AUDIENCE.....	8
1.2	ORGANISATION OF THE MANUAL.....	8
1.3	FORMATTING CONVENTIONS.....	8
2	GETTING STARTED.....	9
2.1	AMS HOME PAGE.....	9
2.2	ACCESSING REPORTS.....	12
2.3	LOGGING OUT.....	12
3	GENERATING REPORTS.....	13
3.1	COMMON REPORT OPTIONS.....	13
3.2	ACTIVITY REPORT.....	27
3.3	ORDER DETAIL REPORT.....	29
3.4	CYCLE TIME REPORT.....	30
3.5	DAMAGE HISTORY REPORT.....	34
3.6	LOCATION OF ASSETS REPORT.....	38
3.7	OPEN CYCLE REPORT.....	40
3.8	PACK BUILD REPORT.....	43
3.9	SITE VOLUME IN AND OUT REPORT.....	45
3.10	STOCK REPORT.....	47
3.11	UNAUTHORIZED LOCATIONS REPORT.....	49
3.12	SHELF LIFE REPORT.....	51
3.13	TRANSFER HIRE ADVISE NOTICE.....	52
3.14	REDISCOVERED ASSETS REPORT.....	54
3.15	ASSET DWELL TIME REPORT.....	56
3.16	UNREPORTED ASSETS REPORT.....	57
4	CONFIGURING KPIS.....	59
4.1	COMMON KPI OPTIONS.....	59
4.2	AVERAGE CYCLE TIME.....	62
4.3	DAMAGE RATIO.....	64
4.4	AVERAGE DWELL TIME.....	65
4.5	AVERAGE TRANSIT TIME.....	67
4.6	PERCENTAGE OF ON TIME DELIVERIES.....	69
4.7	PERCENTAGE OF DISCREPANCIES BETWEEN QUANTITIES.....	71
5	CONFIGURING AND SUBSCRIBING TO ALERTS.....	74
5.1	STOCK LEVEL ALERT.....	74
5.2	ASSET DWELL TIME ALERT.....	77
5.3	SHELF LIFE EXPIRATION ALERT.....	78
5.4	LATE ARRIVAL ALERT.....	80
5.5	MISSED ARRIVAL ALERT.....	82
5.6	QUANTITY OVERRIDE ALERT.....	85
5.7	ASN-PODS DISCREPANCY ALERT.....	86
5.8	UNREPORTED ASSETS IN TRANSIT ALERT.....	88
5.9	BACK TO LIFE ALERT.....	90
5.10	DEACTIVATED LOCATION EVENTS ALERT.....	92
5.11	LOST ASSETS ALERT.....	94
5.12	DAMAGED ASSETS ALERT.....	96
5.13	SUBSCRIBING TO EMAIL ALERTS.....	97
5.14	UNSUBSCRIBING FROM EMAIL ALERTS.....	99
5.15	SUBSCRIBING TO KPI ALERTS.....	100
5.16	UNSUBSCRIBING FROM KPI ALERTS.....	101
6	APPENDIX A – ERROR MESSAGES.....	103

List of Figures

Figure 1: Login Screen.....	9
Figure 2: Account Lock-out Message.....	9
Figure 3: AMS Home Page	10
Figure 4: Alert Pop-up.....	11
Figure 5: Reports Page.....	12
Figure 6: Report Settings Page.....	14
Figure 7: Saving Search Page	15
Figure 8: Print Options.....	16
Figure 9: Export Content.....	16
Figure 10: Report Header Labels	17
Figure 11: Report Header Alignment Options	18
Figure 12: Report Header Font	18
Figure 13: Group Columns.....	19
Figure 14: Delete and Add Columns Page.....	20
Figure 15: Column Display Options.....	20
Figure 16: Aggregation Options	20
Figure 17: Report Filter.....	21
Figure 18: Sorting a Column Page.....	22
Figure 19: Report Column Alignment	22
Figure 20: Report Column Format	23
Figure 21: Export Data	24
Figure 22: Report Drill Down	24
Figure 23: Location Set Configuration Page.....	25
Figure 24: Activity Reports Page.....	27
Figure 25: Activity Summary Report.....	28
Figure 26: Activity Detail Report.....	28
Figure 27: Order Detail Report Page.....	29
Figure 28: Order Detail Summary Report	30
Figure 29: Order Detail Report	30
Figure 30: Cycle Time Report Page	31
Figure 31: Cycle Time Summary Report.....	31
Figure 32: Cycle Time Summary Report.....	32
Figure 33: Cycle Time Summary Report.....	32
Figure 34: Cycle Time Summary Report.....	33
Figure 35: Cycle Time Summary Report.....	33
Figure 36: Cycle Time-Asset Detail Report.....	34
Figure 37: Cycle Time – Cycle Detail Report	34
Figure 38: Damage History Report Page.....	35
Figure 39: Damage History Summary Report	36
Figure 40: Damage Detail Report.....	36
Figure 41: Order Detail Report	36
Figure 42: Damage History Report Page.....	37
Figure 43: Customer Summary Report	37
Figure 44: Location Of Assets Report Page.....	39
Figure 45: Location of Assets-Summary Report.....	39
Figure 46: Location of Assets-Detail Report	40
Figure 47: Open Cycle Report Page	41
Figure 48: Open Cycle Summary Report.....	41
Figure 49: Open Cycle Summary Report.....	41
Figure 50: Open Cycle Summary Report.....	42
Figure 51: Open Cycle Summary Report.....	42
Figure 52: Open Cycle Summary Report.....	42
Figure 53: Open Cycle Detail Report.....	42

Figure 54: Order Detail Report	43
Figure 55: Pack Build Report Page	44
Figure 56: Pack Build Summary Report	44
Figure 57: Pack Build Detail Report	45
Figure 58: Component Detail Report	45
Figure 59: Site Volume In Out Report Page	46
Figure 60: Site Volume In & Out Report	46
Figure 61: Activity Detail Report	47
Figure 62: Stock Report Page	48
Figure 63: Stock Summary Report	48
Figure 64: Stock Detail Report	48
Figure 65: Unauthorized Locations Report Page	50
Figure 66: Un-Authorized Location Report Page	50
Figure 67: Shelf Life Report Page	51
Figure 68: Shelf Life Report	52
Figure 69: THAN Report Page	53
Figure 70: THAN Retrieval Report	53
Figure 71: Transfer Hire Advice Note Inbound	54
Figure 72: Rediscovered Assets Report Page	55
Figure 73: Rediscovered Assets Report	55
Figure 74: Asset Dwell Time Report Page	56
Figure 75: Asset Dwell Time Report	57
Figure 76: Unreported Assets Report Page	58
Figure 77: Unreported Assets in Transit Report	58
Figure 78: Average Cycle Time KPI	60
Figure 79: Cycle Time Summary Report	60
Figure 80: Damage Ratio KPI	61
Figure 81: Damage Detail Report	61
Figure 82: KPI Instance Creation Page	62
Figure 83: KPI Average Cycle Time Page	63
Figure 84: KPI Average Cycle Time	63
Figure 85: KPI Instance Creation Page	64
Figure 86: Damage Ratio Page	65
Figure 87: Damage Ratio	65
Figure 88: KPI Instance Creation Page	66
Figure 89: KPI Average Dwell Time Page	66
Figure 90: KPI Average Dwell Time	67
Figure 91: KPI Instance Creation Page	68
Figure 92: KPI Average Transit Time Page	68
Figure 93: KPI Average Transit Time	69
Figure 94: KPI Instance Creation Page	70
Figure 95: Percentage On-Time Deliveries Page	70
Figure 96: Percentage On-Time Deliveries	71
Figure 97: KPI Instance Creation Page	72
Figure 98: Percentage of Discrepancies between Quantities Page	72
Figure 99: Percentage of Discrepancies between Quantities	73
Figure 100: Select Alert Templates – Stock Level Page	75
Figure 101: Stock Level Alert	76
Figure 102: Select Alert Templates – Asset Dwell Time Page	77
Figure 103: Asset Dwell Time Alert	78
Figure 104: Select Alert Templates – Shelf Life Expiration Page	79
Figure 105: Shelf Life Expiration Alert	80
Figure 106: Select Alert Templates – Late Arrival Page	81
Figure 107: Late Arrival Alert	82
Figure 108: Select Alert Templates – Missed Arrival Page	83
Figure 109: Missed Arrival Alert	84
Figure 110: Select Alert Templates – Quantity Override Page	85
Figure 111: Quantity Override Alert	86
Figure 112: Select Alert Templates – ASN-POD Discrepancy Page	87

Figure 113: ASN-POD Discrepancy Alert	88
Figure 114: Select Alert Templates – Unreported Asset Page	89
Figure 115: Unreported Assets Alert	90
Figure 116: Select Alert Templates – Back-To-Life Page	91
Figure 117: Back-To-Life Alert	92
Figure 118: Select Alert Templates – Deactivated Location Events Page	93
Figure 119: Deactivated Location Events Alert	93
Figure 120: Select Alert Templates – Lost Assets Page	95
Figure 121: Lost Asset Alert	95
Figure 122: Select Alert Templates – Damaged Assets Page	96
Figure 123: Damaged Assets Alert	97
Figure 124: Manage Alert Subscription Page	98
Figure 125: Email Alert Subscription Page	98
Figure 126: Manage Alert Subscription Page	99
Figure 127: Email Alert Unsubscription Page	100
Figure 128: KPI Subscription Page	101
Figure 129: KPI Subscription Page	101
Figure 130: KPI Subscription Page	102
Figure 131: KPI Unsubscription Page	102

List of Tables

Table 1: Chapter Overview	8
Table 2: Configure Location Set	26
Table 3: Activity Report Field References	28
Table 4: Order Detail Field References	30
Table 5: Cycle Time Field References	34
Table 6: Damage History Field References	38
Table 7: Location of Assets Field References	40
Table 8: Open Cycle Field References	43
Table 9: Pack Build Field References	45
Table 10: Site Volume In Out Field References	47
Table 11: Stock Report Field References	49
Table 12: Unauthorized Locations Report Field References	51
Table 13: Shelf Life Report Field References	52
Table 14: Transfer Hire Advise Notice Report Field References	54
Table 15: Rediscovered Assets Report Field References	56
Table 16: Asset Dwell Time Report Field References	57
Table 17: Unreported Assets Report Field References	58
Table 18: Average Cycle Time KPI Field References	63
Table 19: Damage Ratio KPI Field References	65
Table 20: Average Dwell Time KPI Field References	67
Table 21: Average Transit Time KPI Field References	69
Table 22: Percentage On-Time Deliveries Field References	71
Table 23: Percentage of Discrepancies between Quantities Field References	73
Table 24: Stock Level Alert Field References	76
Table 25: Asset Dwell Time Alert Field References	78
Table 26: Shelf Life Alert Field References	80
Table 27: Late Arrival Alert Field References	82
Table 28: Missed Arrival Alert Field References	84
Table 29: Quantity Overrides Alert Field References	86
Table 30: ASN-POD Discrepancies Alert Field References	88
Table 31: Unreported Assets in Transit Alert Field References	90
Table 32: Back to life Alert Field References	92
Table 33: Deactivated Location Events Alert Field References	93
Table 34: Lost Assets Alert Field References	96
Table 35: Damaged Assets Alert Field References	97
Table 36: Error Messages	103

1 INTRODUCTION

This manual explains how to use the Reporting module of MI. It explains how to specify settings for reports, generate reports, and configure and view Key Performance Indicators (KPIs) and Alerts.

1.1 INTENDED AUDIENCE

This manual is intended for the Asset Owner and Trading Partner Admin users as well as the Logistics managers, Vendor managers, Account managers and Regional Heads.

1.2 ORGANISATION OF THE MANUAL

The manual has been organised as follows:

Table 1: Chapter Overview

Chapter	Description
Chapter 1: Introduction	Explains the purpose of the manual and its organisation
Chapter 2: Getting Started	Explains the procedure to access the AMS page
Chapter 3: Generating Reports	Explains how to generate various reports
Chapter 4: Configuring KPIs	Explains how to configure KPI and dashboard settings
Chapter 5: Configuring and Subscribing to Alerts	Explains how to set various alerts to appear on the dashboard or e-mail inbox and how to subscribe to these alerts
Chapter 6: Appendix A – Error Messages	Explains the error messages that may appear while generating reports, alerts or KPIs

1.3 FORMATTING CONVENTIONS

The following table gives the details of the formatting conventions used in the document.

Type of Information	Formatting Convention
Screen object names	Buttons, checkboxes, screen names, field names and so on appear in title case and in bold type. For example, click Login .
Input values	Field values appear within double quotes. For example, enter " http://192.168.0.100/ams-web/displayKPI.do?kpiID=5000026&kpiName=KPI_DAMAGE_RATIO " in the address bar.
	A red rectangle illustrates the correct flow of the task.
	A callout illustrates the alternate flow of the task.


2 GETTING STARTED

MI Reporting application can be accessed by logging on to the AMS Web application. Access to Reporting is restricted to the following types of authorised users:

- Asset owner business and account managers
- Trading partner Logistics/Transportation/Vendor managers.

To log on to AMS:

1. Enter the URL "<http://192.168.0.2:8080/ams-web/>" in the address bar of your Internet browser. The AMS **Login** page appears.



The screenshot shows a login form titled "Login". It contains three input fields: "User Name *", "Password *", and "Organization *". Below these fields is a checkbox labeled "Remember me". At the bottom of the form are two buttons: "Login" and "Reset".

Figure 1: Login Screen

2. Enter a valid user name, password and organization and click **Login**. The home page appears. If the user credentials are invalid, an error message is displayed. If the number of un-successful attempts reaches six, the user account is locked and displays the following message.



The screenshot shows a message titled "The Account is locked" above a login form. The form fields are filled with example data: "User Name *" is "CHEPAUSSupuser", "Password *" is masked with dots, and "Organization *" is "CHEP AUSTRALIA LIMITED". The "Remember me" checkbox is unchecked, and the "Login" and "Reset" buttons are visible at the bottom.

Figure 2: Account Lock-out Message

3. If the user credentials are valid but the user account is either locked or in-active, a message is displayed indicating the user account status.

2.1 AMS HOME PAGE

1. Once you log on to AMS, the AMS home page is displayed.





Figure 3: AMS Home Page

The following is displayed on the AMS home page:

- The top section of the page displays the three KPIs selected by the user for viewing on the home page. Clicking on any of the KPIs drills down into the corresponding report where you can see the underlying data.
- The bottom section of the page displays the last ten alerts generated for the alert types subscribed to by the user. Clicking on the More link at the bottom will display the next set of ten alerts. Clicking on the Alert Description link displays a pop-up window describing the alert in more detail. Click the X icon to close the alert window.



The image shows a screenshot of an alert pop-up window. At the top left is the 'CHEP' logo. To its right is a navigation bar with a dropdown menu, a '1 / 1' indicator, and navigation arrows. The main content area contains a table with two columns: 'Alert Message' and 'Generated Date & Time'. The 'Alert Message' column contains the text: 'There have been 2 events at the de-activated location LOCATIONTEST. Kindly refer to Activity report for more details'. The 'Generated Date & Time' column contains the text: 'Dec 13, 2010 11:39 PM'.

Alert Message	Generated Date & Time
There have been 2 events at the de-activated location LOCATIONTEST. Kindly refer to Activity report for more details	Dec 13, 2010 11:39 PM

Figure 4: Alert Pop-up

2.2 ACCESSING REPORTS

You need to navigate to the **Reports** tab in AMS to access the various reporting functionalities.

To access reports:

1. Click the **Reports** tab in the AMS home page. The following sub-tabs are displayed:
 - KPI Dashboards
 - Subscriptions.



Figure 5: Reports Page

Note: For details about the Administration tasks, please refer to the AMS user manual.

2.3 LOGGING OUT

You can log out from the Reporting application at any point in time.

To log out:

Click **Logout** on top of the application page. The AMS login page is displayed.

Note: When the logged in user is idle for a long time, the session expires and the user is navigated to the AMS login page to re-login again with valid credentials.

3 GENERATING REPORTS

This chapter explains the common options for reports and how to generate the following reports:

- Activity Report
- Order Detail Report
- Cycle Time Report
- Damage History Report
- Location of Asset Report
- Open Cycle Report
- Pack Build Report
- Site Volume In and Out Reports
- Stock Report
- Unauthorized Location Report
- Shelf-life Report
- Transfer Hire Advise Notice
- Rediscovered Assets Report
- Asset Dwell Time Report
- Unreported Assets Report.

Note: This chapter explains the process of generating reports. For details on configuring report settings, please refer to the AMS User Manual.

3.1 COMMON REPORT OPTIONS


This section explains the functions common to all reports. To access Reporting, you must have the AMS application URL, a valid username, password for logging in and IE 7.0 to be able to drill down to reports

3.1.1 Setting Number of Lines to Display Per Page

This functionality allows you to set the number of lines to display per page and the default value for Start Date and End Date.

To set number of lines to display per page:

1. Click **Administration** tab.
2. Click **Report-KPI Configuration** sub-tab.
3. Click **Report Settings**. The **Report Settings** page is displayed.



The Report Settings were saved successfully

Report Settings

Report Type*

Start Date * Current Date - Days

End Date * Current Date - Days

Records / Page*

Click to cancel the action.

Figure 6: Report Settings Page

4. Select the **Report Type**.
5. Enter the number of days for the default start date and end date.
6. Enter the number of records you want to display in the **Records/Page** field.
7. Click **Save**. The report settings are saved successfully.

3.1.1.1 Field References – Setting Number of Lines to Display per Page

Field Name	Description
Report Type	Select the report type. It is a mandatory field. The field type is character.
Start Date	Enter the number of days in the Days field. It is a mandatory field. The field type is numeric.
End Date	Enter the number of days in the Days field. It is a mandatory field. The field type is numeric.
Records/Page	Enter the number of records/page. It is a mandatory field. The field type is numeric.

3.1.2 Saving Search

The **Save Search** functionality allows you to save the search criteria to quickly rerun previous searches.

To save a search:

1. Enter the search criteria you wish to save in the respective report launch page.
2. Enter a name for the search in the **Save Search Name** field.
3. Click **Save Search**. The search is saved with the name you selected.

Current Search saved successfully

Cycle Time Report

From-To Location set * Asset Type
 Start Date *
 End Date *
☐ Include Self-healing Transactions

Save Search Criteria

Save Search Name *
 Saved Searches

Click to delete a saved search.

Figure 7: Saving Search Page

3.1.2.1 Field References – Saving Search

Field Name	Description
Save Search Name	Enter the saved search name. It is a mandatory field. The field type is character.
Saved Searches	Enter the name of the search saved previously. It is an optional field. The field type is character.

3.1.3 Printing Reports

The **Print** functionality allows you to print a report in HTML or PDF format.

To print a report:

1. Click the toolbar on the header of the respective report page.
2. Select **Print**. The printing options are displayed.
3. Select the **HTML** or **PDF** radio button.
4. Click **OK**. The report is printed in the selected format.




Figure 8: Print Options

3.1.4 Exporting the Report Contents

The **Export Content** functionality allows you to export the generated report in standard set of options.

To export content:

1. Click the toolbar on the header of the generated report page.
2. Select the **Export Content** option. The formats to which the report can be exported are displayed.
3. Select the format you want the report to be exported to.
4. Click **OK**. The report is displayed in the desired format.




Figure 9: Export Content

3.1.4.1 Field References – Export Content Page

Field Name	Description
Export Format	Select the format you want the content to be exported to. It is a mandatory field. The field type is character.
Page range	Enter the page range. The field type is numeric.
Page style	Select the page style. The field type is character.
Text wrapping	Select to wrap the text on a line.
Font substitution	Select to get an ability to use an alternative font if the specified font is not available. This option allows you to maintain the quality of the PDF output.
BIDI processing	Select to set the direction for an entire report. Valid values are right to left (RTL) and left to right (LTR).

3.1.5 Changing Report Header Labels

The **Header** functionality allows you to change the report header labels of the generated report.

To change report header labels:

1. Select the toolbar on the header of the generated report page.
2. Select the **Enable Interactivity** option.
3. Click the column header you wish to change the header label.
4. Click the right hand side arrow to get all options.
5. Select the **Header** option. The **Change Text** option is displayed.
6. Enter the text you wish to replace the header with. The column header is changed.




Figure 10: Report Header Labels

3.1.6 Changing Report Header Alignment

This functionality allows you to change the alignment of the report column headings.

To change report header alignment:

1. Select the toolbar on the header of the generated report page.
2. Select the **Enable Interactivity** option.
3. Click the column header for which you want to change the alignment.
4. Click the right hand side arrow to get all options.

5. Select the **Header > Alignment** option.
6. Select the desired alignment option. The column header is aligned accordingly.




Figure 11: Report Header Alignment Options

3.1.7 Changing Report Header Font

This functionality allows you to change the style, size, colour, background colour, and formatting options for the column headers.

To change report header font:

7. Select the toolbar on the header of the generated report page.
8. Select the **Enable Interactivity** option.
9. Click the column header for which you want to change the alignment.
10. Click the right hand side arrow to get all options.
11. Select the **Header > Font** option. The **Font** dialog box appears.




Figure 12: Report Header Font

12. Select the relevant options.
13. Click **OK**. The column header is formatted based on your selection.

3.1.8 Grouping Columns

This functionality allows you to group columns together into a single row. You can then expand that row to view the details.

To group columns:

14. Select the toolbar on the header of the generated report page.
15. Select the **Enable Interactivity** option.
16. Click the column header for which you want to change the alignment.
17. Click the right hand side arrow to get all options.
18. Select **Group > Add Group**. The values are grouped together into a single row.




Figure 13: Group Columns

Note: After adding a group, select **Group > Delete Inner Group** to delete the group and revert to the default view.

3.1.9 Deleting and Adding Columns

This functionality allows you to add or delete columns to or from your existing report.

To delete and add columns:

1. Click the toolbar on the header of the generated report page.
2. Select the option **Enable Interactivity**.
3. Click the column you want to delete from the report. The menu options are displayed.
4. Select the **Delete Column** option. The column is deleted from the report.
5. Select the **New Computed Column** option to add a new column from a set of existing columns.




Figure 15: Column Display Options

3.1.10 Aggregating Report Columns

This functionality allows you to perform some mathematical functions on the column values, for example, counting the values or finding the maximum/minimum value.

To aggregate a column:

1. Select the toolbar on the header of the generated report page.
2. Select the **Enable Interactivity** option.
3. Click the column header for which you want an aggregate value.
4. Click the right hand side arrow to get all options.
5. Select **Aggregate**. The **Aggregate** dialog box appears.




Figure 16: Aggregation Options

6. Select the function you want for the column, for example, count or max or average in the **Select Function** field.

7. Select the level at which you want the aggregate, table level or group level in the **Aggregate on** field.
8. Select where you want the aggregate value to appear from the **header** or **footer** radio buttons.
9. Click **OK**. The aggregate is displayed on the report based on your choices.

3.1.11 Filtering Report Columns

The **Filter** functionality allows you to view a set of values based on the condition you set.

To filter a column:

1. Select the toolbar on the header of the generated report page.
2. Select the **Enable Interactivity** option.
3. Click the column header for which you want an aggregate value.
4. Click the right hand side arrow to get all options.
5. Select **Filter**. The **Filter** dialog box appears.




Figure 17: Report Filter

6. Select the condition you want to base the filter on, for example, Equal To or Not Equal To.
7. Enter or select values for the filter.
8. Click **OK**. The filter is applied on the respective column.

3.1.12 Re-sorting Report Columns

The **Sort** functionality allows you to sort the selected report column in ascending or descending order.

To sort a column:

1. Select the toolbar on the header of the generated report page.
2. Select the **Enable Interactivity** option.
3. Click the column header you wish to sort content for. The filter options are displayed.
4. Click the right hand side arrow to get all options.
5. Select **Sort**. All the sorting options are displayed.




Figure 18: Sorting a Column Page

3.1.13 Changing Report Column Alignment

This functionality allows you to change the alignment of the entire report column.

To change column alignment:

1. Select the toolbar on the header of the generated report page.
2. Select the **Enable Interactivity** option.
3. Click the column header you wish to sort content for. The filter options are displayed.
4. Click the right hand side arrow to get all options.
5. Select **Alignment**. A sub-menu is displayed.
6. Select the alignment you want for the column. The column is aligned as per your selection.




Figure 19: Report Column Alignment

3.1.14 Formatting Report Columns

This functionality allows you to format report columns.

1. Select the toolbar on the header of the generated report page.
2. Select the **Enable Interactivity** option.
3. Click the column header you wish to sort content for. The filter options are displayed.
4. Click the right hand side arrow to get all options.
5. Select **Format**. The **Font** dialog box is displayed.




Figure 20: Report Column Format

6. Select the formatting options you want for the column. The column is formatted as per your selection.

Note: Select **Format > Conditional Formatting** to format a column based on a particular condition and select **Format > Format Data** to format a particular string.

3.1.15 Exporting Data

This functionality allows you to export selected columns to an Excel file.

To export data:

1. Select the toolbar on the header of the generated report page.
2. Select the **Enable Interactivity** option.
3. Click the column header you wish to sort content for. The filter options are displayed.
4. Click the right hand side arrow to get all options.
5. Select **Export Data**. The **Export Data** dialog box is displayed.




Figure 21: Export Data


- Click > to select a single column or >> to select all columns. The columns you select are displayed in the **Selected Columns** field.
- Click **OK**. A dialog box appears prompting you to open or save the file. You can view the contents of this file in Excel format.

3.1.16 Drilling Down on Reports

This functionality allows you to navigate to details on a particular report or to another report.

To drill down on reports:

- In the respective report, click on the field where there is a hyperlink. A detailed view of the report is generated.



The screenshot shows the 'Open Cycle Summary Report' interface. The table has the following columns: From Region/Location, To Location, Asset Type, Open Cycles 0 - 22 Days, Open Cycles 23 - 45 Days, Open Cycles 46 - 68 Days, and Open Cycles 69 - 90 Days. The 'From Region/Location' column has a red box around the 'All' link.

From Region/Location	To Location	Asset Type	Open Cycles 0 - 22 Days	Open Cycles 23 - 45 Days	Open Cycles 46 - 68 Days	Open Cycles 69 - 90 Days
All	All	IT22L	2	-	-	-
All	All	IT33L	2	-	-	-

Figure 22: Report Drill Down

3.1.17 Configuring Locations for Cycle Time and Open Cycle Reports


You need to configure the locations for the Cycle Time and Open Cycle Reports, before you can generate them. This is only applicable for Cycle Time Report, Open Cycle Report and KPIs.

To configure the location set, you should have:

- Logged on to AMS
- Ensured that From Location/Region and To Location is set-up in AMS.

To configure the location set:

1. After logging in, click the **Administration** tab.
2. Click the **Report-KPI Configuration** sub-tab.
3. Click the **Location Set Configuration** tab on the left pane. The **Location Set Configuration** page appears.



The screenshot displays the 'Location Set Configuration' page within the CHEP system. The top navigation bar includes 'Home', 'Administration' (highlighted), and 'Reports'. Below this, a sub-navigation bar shows 'Manage Users', 'Manage Data Sharing', 'Manage Assets', 'Manage Alerts', 'Report-KPI Configuration' (highlighted), 'Manage Locations', and 'Manage Processes'. The left sidebar lists several configuration options, with 'Location Set Configuration' highlighted. The main content area is titled 'Location Set Configuration' and contains three dropdown menus: 'From Region' (set to ALL), 'To Location' (set to ALL), and 'From Location' (set to ALL). Below these are 'Save' and 'Reset' buttons. A callout box points to the 'Reset' button with the text 'Click to reset the values selected.'

Figure 23: Location Set Configuration Page

4. Select the relevant values.
5. Click **Save**. The location set is saved.

3.1.17.1 Field References –Configure Location Set

Table 2: Configure Location Set

Field Name	Description
From Region	Select the regions of the asset owner. Default value is ALL. This is a mandatory field. The field type is character.
From Location	Select the physical locations for the selected region. This is enabled only when the any From Region is selected other than ALL (Default Value). Default value is all locations under the selected region. The field type is character.
To Location	Select the physical location of the Trading Partner. Default value is all physical locations. The field type is character.

3.2 ACTIVITY REPORT

The Activity Report allows you to view the total quantity of assets involved in all the events that happened in a physical location at a summary level showing totals. It also shows the detailed information at the asset type and asset ID level. You are able to specify whether you want the summary or detailed report at the time you are entering the input parameters. If you have selected summary report at first, you are able to drill down into the detail for each report from a hyperlink on the output of the summary report.

3.2.1 Prerequisites

To generate an Activity report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI Dashboard sub-menu.

To generate an Activity report:

1. Click **Activity Report** on the left pane. The **Activity Report** launch page appears on the right-hand side.




Figure 24: Activity Reports Page

2. Enter or select the desired selection criteria.
3. Click **Generate Report**. The **Activity Summary Report** page appears.

1 << >>								
MultiUserTest License								
 Activity Summary Report								
State	From Location	To Location	From Sub-Location	To Sub-Location	Process Type	Transaction Type	Asset Type	Read Quantity
NSW	Distribution Center	Distribution Center			Pack Build	Pack Build	Plastic Pallet	116
NSW	Distribution Center	Distribution Center			Pack Build	Pack Build	22L	3

Figure 25: Activity Summary Report

4. Click on the hyperlink under **Read Quantity** column. The **Activity Detail Report** page appears.

1 / 10 << >>									
MultiUserTest License									
 Activity Detail Report									
City, State	From Location	To Location	From Sub-Location	To Sub-Location	Process Type	Transaction Type	Disposition	Asset Type	Date
Sydney, NSW	Distribution Center	Distribution Center			Pack Build	Pack Build	Ready	Plastic Pallet	Dec 13, 2010 11:38 AM
Sydney, NSW	Distribution Center	Distribution Center			Pack Build	Pack Build	Ready	Plastic Pallet	Dec 13, 2010 11:38 AM
Sydney, NSW	Distribution Center	Distribution Center			Pack Build	Pack Build	Ready	Plastic Pallet	Dec 14, 2010 9:45 AM
Sydney, NSW	Distribution Center	Distribution Center			Pack Build	Pack Build	Ready	Plastic Pallet	Dec 14, 2010 9:45 AM
Sydney, NSW	Distribution Center	Distribution Center			Pack Build	Pack Build	Ready	Plastic Pallet	Dec 14, 2010 9:45 AM
Sydney, NSW	Distribution Center	Distribution Center			Pack Build	Pack Build	Ready	Plastic Pallet	Dec 14, 2010 9:45 AM
Sydney, NSW	Distribution Center	Distribution Center			Pack Build	Pack Build	Ready	Plastic Pallet	Dec 14, 2010 10:15 AM
Sydney, NSW	Distribution Center	Distribution Center			Pack Build	Pack Build	Ready	Plastic Pallet	Dec 14, 2010 10:15 AM

Figure 26: Activity Detail Report

3.2.2 Field References – Activity Report

Table 3: Activity Report Field References

Field Name	Description
Trading Partner	Select the Trading Partner. It is a mandatory field. The field type is alphanumeric.
Process	Select the process. You can select one or more process types. The field type is character.
Location	Select the location. You can select one or more locations. The field type is alphanumeric.
Asset Type	Select the type of the asset. You can select one or more asset types. The field type is alphanumeric.
Transaction Type	Select the transaction. The field type is character. This will be populated with the transaction types under the selected processes.
Start Date	Select the Start Date. It is a mandatory field. The field type is calendar control type which should be less than the End Date.

Field Name	Description
End Date	Select the End Date. It is a mandatory field. The field type is calendar control type which should be greater than the Start Date.
From/To Location	Select the from/to location. You can select one or more locations. The field type is alphanumeric. This field will be enabled only when ship or receive process is selected.

3.3 ORDER DETAIL REPORT

The Order Detail Report allows you to view the details of orders (Asset or Product) including contents of the order, sender or recipient information, carrier and more. There are two components to this report: summary report which contains a summary of each of the order documents and the detailed report, which contains information on the contents of each order.

3.3.1 Prerequisites

To generate an Order Detail Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate an Order Detail Report:

1. Click **Order Detail Report** on the left pane. The **Order Detail Report** launch page appears on the right-hand side.




Figure 27: Order Detail Report Page

2. Enter or select the desired selection criteria.

3. Click **Generate Report**. The **Order Detail Summary Report** page appears.

MultiUserTest License									
Order Detail Summary Report									
m	Ship From Sub-Location	Ship To Location	Ship To Sub-Location	Document Number	Ship From	Ship To	Carrier	Read Quantity	M
NRF		Distribution Center		1874414	COLES1	CHEP AUSTRALIA LIMITED		1	

Figure 28: Order Detail Summary Report

4. Click on the hyperlink under **Read Quantity** column. The **Order Detail Report** page appears.

MultiUserTest License									
Order Detail Report									
Asset ID	Asset Type	Disposition	Scanned By	Process Type	Transaction Type	Attributes			
4200000016	22L	Awaiting Inspect	CHEPAUSSupuser	Receive	Receipt	-			

Figure 29: Order Detail Report

3.3.2 Field References – Order Detail Report

Table 4: Order Detail Field References

Field Name	Description
Trading Partner	Select the trading partner. It is a mandatory field. The field type is alphanumeric.
Document Number	Enter the document number. The field type is character.
Start Date	Select the Start Date. The field type is calendar control type which should be less than the End Date.
End Date	Select the End Date. The field type is calendar control type which should be greater than the Start Date.
Ship From Location	Select the ship from location. You can only select a single physical location. The field type is alphanumeric.
Ship To Location	Select the ship to location. You can only select a single physical location. The field type is alphanumeric.

3.4 CYCLE TIME REPORT

The Cycle Time Report allows you to compute the time an Asset is 'Shipped' out from selected Asset owner location(s) till it is 'Shipped' out from any of the Asset owner locations again. Every asset has a unique Cycle counter (valid for its lifetime) that shows the cumulative count of completed cycles till date.

3.4.1 Prerequisites


To generate a Cycle Time Report, you should have:

- Logged on to AMS
- Configured the location set

- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate a Cycle Time Report:

1. Click **Cycle Time Report** on the left pane. The **Cycle Time Report** launch page appears on the right-hand side.



Home Administration Reports Welcome MI Admin Administrator (CHEP MATERIAL INTELLIGENCE) [Manage Profile](#) Logout

KPI Dashboard Subscriptions

Open Cycle Report

Cycle Time Report

Damage History Report

Un-Authorized Location Report

Site Volume In Out Report

Rediscovered Assets Report

Order Detail Report

Pack Build Report

THAN Report

Activity Report

Stock Report

Unreported Asset Report

Asset Dwell Time Report

Cycle Time Report

From-To Location set * All - All

Start Date * 01/12/2010

End Date * 11/12/2010

Asset Type asset53L asset29L IT22L IT-1001L

☐ Include Self-healing Transactions

Reset Fields Generate Report

Click to include self-healing transactions

Click to reset the data entered.


Save Search Criteria

Save Search Name * Save Search

Saved Searches Please Select Delete Saved Search

Figure 30: Cycle Time Report Page

2. Enter or select the desired selection criteria.
3. Click **Generate Report**. The **Cycle Time Summary Report** page appears.



ts Welcome super user (CHEP AUSTRALIA LIMITED) [Manage Profile](#) Logout

ACTUATE.

1 / 1

MultiUserTest License

Cycle Time Summary Report

From Region/Location	To Location	Asset Type	Avg Cycle Time	N
All	All	IT100L	0.50	
All	All	Plastic Pallet	0.00	

Figure 31: Cycle Time Summary Report

- Click on the hyperlink under the **From Region/Location** column. The **Cycle Time Summary Report** by country appears.

ts Welcome super user (CHEP AUSTRALIA LIMITED) Manage Profile Logout				
ACTUATE.				
MultiUserTest License				
Cycle Time Summary Report				
From Region/Location	To Location	Asset Type	Avg Cycle Time	N
AUSTRALIA	All	IT100L	0.50	


Figure 32: Cycle Time Summary Report

- Click on the hyperlink under **From Region/Location** column. The **Cycle Time Summary Report** by region appears.

ts Welcome super user (CHEP AUSTRALIA LIMITED) Manage Profile Logout				
ACTUATE.				
MultiUserTest License				
Cycle Time Summary Report				
From Region/Location	To Location	Asset Type	Avg Cycle Time	N
NSW	All	IT100L	0.50	

Figure 33: Cycle Time Summary Report

- Click on the hyperlink under **From Region/Location** column. The **Cycle Time Summary Report** by city appears.



ts Welcome super user (CHEP AUSTRALIA LIMITED) [Manage Profile](#) Logout

ACTUATE.

1 / 1


MultiUserTest License

Cycle Time Summary Report

From Region/Location	To Location	Asset Type	Avg Cycle Time	N
SYDNEY	All	IT100L	0.50	

Figure 34: Cycle Time Summary Report

- Click on the hyperlink under **From Region/Location** column. The **Cycle Time Summary Report** by location appears.



ts Welcome super user (CHEP AUSTRALIA LIMITED) [Manage Profile](#) Logout

ACTUATE.

1 / 1

MultiUserTest License

Cycle Time Summary Report

From Region/Location	To Location	Asset Type	Avg Cycle Time	N
LIDCOMBE SVC	All	IT100L	0.50	

Figure 35: Cycle Time Summary Report

- Click on the hyperlink under **Asset Type** column. The **Cycle Time-Asset Detail Report** appears.

Welcome super user (CHEP AUSTRALIA LIMITED) Manage Profile Logout						
ACTUATE.						
MultiUserTest License						
CycleTime - Asset Detail Report						
From Location	To Location	Asset Type	AssetID	LifeTimeCycle	Average Cycle Time	
LIDCOMBE SVC	COLES DC	IT100L	1000000566	2	0.87	
LIDCOMBE SVC	COLES DC	IT100L	1000000563	2	0.87	
LIDCOMBE SVC	COLES DC	IT100L	1000000568	3	0	
LIDCOMBE SVC	COLES DC	IT100L	1000000562	1	0	

Figure 36: Cycle Time-Asset Detail Report

9. Click on the hyperlink under **No of Cycles** column. The **Cycle Time – Cycle Detail Report** page appears.

					
CycleTime - Cycle Detail Report					
Cycle Start Date	Cycle End Date	From Location	To Location	Asset Type	Asset ID
Dec 16, 2010 6:40 PM	Dec 17, 2010 12:10 AM	Distribution Center	COLES DC	PalletB	3200000002
Dec 16, 2010 11:17 PM	Dec 16, 2010 6:40 PM	Distribution Center	COLES DC	PalletB	3200000002
Dec 16, 2010 5:47 PM	Dec 16, 2010 11:17 PM	Distribution Center	COLES DC	PalletB	3200000002

Figure 37: Cycle Time – Cycle Detail Report

3.4.2 Field References – Cycle Time Report

Table 5: Cycle Time Field References

Field Name	Description
From-To Location set	Select the from-to location set. It is a mandatory field. The field type is alphanumeric.
Asset Type	Select the type of the asset. You can select one or more asset types. The field type is alphanumeric.
Start Date	Select the Start Date. The field type is calendar control type which should be less than the End Date. It is a mandatory field.
End Date	Select the End Date. The field type is calendar control type which should be greater than the Start Date. It is a mandatory field.

3.5 DAMAGE HISTORY REPORT

The Damage History Report allows you to track damages at the asset level, view which trading partner shipped damaged assets and apply costs to damage types in the reports. This report is applicable only for Asset Owners. The damage history is split into the following three reports:

- ‘Detailed Report’ provides damage information for each asset within the search parameters. This includes Locations, Asset Types, Damage, Repair type, Ship To, Carrier and Cost or Price of repair.
- ‘Summary Report’ shows the total cost or price of repair grouped by Location, Asset Type, Damage Location and Damage Type.

- 'Customer Summary Report' groups the results by customer and displays the average cost per repaired asset, amount of assets repaired, damage ratio, return and average repair cost per returns. Data Sharing is not applicable for this report.

3.5.1 Prerequisites

To generate a Damage History Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Damage History Report:

1. Click **Damage History Report** on the left pane. The **Damage History Report** launch page appears on the right side.




Figure 38: Damage History Report Page

2. Enter or select the desired selection criteria.
3. Click **Generate Report**. The **Damage History Summary Report** page appears.

					
MultiUserTest License					
					
Damage History Summary					
Location	Asset Type	Damage Location	Damage Type	Quantity	Total Cost
Distribution Center	Plastic Pallet	R-Side	CRACK	2	22 AUD
Distribution Center	Plastic Pallet	L-Side	BROKEN	2	42 AUD
Distribution Center	Plastic Pallet	R-Side	BROKEN	2	22 AUD
Distribution Center	Plastic Pallet	L-Side	CRACK	2	42 AUD
				Total:	128 AUD

Figure 39: Damage History Summary Report

- Click on the hyperlink under **Quantity** column. The **Damage Detail Report** page appears.

									
MultiUserTest License									
									
Damage Detail Report									
Damage Date	Asset ID	Asset Type	Location	Damage Location	Damage Type	Repair Date	Repaired By	Repair Type	Document Number
Dec 15, 2010 10:37 PM	1000000851	Plastic Pallet	Distribution Center	R-Side	CRACK				Shi1312101440
Dec 16, 2010 12:33 AM	1000000836	Plastic Pallet	Distribution Center	R-Side	CRACK				Shi1312101135

Figure 40: Damage Detail Report


- Click on the hyperlink under **Document Number** column. The **Order Detail Report** page appears.

					
MultiUserTest License					
					
Order Detail Report					
Asset Type	Disposition	Scanned By	Process Type	Transaction Type	Attributes
No Data Found For the selected Criteria					

Figure 41: Order Detail Report

To generate Customer Summary Report:

- Click the **Damage History Report** on the left pane. The **Damage History Report** launch page appears on the right side.



Home Administration Reports Welcome MI Admin Administrator (CHEP MATERIAL INTELLIGENCE) [Manage Profile](#) Logout

KPI Dashboard ▾ Subscriptions

- > Open Cycle Report
- > Cycle Time Report
- > **Damage History Report**
- > Un-Authorized Location Report
- > Site Volume In Out Report
- > Rediscovered Assets Report
- > Order Detail Report
- > Pack Build Report
- > THAN Report
- > Activity Report
- > Stock Report
- > Unreported Asset Report

Damage History Report

Location: Asset Type:
 Trading Partner: Damage Type:
 Start Date: End Date:
 Asset ID: Order Reference:

☒ Summary Report ☐ Detailed Report ☒ **Customer Summary**

Save Search Name:

Click to view the summary of Damage History Report

Click to reset the data entered.

Click to view the detailed Damage History Report.

Figure 42: Damage History Report Page

- Enter or select the relevant details.
- Select the **Customer Summary** option.
- Click **Generate Report**. The **Customer Summary Report** page appears.

MultiUserTest License



Customer Summary

Trading Partner	Location	Asset Type	Average Cost Per Asset	Assets Damaged	Damage Ratio	Average Cost Per Returns	Returns
COLES1	Distribution Center	Plastic Pallet	16 AUD	8	400	64 AUD	2
COLES1	Distribution Center	21L	10 AUD	1	20	2 AUD	5
Total:			26 AUD	4.5	420	66 AUD	7

Figure 43: Customer Summary Report

3.5.2 Field References – Damage History Report

Table 6: Damage History Field References

Field Name	Description
Location	Select the location of the asset. This is enabled only when the Detailed radio button is selected. It is a mandatory field. The field type is alphanumeric.
Asset Type	Select the asset type. You can select one or more asset types. This field is enabled if the Detailed radio button is not selected. The field type is alphanumeric.
Trading Partner	Select the trading partner from the list of companies that the user has access to. It is a mandatory field provided the asset ID is not entered. The field type is alphanumeric.
Start Date	Select the Start Date. The field type is calendar control type field which should be less than the End Date.
End Date	Select the End Date. The field type is calendar control type which should be greater than the Start Date.
Damage Type	Select the damage type for the Asset Type. It is an optional field. The field type is character.
Asset ID	Select the asset ID. It is only enabled if the Detailed radio button is selected. It is a mandatory field. The field type is alphanumeric.
Order Reference	Select the order reference. It is only enabled if the Detailed radio button is selected. The field type is alphanumeric.

3.6 LOCATION OF ASSETS REPORT

The Location of Asset Report allows you to view the current location of an asset at the time of the query at a summary level. It also allows you to drill down and view all the historical information captured by the read points and/or self heal events at every physical location where the asset has once been read.

The Asset Owner has the visibility of locations based on its business relationship and not data sharing.


3.6.1 Prerequisites

To generate Location of Assets Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Location of Assets Report:

1. Click **Location of Assets Report** on the left pane. The **Location Of Assets Report** launch page appears on the right side.



Home Administration Reports Welcome super user (CHEP AUSTRALIA LIMITED) [Manage Profile](#) Logout

KPI Dashboard Subscriptions

- Activity Report
- Location of Assets Report
- Asset Dwell Time Report
- Unreported Assets Report
- Site Volume In Out Report
- Rediscovered Assets Report
- Stock Report
- Pack Build Report
- Shelf Life Report
- Order Detail Report
- Open Cycle Report
- Cycle Time Report
- Damage History Report

Location Of Assets Report

Trading Partner: CHEP AUSTRALIA LIMITED Location: Loc0610regtest

Start Date: 20/11/2010 End Date: 20/12/2010

Asset Type: Container, CrateB2, 22L, Plastic Pallet

Asset Id:

Reset Fields Generate Report

Save Search Criteria


Save Search Name * Save Search

Saved Searches: Please Select Delete Saved Search

Click to reset the data entered.

Figure 44: Location Of Assets Report Page

- Enter or select the desired selection criteria.
- Click **Generate Report**. The **Location Of Assets-Summary Report** page appears.



1 / 2

MultiUserTest License

CHEP


Location Of Assets-Summary Report

Asset type	Asset ID	Local Read Date/Time	City, State	Location	Sub-Location	Trading Partner	Transaction Type	Disposition	Scale
100L	1000000853	Dec 20, 2010 7:51 PM	Sydney,NSW	Distribution Center		CHEP AUSTRALIA LIMITED	Ship	In-Transit	CHEP
100L	1000000870	Dec 14, 2010 11:00 PM	Sydney,NSW	Distribution Center		CHEP AUSTRALIA LIMITED	Pack Build	Ready	CHEP
100L	1000000876	Dec 15, 2010 10:23 PM	Sydney,NSW	Distribution Center		CHEP AUSTRALIA LIMITED	Pack Build	Ready	CHEP
100L	1000000877	Dec 14, 2010 11:00 PM	Sydney,NSW	Distribution Center		CHEP AUSTRALIA LIMITED	Pack Build	Ready	CHEP
100L	1000000878	Dec 15, 2010 10:23 PM	Sydney,NSW	Distribution Center		CHEP AUSTRALIA LIMITED	Pack Build	Ready	CHEP
100L	1000000879	Dec 15, 2010 11:30 PM	Sydney,NSW	Distribution Center		CHEP AUSTRALIA LIMITED	Ship	Ready	CHEP
100L	1000000880	Dec 15, 2010 11:30 PM	Sydney,NSW	Distribution		CHEP AUSTRALIA	Ship	Ready	CHEP

Click on the hyperlink under Asset ID column. The Location of Assets-Detail Report page appears.

Figure 45: Location of Assets-Summary Report

- Click on the hyperlink under **Asset ID** column. The **Location of Assets-Detail Report** page appears.



Local read Date/Time	Location	Sub-Location	Disposition	Asset ID	Self Healed
Dec 20, 2010 7:51 PM	Distribution Center		In-Transit	1000000853	No
Dec 20, 2010 7:48 PM	Distribution Center		Ready	1000000853	No
Dec 17, 2010 3:23 PM	Distribution Center		Ready	1000000853	No

Figure 46: Location of Assets-Detail Report

3.6.2 Field References – Location of Assets Report

Table 7: Location of Assets Field References

Field Name	Description
Trading Partner	Select the trading partner. It is a mandatory field provided the Asset ID is entered. The field type is character.
Location	Enter the location of the asset. It is a mandatory field provided the Asset ID is entered. The field type is alphanumeric.
Start Date	Select the Start Date. The field type is calendar control type which should be less than the End Date. It is an optional field. This field will be disabled when Asset Type is selected.
End Date	Select the End Date. The field type is calendar control type which should be greater than the Start Date. It is an optional field. This field will be disabled when Asset Type is selected.
Asset Type	Select the type of the asset. Multiple selections are allowed in this case. This field is disabled if the user enters an Asset ID. It is an optional field. The field type is alphanumeric.
Asset ID	Enter the asset ID. It is mandatory provided no Asset Type is selected. It is an optional field. The field type is character.

3.7 OPEN CYCLE REPORT

The Open Cycle Report allows you to compute the open cycle time which is computed as total number of elapsed days between the last date of shipping from selected asset owner location(s) and Current date (date of launch of report) for Assets that have not yet been received at any of the AO locations. Open Cycle Report will be from the perspective of Asset-owner only. Data sharing is not applicable for this report.

3.7.1 Prerequisites

To generate Open Cycle Report, you should have:

- Logged on to AMS
- Configured the location set
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Open Cycle Report:

1. Click **Open Cycle Report** on the left pane. The **Open Cycle Report** launch page appears on the right side.





Figure 47: Open Cycle Report Page


2. Enter or select the desired selection criteria.
3. Click **Generate Report**. The **Open Cycle Summary Report** page appears.



From Region/Location	To Location	Asset Type	Open Cycles 0 - 9 Days	Open Cycles 10 - 19 Days	Open Cycles 20 - 29 Days	Open Cycles 30 - 39
All	All	100L	10	-	-	-

Figure 48: Open Cycle Summary Report

4. Click on the hyperlink under **From Region/ Location** column. The **Open Cycle Summary Report** appears.



From Region/Location	To Location	Asset Type	Open Cycles 0 - 9 Days	Open Cycles 10 - 19 Days	Open Cycles 20 - 29 Days	Open Cycles 30 - 39
AUSTRALIA	All	100L	10	-	-	-

Figure 49: Open Cycle Summary Report

5. Click on the hyperlink under **From Region/Location** column. The **Open Cycle Summary Report** appears.



1 / 1

MultiUserTest License

CHEP

Open Cycle Summary Report

From Region/Location	To Location	Asset Type	Open Cycles 0 - 9 Days	Open Cycles 10 - 19 Days	Open Cycles 20 - 29 Days
NSW	All	100L	10	-	-

Figure 50: Open Cycle Summary Report

6. Click on the hyperlink under **From Region/Location** column. The **Open Cycle Summary Report** appears.



1 / 1

MultiUserTest License

CHEP

Open Cycle Summary Report

From Region/Location	To Location	Asset Type	Open Cycles 0 - 9 Days	Open Cycles 10 - 19 Days	Open Cycles 20 - 29 Days
SYDNEY	All	100L	10	-	-

Figure 51: Open Cycle Summary Report

7. Click on the hyperlink under **From Region/Location** column. The **Open Cycle Summary Report** appears.



1 / 1

MultiUserTest License

CHEP

Open Cycle Summary Report

From Region/Location	To Location	Asset Type	Open Cycles 0 - 9 Days	Open Cycles 10 - 19 Days	Open Cycles 20 - 29 Days
Distribution Center	All	100L	10	-	-

Figure 52: Open Cycle Summary Report

8. Click on the hyperlink under **Open Cycles 0-9 Days** column. The **Open Cycle Detail Report** page appears.



1 / 1

MultiUserTest License

CHEP

Open Cycle Detail Report

From Location	To Location	Document Number	Asset Type	Asset ID	Shipped Date
Distribution Center	COLES DC	Shi211210125843323	100L	4200000058	Dec 21, 2010
Distribution Center	TestLoc	1111	100L	4200000059	Dec 21, 2010
Distribution Center	COLES DC	Shi201210070653813	100L	4200000044	Dec 20, 2010
Distribution Center	COLES DC	Shi201210070653813	100L	4200000043	Dec 20, 2010
Distribution Center	COLES DC	hijkl	100L	1000000853	Dec 20, 2010
Distribution Center	COLES DC	Shi201210155445485	100L	4200000042	Dec 20, 2010
Distribution Center	COLES DC	Shi201210155445485	100L	4200000041	Dec 20, 2010
Distribution Center	TestLoc	4567	100L	3200000100	Dec 16, 2010
Distribution Center	COLES DC	Shi151210133005805	100L	1000000880	Dec 15, 2010
Distribution Center	COLES DC	Shi151210133005805	100L	1000000879	Dec 15, 2010

Figure 53: Open Cycle Detail Report

9. Click on the hyperlink under **Document Number** column. The **Order Detail Report** page appears.

 1 / 1						
MultiUserTest License						
 Order Detail Report						
Asset ID	Asset Type	Disposition	Scanned By	Process Type	Transaction Type	Attributes
4200000058	100L	In-Transit	CHEPAUSsupuser	Ship	Ship	-
4200000076	21L	In-Transit	CHEPAUSsupuser	Ship	Ship	-

Figure 54: Order Detail Report

3.7.2 Field References – Open Cycle Report

Table 8: Open Cycle Field References

Field Name	Description
From-To Location Set	Select the From-To-Location set from the dropdown list. It is a mandatory field. The field type is character.
Asset Type	Select the type of the asset. It is an optional field. The field type is alphanumeric.
Start Date	Select the Start Date. The field type is calendar control type. It is a mandatory field.
Time Slice (Days)	Enter the time slice in days. The time entered should be greater than zero. It is a mandatory field. The field type is numeric.

3.8 PACK BUILD REPORT

The Pack Build Report allows you to report on number of packs and un-pack processes performed at a location. The report will be available at three different levels and allows you to drill down through each level. The first level displays the number of packs grouped by Location, Pack Type, Pack Process and dates. You can then drill down into a detailed report which shows the status of the pack, the user who packed it, the date/time it was built/un-built and the number of assets contained in the pack. The final level of detail shows all the assets contained within the physical pack build, including those with and without RFID tags.

3.8.1 Prerequisites

To generate Pack Build Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Pack Build Report:

1. Click **Pack Build Report** on the left pane. The **Pack Build Report** launch page appears on the right side.





Figure 55: Pack Build Report Page

2. Enter or select the desired selection criteria.
3. Click **Generate Report**. The **Pack Build Summary Report** page appears.



Date	Location	Sub-Location	Pack Process	Pack Type	Pack Spec Name	Number of Pack Builds
Dec 13, 2010	Distribution Center		Pack Build	Loose		2
Dec 21, 2010	Distribution Center		Pack Build	Loose		27
Dec 15, 2010	Distribution Center		Pack Build	Loose		5
Dec 17, 2010	Distribution Center		Pack Build	Loose		1
Dec 22, 2010	Distribution Center		Pack Build	Loose		2
Dec 14, 2010	Distribution Center		Pack Build	Loose		2
Dec 20, 2010	Distribution Center		Pack Build	Loose		21
Dec 17, 2010	Distribution Center		Pack Unbuild	Loose		1
Dec 14, 2010	Distribution Center		Pack Unbuild	Loose		4
Dec 22, 2010	Distribution Center		Pack Unbuild	Loose		2
Dec 15, 2010	Distribution Center		Pack Unbuild	Loose		2
Dec 21, 2010	Distribution Center		Pack Unbuild	Loose		10
Dec 20, 2010	Distribution Center		Pack Unbuild	Loose		14

Figure 56: Pack Build Summary Report

4. Click on the hyperlink under **Number of Pack Builds** column. The **Pack Build Detail Report** page appears.

MultiUserTest License						
Pack Build Detail Report						
Location	Grand Parent Pack Ref No	Pack Reference No	Pack Spec Name	Pack Status	User Name	Number Of Assets
Distribution Center		PACK12922406189311331100019		Pack Build	CHEPAUSsupuser	3
Distribution Center		PACK12922403109311331100019		Pack Build	CHEPAUSsupuser	2

Figure 57: Pack Build Detail Report

5. Click on the hyperlink under **Number of Assets** column. The **Component Detail Report** page appears.

MultiUserTest License			
Component Detail Report			
Pack Reference No	Asset Type	Asset ID	EPC Number
PACK12922406189311331100019	109L	1000000837	9311331.98763.1000000837
PACK12922406189311331100019	109L	1000000838	9311331.98763.1000000838
PACK12922406189311331100019	109L	1000000839	9311331.98763.1000000839

Figure 58: Component Detail Report

3.8.2 Field References – Pack Build Report

Table 9: Pack Build Field References

Field Name	Description
Trading Partner	Select the trading partner. It is a mandatory field. The field type is character.
Location	Select the location. It is a mandatory field. The field type is character.
Start Date	Select the Start Date. The field type is calendar control type which should be less than the End Date. It is a mandatory field.
End Date	Select the End Date. The field type is calendar control type which should be greater than the Start Date. It is a mandatory field.
Sub Location	Select the sub location. It is an optional field. The field type is character.
Pack Type	Select the pack type. It includes a default value of loose pack. It is an optional field. The field type is character.

3.9 SITE VOLUME IN AND OUT REPORT

The Site Volume In and Out Report allows you to view the total current stock by Asset Type and the daily inbound and outbound movements at a particular location.

3.9.1 Prerequisites

To generate Site Volume In and Out Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Site Volume In and Out Report:

1. Click **Site Volume In Out Report** on the left pane. The **Site Volume In Out Report** launch page appears on the right side.





Figure 59: Site Volume In Out Report Page

2. Enter or select the desired selection criteria.
3. Click **Generate Report**. The **Site Volume IN & OUT Report** page appears.



Location	Sub-Location	Asset Type	Opening Balance	Assets IN	Assets OUT	Current Balance
Distribution Center		100L	25	0	0	25
Distribution Center		21L	17	0	0	17
Distribution Center		22L	10	0	0	10
Distribution Center		CONTAINC	5	0	0	5
Distribution Center		CRATEB	19	0	0	19
Distribution Center		Container	17	0	0	17
Distribution Center		DEMO-01	15	0	0	15
Distribution Center		DEMO-02	12	0	0	12
Distribution Center		DEMO-03	9	0	0	9
Distribution Center		DEMO-04	7	0	0	7
Distribution Center		Pallet1512	2	0	0	2
Distribution Center		PalletB	6	0	0	6
Distribution Center		Plastic Pallet	35	0	0	35

Figure 60: Site Volume In & Out Report

4. Click on the hyperlink under **Assets IN** or **Assets OUT** column. The **Activity Detail Report** page appears.

									
1 / 1									
MultiUserTest License									
									
Activity Detail Report									
City, State	From Location	To Location	From Sub-Location	To Sub-Location	Process Type	Transaction Type	Disposition	Asset Type	Date
No data found for selected criteria									

Figure 61: Activity Detail Report

3.9.2 Field References – Site Volume In and Out Report

Table 10: Site Volume In Out Field References

Field Name	Description
Trading Partner	Select the trading partner. It is a mandatory field. The field type is character.
Location	Select the location. It is a mandatory field. The field type is alphanumeric.
Asset Type	Select the type of the asset. It is an optional field. The field type is alphanumeric.

3.10 STOCK REPORT

The Stock Report allows you to view the total current stock by Asset Type at different locations. You can drill down into asset level information from the total current stock. Depending on the values provided while generating the report (Location, Sub-Location, and Asset Type) and corresponding security parameters, the report presents the current stock.

This report is provided with information at two levels:

- Standard Packs
- Unspecified Packs (that is, Loose Packs or Loose Assets).

3.10.1 Prerequisites

To generate Stock Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Stock Report:

1. Click the **Stock Report** tab on the left pane. The **Stock Report** launch page appears on the right side.




Figure 62: Stock Report Page

- Enter or select the desired selection criteria.
- Click **Generate Report**. The **Stock Summary Report** page appears.

 Stock Summary Report							
Trading Partner	Location	Sub Location	Pack/Asset Type	Disposition	Threshold	Below Threshold	Stock Count
CHEP AUSTRALIA LIMITED	Distribution Center		Plastic Pallet	Awaiting Inspect		No	1
CHEP AUSTRALIA LIMITED	Distribution Center		Plastic Pallet	Awaiting Repair		No	1
CHEP AUSTRALIA LIMITED	Distribution Center		Plastic Pallet	Ready		No	12
CHEP AUSTRALIA LIMITED	Distribution Center		22L	Awaiting Inspect		No	1
CHEP AUSTRALIA LIMITED	Distribution Center		Plastic Pallet	Awaiting Repair Major		No	2
CHEP AUSTRALIA LIMITED	Distribution Center		22L	Ready		No	4

Figure 63: Stock Summary Report

- Click on the hyperlink under **Stock Count** column. The **Stock Detail Report** page appears.

 Stock Detail Report							
Location	Sub-Location	Transaction Type	Asset Type	Disposition	Asset ID	Custom Attribute	Days Curr
Distribution Center		Receipt	Plastic Pallet	Awaiting Inspect	2999999997	-	

Figure 64: Stock Detail Report

3.10.2 Field References – Stock Report

Table 11: Stock Report Field References

Field Name	Description
Trading Partner	Select the trading partner. It is a mandatory field. The field type is character.
Asset Type	Select the type of the asset. It is an optional field. The field type is alphanumeric. Either Asset type or Pack Spec Name is mandatory.
Location	Select the location. You can select multiple locations. It is a mandatory field. The field type is alphanumeric.
Pack Spec Name	Select the pack specifications name. This is enabled only when user selects Pack Type as “Pack to Spec”. It is an optional field. Either Asset type or Pack Spec Name is mandatory.
Disposition	Select the disposition. You can select multiple values. The field type is character. It is an optional field.

3.11 UNAUTHORIZED LOCATIONS REPORT

The Unauthorized Locations Report allows you to view all movements of assets that are being shipped or returned from unauthorised locations. It also shows you the Carrier and Trading Partner information for those unauthorised movements.

The Asset Owner can configure rules to identify transactions received from unauthorised locations. Based on these rules, AMS mark transactions as unauthorised transactions that are received or returned from such locations. These unauthorised transactions can be viewed by the Asset Owner in the Unauthorized Locations Report by providing suitable input parameters.

3.11.1 Prerequisites

To generate Unauthorized Locations Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Unauthorized Locations Report:

1. Click the **Unauthorized Locations Report** tab on the left pane. The **Unauthorized Locations Report** launch page appears on the right side.

KPI Dashboard ▸ Subscriptions

- Activity Report
- Location of Assets Report
- Asset Dwell Time Report
- Unreported Assets Report
- Site Volume In Out Report
- Rediscovered Assets Report
- Stock Report
- Pack Build Report
- Shelf Life Report
- Order Detail Report
- Open Cycle Report
- Cycle Time Report
- Damage History Report
- Un-Authorized Location Report**
- THAN Report

Unauthorized Locations Report

Location *
 chepLOC0710
 CRELOC1010
 Loc0610sydney

Asset Type
 22L
 Plastic Pallet
 109L

Start Date *

End Date *

Emitter
 TPAOD2
 TPAC
 RetestTP

Save Search Criteria

Save Search Name *

Save Search

Saved Searches

Delete Saved Search

Click to reset the data entered.

Figure 65: Unauthorized Locations Report Page

- Enter or select the desired selection criteria.
- Click **Generate Report**. The **Un-Authorized Location Report** page appears.

MultiUserTest License

Un-Authorized Location Report

GRAI	Return Date	Return Order Reference	Return Location	Emitter Company	Emitter Location	Issue Date
9311331.98400.4200000093	Dec 21, 2010 12:15 PM	Rec211210121504704	Distribution Center	COLES1	COLES DC	Dec 21, 2010 11:34 AM
9311331.98400.4200000093	Dec 21, 2010 12:15 PM	Rec211210121504704	Distribution Center	COLES1	COLES DC	Dec 21, 2010 11:34 AM
9311331.98400.4200000093	Dec 21, 2010 12:17 PM	Rec211210121718838	Distribution Center	COLES1	COLES DC	Dec 21, 2010 11:34 AM
9311331.98400.4200000093	Dec 21, 2010 12:17 PM	Rec211210121718838	Distribution Center	COLES1	COLES DC	Dec 21, 2010 11:34 AM
9311331.98400.4200000094	Dec 21, 2010 12:15 PM	Rec211210121504704	Distribution Center	COLES1	COLES DC	Dec 21, 2010 11:34 AM
9311331.98400.4200000094	Dec 21, 2010 12:15 PM	Rec211210121504704	Distribution Center	COLES1	COLES DC	Dec 21, 2010 11:34 AM
9311331.98400.4200000094	Dec 21, 2010 12:17 PM	Rec211210121718838	Distribution Center	COLES1	COLES DC	Dec 21, 2010 11:34 AM
9311331.98400.4200000094	Dec 21, 2010 12:17 PM	Rec211210121718838	Distribution Center	COLES1	COLES DC	Dec 21, 2010 11:34 AM

Figure 66: Un-Authorized Location Report Page

3.11.2 Field References – Un-Authorized Location Report

Table 12: Unauthorized Locations Report Field References

Field Name	Description
Location	Select the location. You can select multiple locations. It is a mandatory field. The field type is alphanumeric.
Asset Type	Select the type of the asset. User can select one or more Asset Types. It is an optional field. The field type is alphanumeric
Start Date	Select the Start Date. The field type is calendar control type which should be less than the End Date. It is a mandatory field.
End Date	Select the End Date. The field type is calendar control type which should be greater than the Start Date. It is a mandatory field.
Emitter	Select the emitter from the drop-down list. You can select one or more TPs. It is an optional field. The field type is alphanumeric.

3.12 SHELF LIFE REPORT

The Shelf Life Report allows you to manage expiration dates at the asset level. By utilising the Expiry Date attribute associated with each asset's contents, you are able to produce a report, which shows products that are expiring based on the input parameters.


3.12.1 Prerequisites

To generate Shelf Life Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Shelf Life Report:

1. Click **Shelf Life Report** on the left pane. The **Shelf Life Report** launch page appears on the right side.



The screenshot displays the CHEP system interface. The top navigation bar includes 'Home', 'Administration', and 'Reports'. The 'Reports' section is active, showing a list of reports on the left sidebar. The 'Shelf Life Report' link is highlighted with a red box. A callout box points to this link with the text: 'Click to reset the data entered.'

The main content area shows the 'Shelf Life Report' form. It includes the following fields and controls:

- Trading Partner ***: A dropdown menu currently showing 'CHEP AUSTRALIA LIMITED'.
- Expires In (Days) ***: An empty text input field.
- Location ***: A dropdown menu showing a list of locations: 'Loc0610regtest', 'chepLOC0710', 'CRELOC1010', and 'Loc0610sydney'.
- Buttons**: 'Reset Fields' and 'Generate Report' buttons are located below the location dropdown.
- Save Search Criteria**: A section below the main form with a 'Save Search Name *' text input, a 'Save Search' button, a 'Saved Searches' dropdown menu (currently showing 'Please Select'), and a 'Delete Saved Search' button.

Figure 67: Shelf Life Report Page

2. Enter or select the desired selection criteria.
3. Click **Generate Report**. The **Shelf Life Report** page appears.

MultiUserTest License								
Shelf Life Report								
Trading Partner	Location	Sub Location	Asset Type	Asset ID	Expiry Date	Expires in (Days)	Product Reference	Contact
COLES1	COLES DC		22L	4200000005	2011-01-20	22	-	COLES
COLES1	COLES DC	Wash Area	22L	4200000005	2011-01-20	22	-	COLES

Figure 68: Shelf Life Report

3.12.2 Field References – Shelf Life Report

Table 13: Shelf Life Report Field References

Field Name	Description
Trading Partner	Select the trading partner. It is a mandatory field. The field type is alphanumeric
Expires (in days)	Enter the number of days in Expires. It is a mandatory field. The field type is numeric.
Location	Select the location. The field type is alphanumeric. It is a mandatory field.

3.13 TRANSFER HIRE ADVISE NOTICE

The Transfer Hire Advise Notice (THAN) Report allows you to confirm to the following transactions – Ship, Receive and Return provided this is configured for the MI customer/Trading partner. This configuration is not available at the region level. The THAN Report is then automatically generated and you are able to retrieve the generated reports using a search screen. You can then download and print the report if required.


3.13.1 Prerequisites

To generate Transfer Hire Advise Notice Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Transfer Hire Advise Notice Report:

1. Click **THAN Report** tab on the left pane. The **THAN Report** launch page appears on the right side.



Home Administration Reports Welcome MI Admin Administrator (CHEP MATERIAL INTELLIGENCE) [Manage Profile](#) Logout

KPI Dashboard Subscriptions

- > Open Cycle Report
- > Cycle Time Report
- > Damage History Report
- > Un-Authorized Location Report
- > Site Volume In Out Report
- > Rediscovered Assets Report
- > Order Detail Report
- > Pack Build Report
- > **THAN Report**
- > Activity Report
- > Stock Report
- > Unreported Asset Report

THAN Report

Start Date * 13/11/2010 Location * chepLOCONE0710

End Date * 13/12/2010 Order Number

Trading Partner Please Select

Reset Fields Generate Report


Save Search Criteria

Save Search Name * Save Search

Saved Searches Please Select Delete Saved Search

Figure 69: THAN Report Page

- Enter or select the desired selection criteria.
- Click **Generate Report**. The **THAN Retrieval Report** page appears.



Partner	Event Date	Location	Prosess Type	Order Number
LIA LIMITED	Dec 22, 2010 9:29 AM	Distribution Center	Receive	2255
LIA LIMITED	Dec 22, 2010 4:51 AM	Distribution Center	Ship	22128B1
LIA LIMITED	Dec 22, 2010 3:45 AM	Distribution Center	Ship	22128B2
LIA LIMITED	Dec 22, 2010 3:43 AM	Distribution Center	Ship	22128B1
LIA LIMITED	Dec 21, 2010 5:16 PM	Distribution Center	Ship	2112116
LIA LIMITED	Dec 21, 2010 5:02 PM	Distribution Center	Ship	1111
LIA LIMITED	Dec 21, 2010 4:52 PM	Distribution Center	Ship	2112112
LIA LIMITED	Dec 21, 2010 4:52 PM	Distribution Center	Ship	2112111
LIA LIMITED	Dec 21, 2010 4:51 PM	Distribution Center	Ship	123456789
LIA LIMITED	Dec 21, 2010 4:37 PM	Distribution Center	Ship	2112110
LIA LIMITED	Dec 21, 2010 3:54 PM	Distribution Center	Ship	2112105
LIA LIMITED	Dec 21, 2010 12:58 PM	Distribution Center	Ship	Shi21121012584
LIA LIMITED	Dec 21, 2010 12:17 PM	Distribution Center	Receive	Rec21121012171
LIA LIMITED	Dec 21, 2010 12:15 PM	Distribution Center	Receive	Rec21121012150

Figure 70: THAN Retrieval Report

- Click on the hyperlink under **Order Number** column. The **TRANSFER HIRE ADVICE NOTE INBOUND** document appears.

			TRANSFER HIRE ADVICE NOTE INBOUND		
From CHEP Global ID : 12333 COLES DC 3004 Telephone : Fax :		Reference : 2255 Other Reference : Extra Reference 1 : Extra Reference 2 : Extra Reference 3 :		DOCKET NUMBER Efficetive Date : Dec 22, 2010 9:29 AM Shipment Date : Dec 22, 2010 9:29 AM Capture Date : Dec 22, 2010 9:29 AM	
Transporter :			Vehicle Reg No :		
Shipped To CHEP Global ID : 67854 Distribution Center TALAVERA ROAD Sydney NSW 3002 Telephone : Fax :		NOTES :			
Line 1		Equipment 109L		Quantity Shipped	

Figure 71: Transfer Hire Advice Note Inbound

3.13.2 Field References – Transfer Hire Advise Notice (THAN) Report

Table 14: Transfer Hire Advise Notice Report Field References

Field Name	Description
Start Date	Select the Start Date. The field type is calendar control type which should be less than the End Date. It is a mandatory field.
End Date	Select the End Date. The field type is calendar control type which should be greater than the Start Date. It is a mandatory field.
Location	Select the location. It is a mandatory field. The field type is alphanumeric.
Order Number	Enter the order number. It is an optional field. The field type is alphanumeric.
Trading Partner	Select the trading partner. It is an optional field. The field type is alphanumeric.

3.14 REDISCOVERED ASSETS REPORT

The Rediscovered Assets Report allows you to list all the assets that have been read in the MI system which previously had disposition as "Lost". This report does not contain assets that have come back to life for the current day, since the identification of such assets will happen only as an end-of-day process. This report supports the "Back-to-Life" Alert, with details of specific Assets rediscovered. This is applicable only for Asset Owners.


3.14.1 Prerequisites

To generate Rediscovered Assets Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Rediscovered Assets Notice Report:

1. Click the **Rediscovered Assets Report** tab on the left pane. The **Rediscovered Assets Report** launch page appears on the right side.



Home Administration Reports Welcome MI Admin Administrator (CHEP MATERIAL INTELLIGENCE) [Manage Profile](#) [Logout](#)

KPI Dashboard + Subscriptions

- > Open Cycle Report
- > Cycle Time Report
- > Damage History Report
- > Un-Authorized Location Report
- > Site Volume In Out Report
- > Rediscovered Assets Report**
- > Order Detail Report
- > Pack Build Report
- > THAN Report
- > Activity Report
- > Stock Report
- > Unreported Asset Report

Rediscovered Assets Report

Trading Partner: Please Select Location:

Start Date: 06/11/2010

End Date: 06/12/2010 Asset Type:

Reset Fields Generate Report

Save Search Criteria


Save Search Name: Save Search

Saved Searches: Please Select Delete Saved Search

Click to reset the data entered

Figure 72: Rediscovered Assets Report Page

4. Enter or select the desired selection criteria.
5. Click **Generate Report**. The **Rediscovered Assets Report** page appears.



ACTUATE

MultiUserTest License

Rediscovered Assets Report

Location	Sub-Location	Transaction Type	Disposition	Asset Type	Asset ID	Back To Life Date
LIDCOMBE SVC	Wash Area	Ship	Ready	IT100L	1000000003	Nov 30, 2010 2:35 PM
LIDCOMBE SVC	Wash Area	Ship	Ready	IT100L	1000000003	Nov 30, 2010 2:35 PM
LIDCOMBE SVC	Wash Area	Ship	Ready	IT100L	1000000005	Nov 30, 2010 2:35 PM
LIDCOMBE SVC	Wash Area	Ship	Ready	IT100L	1000000005	Nov 30, 2010 2:35 PM
COLES DC		Inspect	Scrap	IT100L	1000000226	Dec 6, 2010 7:05 AM
COLES DC		Inspect	Scrap	IT100L	1000000226	Dec 6, 2010 7:05 AM
COLES DC		Inspect	Scrap	IT100L	1000000226	Dec 6, 2010 7:05 AM
COLES DC		Inspect	Scrap	IT100L	1000000226	Dec 6, 2010 7:05 AM
COLES DC		Pack Unbuild	In-Transit	IT100L	1000000226	Dec 6, 2010 7:05 AM
COLES DC		Inspect	Scrap	IT100L	1000000226	Dec 6, 2010 7:05 AM
COLES DC		Pack Unbuild	In-Transit	IT100L	1000000226	Dec 6, 2010 7:05 AM
COLES DC		Pack Unbuild	In-Transit	IT100L	1000000227	Dec 6, 2010 7:10 AM
COLES DC		Pack Unbuild	In-Transit	IT100L	1000000227	Dec 6, 2010 7:10 AM
COLES DC		Pack Unbuild	In-Transit	IT100L	1000000227	Dec 6, 2010 7:10 AM
COLES DC		Pack Unbuild	In-Transit	IT100L	1000000227	Dec 6, 2010 7:10 AM
COLES DC		Pack Unbuild	In-Transit	IT100L	1000000227	Dec 6, 2010 7:10 AM
COLES DC		Pack Unbuild	In-Transit	IT100L	1000000227	Dec 6, 2010 7:10 AM

Figure 73: Rediscovered Assets Report

3.14.2 Field References – Rediscovered Assets Report

Table 15: Rediscovered Assets Report Field References

Field Name	Description
Trading Partner	Select the trading partner. It is an optional field. The field type is alphanumeric.
Location	Select the location of asset. This is only enabled only if the Trading Partner is selected. It is an optional field.
Start Date	Select the Start Date. The field type is calendar control which should be less than the End Date. It is a mandatory field.
End Date	Select the End Date. The field type is calendar control which should be greater than the Start Date. It is a mandatory field.
Asset Type	Select the type of the asset. It is an optional field. The field type is alphanumeric.

3.15 ASSET DWELL TIME REPORT

The Asset Dwell Time Report allows you to display the assets that have not shown any activity in a location for a specific number of days which can be provided as input in the report. This report supports the Dwell time Alert, with details of specific Assets. This report provides details of the assets on top of which alerts were generated in the last one week. This report also has an option to include assets that had exceeded the dwell time threshold, but currently marked as lost.


3.15.1 Prerequisites

To generate Asset Dwell Time Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Asset Dwell Time Report:

1. Click **Asset Dwell Time Report** on the left pane. The **Asset Dwell Time Report** launch page appears on the right side.



The screenshot displays the 'Asset Dwell Time Report' interface. On the left, a navigation menu lists various reports, with 'Asset Dwell Time Report' selected. The main panel contains the following elements:

- Trading Partner:** A dropdown menu currently showing 'CHEP MATERIAL INTELLIGENCE'.
- Location:** A dropdown menu with options like 'IT-Service center3', 'chepLOCONE0710', 'COLES-DC2', and 'Loc0610regtest'.
- Asset Type:** A dropdown menu with options like 'copy of asset78L', 'asset78L', 'IT22L', and 'copy of 109L'.
- Dwell time in Days:** An empty input field.
- Include Assets marked as "Lost":** An unchecked checkbox.
- Buttons:** 'Reset Fields' and 'Generate Report' (highlighted with a red border).
- Save Search Criteria:** A section with a 'Save Search Name' input field, a 'Save Search' button, a 'Saved Searches' dropdown menu, and a 'Delete Saved Search' button.

Callout boxes provide additional guidance:

- 'Click to reset the data entered.' points to the 'Reset Fields' button.
- 'Click to include assets marked as lost' points to the 'Include Assets marked as "Lost"' checkbox.

Figure 74: Asset Dwell Time Report Page

2. Enter or select the desired selection criteria.
3. Click **Generate Report**. The **Asset Dwell Time Report** page appears.

Asset Dwell Time Report							
Asset Type	Asset ID	Last Read Date/Time	Location	Sub-Location	Transaction Type	Disposition	Dwell Time In Days
22L	1000090000	Dec 22, 2010 7:28 PM	COLES DC		Receipt	Awaiting Inspect	6
22L	4200000001	Dec 22, 2010 1:28 PM	COLES DC		Inspect	Awaiting Repair Major	6
22L	4200000004	Dec 22, 2010 1:25 PM	COLES DC		Inspect	Awaiting Repair Minor	6
22L	4200000007	Dec 22, 2010 12:42 PM	COLES DC		Inspect	Awaiting Repair Minor	6
22L	4200000012	Dec 22, 2010 12:02 PM	COLES DC		Inspect	Awaiting Repair Minor	6
22L	4200000000	Dec 21, 2010 9:46 PM	COLES DC		Inspect	Awaiting Repair Minor	7
22L	1000000101	Dec 21, 2010 6:56 PM	COLES DC		Inspect	Awaiting Repair	7
22L	4200000011	Dec 20, 2010 9:32 PM	COLES DC		Inspect	Awaiting Repair Minor	8
22L	4200000010	Dec 20, 2010 7:09 PM	COLES DC		Inspect	Awaiting Repair	8
22L	4200000009	Dec 20, 2010 6:53 PM	COLES DC		Inspect	Awaiting Repair	8
22L	4200000008	Dec 20, 2010 6:48 PM	COLES DC		Inspect	Awaiting Repair	8
22L	4200000005	Dec 20, 2010 6:11 PM	COLES DC	Wash Area	Receipt	Awaiting Inspect	8

Figure 75: Asset Dwell Time Report

3.15.2 Field References – Asset Dwell Time Report

Table 16: Asset Dwell Time Report Field References

Field Name	Description
Trading Partner	Select the trading partner. It is a mandatory field. The field type is alphanumeric.
Dwell time in Days	Enter the dwell time in days. It is a mandatory field. The field type is numeric.
Location	Select the location. You can select multiple locations. It is a mandatory field. The field type is alphanumeric.
Asset Type	Select the type of the asset. It is an optional field. The field type is alphanumeric.

3.16 UNREPORTED ASSETS REPORT

The Unreported Assets Report allows you to provide details of assets that have not been read in a specific number of days since they were last shipped out of a location. This report also has an option to include assets that were unreported, but currently marked as lost.

By using this report, the trading partner is able to view all assets that are shipped from any of his/her locations that are in transit (meaning, they have not reached their destination).

3.16.1 Prerequisites

To generate Unreported Assets Report, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- Navigated to the KPI dashboard sub-menu.

To generate Unreported Assets Report:

1. Click **Unreported Assets Report** on the left pane. The **Unreported Assets Report** launch page appears on the right side.




Figure 76: Unreported Assets Report Page

2. Enter or select the desired selection criteria.
3. Click **Generate Report**. The **Unreported Assets in Transit Report** page appears.




Figure 77: Unreported Assets in Transit Report

3.16.2 Field References – Unreported Assets Report

Table 17: Unreported Assets Report Field References

Field Name	Description
Trading Partner	Select the trading partner. It is a mandatory field. The field type is alphanumeric.
Unreported Days	Enter the unreported days. It is an optional field. The field type is numeric.
Location	Select the location. It is an optional field. The field type is alphanumeric.
Asset Type	Select the type of the asset. It is an optional field. The field type is alphanumeric.

4 CONFIGURING KPIS

This chapter explains how to configure the following KPIS:

- Average Cycle Time by Asset Type
- Damage Ratio
- Average Dwell Time
- Average Transit Time
- Percentage of On Time Deliveries
- Percentage of Discrepancies between Quantities.

4.1 COMMON KPI OPTIONS

This section explains the common actions that can be performed by you on all KPIS.

4.1.1 Drilling Down on KPIS

To drill down on KPIS you should have:

- Logged on to AMS
- Created a KPI
- Navigated to the KPI Dashboard.

The drill down option is only applicable for Damage Ratio and Cycle Time Ratio KPIS.

To drill down on Cycle Time Ratio KPI:

1. Click **Average Cycle Time** on the left pane. The **Average Cycle Time KPI** page appears.




Figure 78: Average Cycle Time KPI

- Click on the bars. The **Cycle Time Summary Report** page appears.

Cycle Time Summary Report				
From Region/Location	To Location	Asset Type	Avg Cycle Time	No of Cycles
No data found for the selected criteria				

Figure 79: Cycle Time Summary Report

To drill down on Damage Ratio KPI:

- Click **Damage Ratio** on the left pane. The **Damage Ratio KPI** page appears.




Figure 80: Damage Ratio KPI

- Click on the bars. The **Damage Detail Report** page appears.

Damage Detail Report									
Damage Date	Asset ID	Asset Type	Location	Damage Location	Damage Type	Repair Date	Repaired By	Repair Type	Document Number
No data found for the selected criteria									

Figure 81: Damage Detail Report

4.2 AVERAGE CYCLE TIME

Average Cycle Time by Asset Type KPI allows you to view the average time for an asset type to complete a cycle between two locations. Average Cycle time KPI will not take into account Assets with disposition as SCRAP.

4.2.1 Prerequisites

To view Average Cycle Time, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Report-KPI Configuration sub-menu.

To view Average Cycle Time:

1. Click **KPI Instance Creation** on the left pane. The **KPI Instance Creation** page appears.
2. Enter or select the relevant details.




Figure 82: KPI Instance Creation Page

3. Click >>. The **KPI Average Cycle Time** page appears.




Figure 83: KPI Average Cycle Time Page

4. Enter or select the relevant details.
5. Click **Create KPI**. The **Average Cycle Time KPI** is created successfully.




Figure 84: KPI Average Cycle Time

4.2.2 Field References – Average Cycle Time KPI

Table 18: Average Cycle Time KPI Field References

Field Name	Description
KPI	Select the KPI. It is a mandatory field. The field type is character.
Roles	Select the roles. It is a mandatory field. The field type is character.
Name	Enter the name. It is a mandatory field. The field type is character.

Field Name	Description
Start Date (dd/mm/yyyy)	Select the start date. It is a mandatory field. The field is calendar-control type.
End Date (dd/mm/yyyy)	Select the end date. It is a mandatory field. The field is calendar-control type.
From-To Location set	Select the from-to location set. It is a mandatory field. The field type is alphanumeric.
Frequency	Select the frequency. You can generate a KPI daily, weekly or monthly. It is a mandatory field. The field type is character.
Asset Type	Select the asset type. It is an optional field. The field type is character.
Threshold value	Enter the threshold value. It is an optional field. The field type is numeric.
Include Self-healing Transactions	Select or deselect include self-healing transactions. It is unselected by default.

4.3 DAMAGE RATIO

Damage Ratio KPI allows you to view the ratio between the number of assets inspected by asset type and the number of assets of this asset type that were considered damaged after the inspection.

4.3.1 Prerequisites

To view Damage Ratio, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Report-KPI Configuration sub-menu.

To view Damage Ratio:

1. Click **KPI Instance Creation** on the left pane. The **KPI Instance Creation** page appears.
2. Enter or select the relevant details.




Figure 85: KPI Instance Creation Page

3. Click >>. The **Damage Ratio** page appears.




Figure 86: Damage Ratio Page

4. Enter or select the relevant details.
5. Click **Create KPI**. The **Damage Ratio KPI** is created successfully.




Figure 87: Damage Ratio

4.3.2 Field References – Damage Ratio KPI

Table 19: Damage Ratio KPI Field References

Field Name	Description
KPI	Select the KPI. It is a mandatory field. The field type is character.
Roles	Select the roles. It is a mandatory field. The field type is character.
Name	Enter the name. It is a mandatory field. The field type is character.
Start Date (dd/mm/yyyy)	Select the start date. It is a mandatory field. The field is calendar-control type.
End Date (dd/mm/yyyy)	Select the end date. It is a mandatory field. The field is calendar-control type.
Location	Select the location. It is a mandatory field. The field type is alphanumeric.
Frequency	Select the frequency. You can generate a KPI daily, weekly or monthly. It is a mandatory field. The field type is character.
Damage Type	Select the damage type. It is an optional field. The field type is character.
Threshold value	Enter the threshold value. It is an optional field. The field type is numeric.

4.4 AVERAGE DWELL TIME

Average Dwell Time KPI allows you to view the average time an asset has been dwelling in a location(s) without moving.

4.4.1 Prerequisites

To view Average Dwell Time, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Report-KPI Configuration sub-menu.

To view Average Dwell Time:

1. Click **KPI Instance Creation** on the left pane. The **KPI Instance Creation** page appears.
2. Enter or select the relevant details.




Figure 88: KPI Instance Creation Page

3. Click >>. The **KPI Average Dwell Time** page appears.




Figure 89: KPI Average Dwell Time Page

4. Enter or select the relevant details
5. Click **Create KPI**. The **Average Dwell Time** KPI is created successfully.

The Asset Dwell Time KPI was created successfully

KPI Average Dwell Time

KPI Instance Creation
Reports Configuration
Report Settings
Location Set Configuration
Stock Threshold Report Configuration

Location* Asset Type
Frequency* Threshold value

Asset Type dropdown list:

- 22L
- Plastic Pallet
- 37L
- PalletB
- 100L
- 21L
- CRATEB
- CRATEB1
- Pallet1512
- Container
- CrateB2
- CrateB3
- fgjfg
- DEMO-01
- sdgdf
- DEMO-03
- DEMO-02
- DEMO-04
- TestAsset
- CONTAINC

Figure 90: KPI Average Dwell Time

4.4.2 Field References –Average Dwell Time KPI

Table 20: Average Dwell Time KPI Field References

Field Name	Description
KPI	Select the KPI. It is a mandatory field. The field type is character.
Roles	Select the roles. It is a mandatory field. The field type is character.
Name	Enter the name. It is a mandatory field. The field type is character.
Start Date (dd/mm/yyyy)	Select the start date. It is a mandatory field. The field is calendar-control type.
End Date (dd/mm/yyyy)	Select the end date. It is a mandatory field. The field is calendar-control type.
Location	Select the location. It is a mandatory field. The field type is alphanumeric.
Frequency	Select the frequency. You can generate a KPI daily, weekly or monthly. It is a mandatory field. The field type is character.
Asset Type	Select the asset type. It is an optional field. The field type is character.
Threshold value	Enter the threshold value. It is an optional field. The field type is numeric.

4.5 AVERAGE TRANSIT TIME

Average Transit Time KPI allows you to view the average time an asset takes to travel between two locations.


4.5.1 Prerequisites

To view Average Transit Time, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Report-KPI Configuration sub-menu.

To view Average Transit Time:

1. Click **KPI Instance Creation** on the left pane. The **KPI Instance Creation** page appears.
2. Enter or select the relevant details.



KPI Instance Creation

KPI*

Roles*

Name*

Start Date(dd/mm/yyyy)*

End Date(dd/mm/yyyy)*


>>

Click to reset the data entered.

Click to move to the next page.

Figure 91: KPI Instance Creation Page

3. Click >>. The **KPI Average Transit Time** page appears.



KPI Average Transit Time

Starting Location*

Ending Location

Frequency*

Asset Type

Carrier

Threshold value

Click to move to the previous page.

Click to reset the data

Click to Create KPI

Figure 92: KPI Average Transit Time Page

4. Enter or select the relevant details.
5. Click **Create KPI**. The **KPI Average Transit Time** is created successfully.

The Average Transit Time KPI was created successfully

KPI Average Transit Time

> KPI Instance Creation

> Reports Configuration

> Report Settings

> Location Set Configuration

> Stock Threshold Report Configuration

Starting Location*

Asset Type

Ending Location*

Carrier

Frequency*

Threshold value

<<

Asset Type dropdown list:

- 22L
- Plastic Pallet
- 37L
- PalletB
- 100L
- 21L
- CRATEB
- CRATEB1
- Pallet1512
- Container
- CrateB2
- CrateB3
- fgifg
- DEMO-01
- sdgdf
- DEMO-03
- DEMO-02
- DEMO-04
- TestAsset
- CONTAINC

Carrier dropdown list:

- aaa
- c1
- TestCarrier

Figure 93: KPI Average Transit Time

4.5.2 Field References –Average Transit Time KPI

Table 21: Average Transit Time KPI Field References

Field Name	Description
KPI	Select the KPI. It is a mandatory field. The field type is character.
Roles	Select the roles. It is a mandatory field. The field type is character.
Name	Enter the name. It is a mandatory field. The field type is character.
Start Date (dd/mm/yyyy)	Select the start date. It is a mandatory field. The field is calendar-control type.
End Date (dd/mm/yyyy)	Select the end date. It is a mandatory field. The field is calendar-control type.
Starting Location	Select the starting location. It is a mandatory field. The field type is alphanumeric.
Asset Type	Select the asset type. It is an optional field. The field type is character.
Ending Location	Select the ending location. It is a mandatory field. The field type is alphanumeric.
Carrier	Select the carrier. It is an optional field. The field type is character.
Frequency	Select the frequency. You can generate a KPI daily, weekly or monthly. It is a mandatory field. The field type is character.
Threshold value	Enter the threshold value. It is an optional field. The field type is numeric.

4.6 PERCENTAGE OF ON TIME DELIVERIES

Percentage of On Time Deliveries KPI allows you to view the percentage of deliveries between two locations that arrived within the expected delivery times (on time).


4.6.1 Prerequisites

To view Percentage on Time Deliveries, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Report-KPI Configuration sub-menu.

To view Percentage on Time Deliveries:

1. Click **KPI Instance Creation** on the left pane. The **KPI Instance Creation** page appears.
2. Enter or select the relevant details.



KPI Instance Creation

KPI*

Roles*

Name*

Start Date(dd/mm/yyyy)*

End Date(dd/mm/yyyy)*


>>

Click to reset the data entered.

Click to move to the next page.

Figure 94: KPI Instance Creation Page

3. Click >>. The **Percentage On-Time Deliveries** page appears.



Percentage On-Time Deliveries

Location*

Asset Type

Ending Location*

Expected Delivery Time in Hours*

Frequency*

<<

Click to reset the data entered.

Click to move to the previous page.

Figure 95: Percentage On-Time Deliveries Page

4. Enter or select the relevant details.
5. Click **Create KPI**. The **Percentage On-Time Deliveries KPI** is created successfully.

The Percentage On time Deliveries KPI was created successfully

Percentage On-Time Deliveries

KPI Instance Creation
Reports Configuration
Report Settings
Location Set Configuration
Stock Threshold Report Configuration

Location* COLESNONRF
Asset Type

22L
Plastic Pallet
37L
PalletB
100L
21L
CRATEB
CRATEB1
Pallet1512
Container
CrateB2
CrateB3
fgjfg
DEMO-01
sdgdf
DEMO-03
DEMO-02
DEMO-04
TestAsset
CONTAINC

Ending Location* COLES DC
Expected Delivery Time in Hours* 12
Frequency* Daily

Reset fields << Create KPI

Figure 96: Percentage On-Time Deliveries

4.6.2 Field References –Percentage On-Time Deliveries KPI

Table 22: Percentage On-Time Deliveries Field References

Field Name	Description
KPI	Select the KPI. It is a mandatory field. The field type is character.
Roles	Select the roles. It is a mandatory field. The field type is character.
Name	Enter the name. It is a mandatory field. The field type is character.
Start Date (dd/mm/yyyy)	Select the start date. It is a mandatory field. The field is calendar-control type.
End Date (dd/mm/yyyy)	Select the end date. It is a mandatory field. The field is calendar-control type.
Location	Select the location. It is a mandatory field. The field type is alphanumeric.
Asset Type	Select the asset type. It is an optional field. The field type is character.
Ending Location	Select the ending location. It is a mandatory field. The field type is alphanumeric.
Expected Delivery Time in Hours	Enter the expected delivery time in hours. It is a mandatory field. The field type is numeric.
Frequency	Select the frequency. You can generate a KPI daily, weekly or monthly. It is a mandatory field. The field type is character.

4.7 PERCENTAGE OF DISCREPANCIES BETWEEN QUANTITIES

Percentage of Discrepancies between Quantities allows you to view the percentage of deliveries between two locations that had discrepancies between the expected and actual quantities received (too many or too few).


4.7.1 Prerequisites

To view Percentage of Discrepancies between Quantities KPI, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Report-KPI Configuration sub-menu.

To view Percentage of Discrepancies between Quantities:

1. Click **KPI Instance Creation** on the left pane. The **KPI Instance Creation** page appears.
2. Enter or select the relevant details.



KPI Instance Creation

KPI*

Roles*

Name*


Start Date(dd/mm/yyyy)*

End Date(dd/mm/yyyy)*

>>

Figure 97: KPI Instance Creation Page

3. Click >>. The **Percentage of Discrepancies between Quantities** page appears.



Percentage of Discrepancies between Quantities

Starting Location*

Ending Location*

Frequency*

Asset Type

<<

Figure 98: Percentage of Discrepancies between Quantities Page

4. Enter or select the relevant details.
5. Click **Create KPI**. The **Percentage of Discrepancies between Quantities** KPI is created successfully.

Percentage of Discrepancies between Quantities KPI created successfully

Percentage of Discrepancies between Quantities

> KPI Instance Creation

> Reports Configuration

> Report Settings

> Location Set Configuration

> Stock Threshold Report Configuration

Starting Location*

Ending Location*

Frequency*

Asset Type

22L

Plastic Pallet

37L

PalletB

100L

21L

CRATEB

CRATEB1

Pallet1512

Container

CrateB2

CrateB3

fgjfg

DEMO-01

sdgdf

DEMO-03

DEMO-02

DEMO-04

TestAsset

CONTAINC

Figure 99: Percentage of Discrepancies between Quantities

4.7.2 Field References –Percentage of Discrepancies between Quantities KPI

Table 23: Percentage of Discrepancies between Quantities Field References

Field Name	Description
KPI	Select the KPI. It is a mandatory field. The field type is character.
Roles	Select the roles. It is a mandatory field. The field type is character.
Name	Enter the name. It is a mandatory field. The field type is character.
Start Date (dd/mm/yyyy)	Select the start date. It is a mandatory field. The field is calendar-control type.
End Date (dd/mm/yyyy)	Select the end date. It is a mandatory field. The field is calendar-control type.
Starting Location	Select the starting location. It is a mandatory field. The field type is character.
Asset Type	Select the asset type. It is an optional field. The field type is character.
Ending Location	Select the ending location. It is a mandatory field. The field type is alphanumeric.
Frequency	Select the frequency. You can generate a KPI daily, weekly or monthly. It is a mandatory field. The field type is character.

5 CONFIGURING AND SUBSCRIBING TO ALERTS

This chapter describes how to configure the following types of alerts and subsequently subscribe to them to be delivered over email:

- Stock Level Alert
- Asset Dwell Time Alert
- Shelf Life Alert
- Late Arrival Alert
- Missed Arrival Alert
- Quantity Overrides Alert
- ASN-POD Discrepancy Alert
- Un-reported Assets in Transit Alert
- Back to Life Alert
- Deactivated Location Events Alert
- Lost Assets Alert
- Damaged Assets Alert.

5.1 STOCK LEVEL ALERT

Stock Level Alert allows you to configure a pack spec type or asset type, in which the number of packs belonging to the specific pack spec type or assets belonging to an asset type will be checked against the threshold count and alert raised accordingly.

5.1.1 Prerequisites

To configure Stock Level Alert, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure Stock Level Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **Stock Level**.
3. Click **Create**. The **Select Alert Templates** page appears.

Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Pro

> Maintain Published Alerts


Select Alert Templates

Name	Description
☒ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☐ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☐ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☐ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %j. Kindly refer the Order Detail report for more details.
☐ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☐ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☐ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☐ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☐ Back-To-Life	In %1,%2 assets have been read at %3. The previous disposition for these assets was %4.
☐ Deactivated Location Events	There have been %1 events at the de-activated location %2. Kindly refer to Activity report for more details.
☐ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3. Kindly refer to Dwell time/Unreported assets report for more details.
☐ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4. Kindly refer to Activity report for more details.

Click to cancel the selection

Publish Alert Cancel

4. Select **Stock Level**.
5. Click **Publish Alert**. The **Publish Stock Level Alert** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.



Publish Stock Level Alert

Short description*

Trading Partner

Asset Type*

Default Standard Pack *

Roles *

Location*

Sub-Location*

Stock Level Lower Threshold*

Stock Level Upper Threshold*

Alert Generation Frequency (Hours)*

Alert Generation Start Date (dd/mm/yyyy)*

Time(HH:MM)*

Alert Expiry (Days)*

Activate Alert?*

Yes No

Save Cancel

Click to add roles.

Click to cancel the data entered.

Figure 101: Stock Level Alert

5.1.2 Field References – Stock Level Alert

Table 24: Stock Level Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. It is a mandatory field. The field type is character.
Trading Partner	Select the trading partner. It is a mandatory field. The field type is alphanumeric.
Asset Type	Select the type of the asset. It should be selected when default standard spec type is not selected. The field type is alphanumeric.
Default Standard Pack	Select the default standard pack. It should be selected when asset type is not selected. The field type is alphanumeric.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Location	Select the location. It is a mandatory field. The field type is alphanumeric.
Sub-Location	Select the sub-location. It is a mandatory field. The field type is alphanumeric.
Stock Level Lower Threshold	Enter the stock level lower threshold value. It is a mandatory field. The field type is numeric.
Stock Level Upper Threshold	Enter the stock level upper threshold value. It is a mandatory field. The field type is numeric.
Alert Generation Frequency (Hours)	Enter the alert generation frequency in hours. It is a mandatory field. The field type is numeric.
Alert Generation Start Date (dd/mm/yyyy)	Select the alert generation start date. It is a mandatory field. The field is calendar-control type.
Time (HH:MM)	Enter the alert generation start time. It is a mandatory field. The field is calendar-control type.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either yes or no. Default is yes.

5.2 ASSET DWELL TIME ALERT

Asset Dwell Time Alert allows you to provide an alert when asset with a specific disposition does not show any activity for x number of days in a location.


5.2.1 Prerequisites

To configure Asset Dwell Time Alert, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure Asset Dwell Time Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **Asset Dwell Time**.
3. Click **Create**. The **Select Alert Templates** page appears.



Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Pr

> Maintain Published Alerts

Select Alert Templates


Name	Description
☐ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☒ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☐ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☐ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %9. Kindly refer the Order Detail report for more details.
☐ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☐ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☐ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☐ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☐ Back-To-Life	In %1,%2 assets have been read at %3. The previous disposition for these assets was %4.
☐ Deactivated Location Events	There have been %1 events at the de-activated location %2. Kindly refer to Activity report for more details.
☐ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3. Kindly refer to Dwell time/Unreported assets report for more details.
☐ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4. Kindly refer to Activity report for more details.

Click to cancel the selection

Publish Alert **Cancel**

Figure 102: Select Alert Templates – Asset Dwell Time Page

4. Select **Asset Dwell Time**.
5. Click **Publish Alert**. The **Publish Asset Dwell Time Alert** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.



CHEP Material Intelligence

Home Administration Reports Welcome super user (CHEP AUSTRALIA LIMITED) [Manage Profile](#) Logout

[Manage Users](#) + [Manage Data Sharing](#) + [Manage Assets](#) + **Manage Alerts** + [Report-KPI Configuration](#) + [Manage Locations](#) + [Manage Products](#)

Maintain Published Alerts

Publish Asset Dwell Time Alert

Short description*

Trading Partner

Asset Type*

Asset Disposition*

Roles*

Location*

Sub-Location*

Dwell Time Threshold (Days)*

Alert Generation Frequency (Hours)*

Alert Generation Start Date (dd/mm/yyyy)* Time(HH:MM)*

Alert Expiry*

Activate Alert?* ☒ Yes ☐ No

Click to add roles.

Click to cancel the data entered.

Figure 103: Asset Dwell Time Alert

5.2.2 Field References – Asset Dwell Time Alert

Table 25: Asset Dwell Time Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. It is a mandatory field. The field type is character.
Trading Partner	Select the trading partner. The field type is alphanumeric.
Asset Type	Select the type of the asset. It is a mandatory field. The field type is alphanumeric.
Asset Disposition	Select the asset disposition. It is a mandatory field. The field type is character.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Location	Select the location. It is a mandatory field. The field type is alphanumeric.
Sub-Location	Select the sub-location. It is a mandatory field. The field type is alphanumeric.
Dwell Time Threshold (Days)	Enter the dwell time threshold in days. It is a mandatory field. The field type is numeric.
Alert Generation Frequency (Hours)	Enter the alert generation frequency in hours. It is a mandatory field. The field type is numeric.
Alert Generation Start Date (dd/mm/yyyy)	Select the alert generation start date. It is a mandatory field. The field is calendar-control type.
Time (HH:MM)	Enter the alert generation start time. It is a mandatory field. The field is calendar-control type.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either yes or no. Default is yes.

5.3 SHELF LIFE EXPIRATION ALERT

Shelf Life Expiration Alert allows you to issue an alert if product expiration date (held in the “Expiry” field of the content attribute type) is within the expiration date range.


5.3.1 Prerequisites

To configure Shelf Life Expiration Alert, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure Shelf Life Expiration Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **Shelf Life Expiration**.
3. Click **Create**. The **Select Alert Templates** page appears.



Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Products

> Maintain Published Alerts

Select Alert Templates


Name	Description
☐ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☐ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☒ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☐ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %j. Kindly refer the Order Detail report for more details.
☐ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☐ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☐ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☐ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☐ Back-To-Life	In %1,%2 assets have been read at %3. The previous disposition for these assets was %4.
☐ Deactivated Location Events	There have been %1 events at the de-activated location %2. Kindly refer to Activity report for more details.
☐ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3. Kindly refer to Dwell time/Unreported assets report for more details.
☐ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4. Kindly refer to Activity report for more details.

Click to cancel the selection

Publish Alert **Cancel**

Figure 104: Select Alert Templates – Shelf Life Expiration Page

4. Select **Shelf Life Expiration**.
5. Click **Publish Alert**. The **Publish Shelf Life Expiry Alert** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.



CHEP Material Intelligence

Home Administration Reports Welcome super user (CHEP AUSTRALIA LIMITED) [Manage Profile](#) Logout

[Manage Users](#) + [Manage Data Sharing](#) + [Manage Assets](#) + **Manage Alerts** + [Report-KPI Configuration](#) + [Manage Locations](#) + [Manage Pr](#)

> Maintain Published Alerts

Publish Shelf Life Expiry Alert

Short description*

Data Shared Alert* ☐ Yes ☒ No

Trading Partner

Asset Type*

Process*

Transaction Type*

Roles*

Days remaining until expiration (Days)*

Alert Expiry (Days)*

Activate Alert?* ☒ Yes ☐ No

Click to add roles.

Click to cancel the data entered.

Figure 105: Shelf Life Expiration Alert

5.3.2 Field References – Shelf Life Expiration Alert

Table 26: Shelf Life Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. The field is mandatory. The field type is character.
Data Shared Alert	Select either yes or no. Default is No.
Trading Partner	Select the trading partner. It is an optional field. The field type is alphanumeric. It can be selected only if the data shared alert chosen is yes.
Asset Type	Select the type of the asset. It is a mandatory field. The field type is alphanumeric.
Process	Select the process. It is a mandatory field. The field type is character.
Transaction Type	Select the transaction type. It is a mandatory field. The field type is character.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Days remaining till expiration (days)	Enter the days remaining till expiration. It is a mandatory field. The field type is numeric.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either yes or no. Default is yes.

5.4 LATE ARRIVAL ALERT

Late Arrival Alert allows you to define two points to validate the time of arrival.

5.4.1 Prerequisites

To configure Late Arrival Alert, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure Late Arrival Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **Late Arrival**.
3. Click **Create**. The **Select Alert Templates** page appears.

Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Products

Maintain Published Alerts

Select Alert Templates

Name	Description
☐ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☐ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☐ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☒ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %j. Kindly refer the Order Detail report for more details.
☐ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☐ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☐ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☐ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☐ Back-To-Life	In %1,%2 assets have been read at %3. The previous disposition for these assets was %4.
☐ Deactivated Location Events	There have been %1 events at the de-activated location %2. Kindly refer to Activity report for more details.
☐ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3. Kindly refer to Dwell time/Unreported assets report for more details.
☐ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4. Kindly refer to Activity report for more details.

Click to cancel the selection

Publish Alert **Cancel**

Figure 106: Select Alert Templates – Late Arrival Page

4. Select **Late Arrival**.
5. Click **Publish Alert**. The **Publish Late Arrival Alert** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.




Figure 107: Late Arrival Alert

5.4.2 Field References – Late Arrival Alert

Table 27: Late Arrival Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. The field is mandatory. The field type is character.
Data Shared Alert	Select either yes or no. default value is No.
Trading Partner	Select the trading partner. The field type is alphanumeric. It is an optional field. It can be selected only if the data shared alert chosen is yes.
Process	This field is always disabled with receive process.
Transaction Type	Select the transaction type. It is a mandatory field. The field type is character.
Asset Type	Select the type of the asset. It is a mandatory field. The field type is alphanumeric.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Origin Location	Select the origin location. It is a mandatory field. The field type is alphanumeric.
Destination Location	Select the destination location. It is a mandatory field. The field type is alphanumeric
Time past expected delivery date (in hours)	Enter the time past expected delivery date. It is a mandatory field. The field type is alphanumeric.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either yes or no. Default value is yes.

5.5 MISSED ARRIVAL ALERT

Missed Arrival Alert allows you to define threshold time (in days) for a product to move from point A to point B.

5.5.1 Prerequisites


To configure Missed Arrival Alert, you should have:

- Logged on to AMS

- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure Missed Arrival Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **Missed Arrival**.
3. Click **Create**. The **Select Alert Templates** page appears.



Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Pro

> Maintain Published Alerts

Select Alert Templates


Name	Description
☐ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☐ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☐ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☐ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %j. Kindly refer the Order Detail report for more details.
☒ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☐ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☐ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☐ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☐ Back-To-Life	In %1,%2 assets have been read at %3. The previous disposition for these assets was %4.
☐ Deactivated Location Events	There have been %1 events at the de-activated location %2. Kindly refer to Activity report for more details
☐ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3. Kindly refer to Dwell time/Unreported assets report for more details.
☐ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4. Kindly refer to Activity report for more details.

Click to cancel the selection

Publish Alert **Cancel**

Figure 108: Select Alert Templates – Missed Arrival Page

4. Select **Missed Arrival**.
5. Click **Publish Alert**. The **Publish Missed Arrival Alert** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.



CHEP Material Intelligence

Home Administration Reports Welcome super user (CHEP AUSTRALIA LIMITED) Manage Profile Logout

Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Proc

Maintain Published Alerts

Publish Missed Arrival Alert

Short description*

Data Shared Alert* ☐ Yes ☒ No

Trading Partner Please select

Process* Receive

Transaction Type* Receipt

Asset Type* 22L

Time past expected delivery date(in hours)*

Roles* Trading Partner Super User **Add**

Origin Location* Loc0610regtest

Destination Location* Loc0610regtest

Alert Generation Frequency (Hours)*

Alert Generation Start Date (dd/mm/yyyy)* Time(HH:MM)*

Alert Expiry (Days)*

Activate Alert?* ☒ Yes ☐ No

Save **Cancel**

Click to add roles.

Click to cancel the data entered.

Figure 109: Missed Arrival Alert

5.5.2 Field References – Missed Arrival Alert

Table 28: Missed Arrival Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. The field is mandatory. The field type is character.
Data Shared Alert	Select either yes or no. default value is No.
Trading Partner	Select the trading partner. It is an optional field. The field type is alphanumeric. It can be selected only if the data shared alert chosen is yes.
Process	Select the process. It is a mandatory field. The field type is character.
Transaction Type	Select the transaction type. It is a mandatory field. The field type is character.
Asset Type	Select the type of the asset. It is a mandatory field. The field type is alphanumeric.
Time past expected delivery date (in hours)	Enter the time past expected delivery date. It is a mandatory field. The field type is alphanumeric.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Origin Location	Select the origin location. It is a mandatory field. The field type is alphanumeric.
Destination Location	Select the destination location. It is a mandatory field. The field type is alphanumeric.
Alert Generation Frequency (Hours)	Enter the alert generation frequency in hours. It is a mandatory field. The field type is numeric.
Alert Generation Start Date (dd/mm/yyyy)	Select the alert generation start date. It is a mandatory field. The field is calendar-control type.
Time (HH:MM)	Enter the alert generation start time. It is a mandatory field. The field is calendar-control type.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either yes or no. Default value is yes.

5.6 QUANTITY OVERRIDE ALERT

Quantity Override Alert allows you to define an alert if there is a discrepancy between the expected quantity (in the reference document) and the actual quantity of the event.


5.6.1 Prerequisites

To configure Quantity Override Alert, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure Quantity Override Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **Quantity Override Alert**.
3. Click **Create**. The **Select Alert Templates** page appears.



Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Pro

Maintain Published Alerts

Select Alert Templates

Name	Description
☐ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☐ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☐ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☐ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %j. Kindly refer the Order Detail report for more details.
☐ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☒ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☐ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☐ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☐ Back-To-Life	In %1,%2 assets have been read at %3. The previous disposition for these assets was %4.
☐ Deactivated Location Events	There have been %1 events at the de-activated location %2. Kindly refer to Activity report for more details.
☐ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3. Kindly refer to Dwell time/Unreported assets report for more details.
☐ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4. Kindly refer to Activity report for more details.

Click to cancel the selection

Publish Alert **Cancel**

Figure 110: Select Alert Templates – Quantity Override Page

4. Select **Quantity Override**.
5. Click **Publish Alert**. The **Publish Quantity Overrides Alert** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.

Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Pr

> Maintain Published Alerts

Publish Quantity Override Alert

Short description*

Data Shared Alert* ☐ Yes ☒ No

Trading Partner

Process*

Transaction Type*

Roles*

Click to add roles.

Locations list

Loc0610regtest
chepLOC0710
CRELOC1010
Loc0610sydney

Selected Locations list*

--

Click to cancel the data entered.

Tolerance level(%)*

Alert Generation Frequency (Hours)*

Alert Generation Start Date (dd/mm/yyyy)*

Alert Expiry (Days)*

Activate Alert?* ☒ Yes ☐ No

Figure 111: Quantity Override Alert

5.6.2 Field References – Quantity Overrides Alert

Table 29: Quantity Overrides Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. It is a mandatory field. The field type is character.
Data Shared Alert	Select either yes or no. default value is No.
Trading Partner	Select the trading partner. It is an optional field. The field type is alphanumeric. It can be selected only if the data shared alert chosen is yes.
Process	Select the process. It is a mandatory field. The field type is character.
Transaction Type	Select the transaction type. It is a mandatory field. The field type is character.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Locations list	Select the location from the locations list. It is a mandatory field. The field type is alphanumeric.
Tolerance level (%)	Enter the tolerance level. It is a mandatory field. The field type is numeric.
Alert Generation Frequency (Hours)	Enter the alert generation frequency in hours. It is a mandatory field. The field type is numeric.
Alert Generation Start Date (dd/mm/yyyy)	Select the alert generation start date. It is a mandatory field. The field is calendar-control type.
Time (HH:MM)	Enter the alert generation start time. It is a mandatory field. The field is calendar-control type.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either yes or no. Default value is yes.

5.7 ASN-PODS DISCREPANCY ALERT

ASN-PODS Discrepancy Alert allows you to provide an alert when the quantity of product received does not match the quantity of product shipped.

5.7.1 Prerequisites

To configure ASN-PODS Discrepancy Alert, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure ASN-PODS Discrepancy Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **ASN_PODS Discrepancy Alert**.
3. Click **Create**. The **Select Alert Templates** page appears.

Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Products

Maintain Published Alerts

Select Alert Templates


Name	Description
☐ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☐ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☐ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☐ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %j. Kindly refer the Order Detail report for more details.
☐ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☐ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☒ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☐ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☐ Back-To-Life	In %1, %2 assets have been read at %3. The previous disposition for these assets was %4.
☐ Deactivated Location Events	There have been %1 events at the de-activated location %2. Kindly refer to Activity report for more details.
☐ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3. Kindly refer to Dwell time/Unreported assets report for more details.
☐ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4. Kindly refer to Activity report for more details.

Click to cancel the selection

Publish Alert **Cancel**

Figure 112: Select Alert Templates – ASN-POD Discrepancy Page

4. Select **ASN-PODS Discrepancy**.
5. Click **Publish Alert**. The **Publish ASN-POD Discrepancy Alert** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.



Publish ASN-POD Discrepancy Alert

Short description*

Data Shared Alert* ☐ Yes ☒ No

Trading Partner

Roles* **Add**

Locations list **>>** **<<**

Selected Locations list*

Alert Generation Frequency (Hours)*

Alert Generation Start Date (dd/mm/yyyy)* Time(HH:MM)*

Alert Expiry (Days)*

Activate Alert?* ☒ Yes ☐ No

Save **Cancel**

Figure 113: ASN-POD Discrepancy Alert

5.7.2 Field References – ASN-POD Discrepancies Alert

Table 30: ASN-POD Discrepancies Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. It is a mandatory field. The field type is character.
Data Shared Alert	Select either Yes or No. Default value is No.
Trading Partner	Select the trading partner. It is an optional field. The field type is alphanumeric.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Locations list	Select the location from the locations list. It is a mandatory field. The field type is alphanumeric.
Alert Generation Frequency (Hours)	Enter the alert generation frequency in hours. It is a mandatory field. The field type is numeric.
Alert Generation Start Date (dd/mm/yyyy)	Select the alert generation start date. It is a mandatory field. The field is calendar-control type.
Time (HH:MM)	Enter the alert generation start time. It is a mandatory field. The field is calendar-control type.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either yes or no. Default value is yes.

5.8 UNREPORTED ASSETS IN TRANSIT ALERT

Unreported Assets in Transit Alert allows you to provide an alert when an asset has not been read in a specified amount of time for assets which was last shipped out of a location.

5.8.1 Prerequisites

To configure Unreported Assets in Transit Alert, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure Unreported Assets Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **Unreported Asset**.
3. Click **Create**. The **Select Alert Templates** page appears.

Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Products

➤ Maintain Published Alerts

Select Alert Templates


Name	Description
☐ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☐ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☐ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☐ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %9. Kindly refer the Order Detail report for more details.
☐ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☐ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☐ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☒ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☐ Back-To-Life	In %1,%2 assets have been read at %3. The previous disposition for these assets was %4.
☐ Deactivated Location Events	There have been %1 events at the de-activated location %2. Kindly refer to Activity report for more details.
☐ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3. Kindly refer to Dwell time/Unreported assets report for more details.
☐ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4. Kindly refer to Activity report for more details.

Click to cancel the selection

Publish Alert **Cancel**

Figure 114: Select Alert Templates – Unreported Asset Page

4. Select **Unreported Asset**.
5. Click **Publish Alert**. The **Publish Unreported Assets Alert** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.



CHEP Material Intelligence

Home Administration Reports Welcome super user (CHEP AUSTRALIA LIMITED) Manage Profile Logout

Manage Users + Manage Data Sharing + Manage Assets + Manage Alerts + Report-KPI Configuration + Manage Locations + Manage Pro

Maintain Published Alerts

Publish Unreported Assets Alert

Short description*

Asset Type*

Disposition*

Attribute

Roles*

Alert Generation Start Date (dd/mm/yyyy)* Time(HH:MM)*

Alert Generation Frequency (Hours)*

Alert when Days-not-read exceeds*

Alert Expiry (Days)*

Activate Alert?* ☒ Yes ☐ No

Click to add roles.

Click to cancel the data entered.

Figure 115: Unreported Assets Alert

5.8.2 Field References – Unreported Assets in Transit Alert

Table 31: Unreported Assets in Transit Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. It is a mandatory field. The field type is character.
Asset Type	Select the type of the asset. It is a mandatory field. The field type is alphanumeric.
Disposition	Select the disposition. It is a mandatory field. The field type is character.
Attribute	Select the attribute. It is an optional field. The field type is character.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Alert Generation Frequency (Hours)	Enter the alert generation frequency in hours. It is a mandatory field. The field type is numeric.
Alert Generation Start Date (dd/mm/yyyy)	Select the alert generation start date. It is a mandatory field. The field is calendar-control type.
Time (HH:MM)	Enter the alert generation start time. It is a mandatory field. The field is calendar-control type.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either yes or no. Default value is yes.

5.9 BACK TO LIFE ALERT

Back to Life Alert allows you to provide alert when an asset that is of the specified disposition has been read after x number of days. Alert will also be generated when the above condition is true for an asset which has been marked as "Lost".

5.9.1 Prerequisites

To configure Back to Life Alert, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure Back to Life Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **Back-To-Life**.
3. Click **Create**. The **Select Alert Templates** page appears.

Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Pro

> Maintain Published Alerts

Select Alert Templates


Name	Description
☐ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☐ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☐ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☐ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %j. Kindly refer the Order Detail report for more details.
☐ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☐ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☐ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☐ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☒ Back-To-Life	In %1,%2 assets have been read at %3. The previous disposition for these assets was %4.
☐ Deactivated Location Events	There have been %1 events at the de-activated location %2.Kindly refer to Activity report for more details
☐ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3.Kindly refer to Dwell time/Unreported assets report for more details.
☐ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4.Kindly refer to Activity report for more details.

Click to cancel the selection

Publish Alert **Cancel**

Figure 116: Select Alert Templates – Back-To-Life Page

4. Select **Back-To-Life**.
5. Select **Publish Alert**. The **Publish Back-To-Life Alert** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.



Publish Back to Life Alert

Short description*

Roles* Trading Partner Super User Add

Asset disposition when previously read* Ready

Days since previous read*

Alert Expiry (Days)*

Activate Alert?* ☒ Yes ☐ No

Save Cancel

Click to add roles.

Click to cancel the data entered.

Figure 117: Back-To-Life Alert

5.9.2 Field References – Back to Life Alert

Table 32: Back to life Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. It is a mandatory field. The field type is character.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Asset disposition when previously read	Select the type of asset disposition when previously read. It is a mandatory field. The field type is character.
Days since previous read	Enter the days since previously read. It is a mandatory field. The field type is numeric.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either Yes or No. Default value is yes.

5.10 DEACTIVATED LOCATION EVENTS ALERT

Deactivated Location Events Alert allows you to provide an alert when assets have been read in a location that has been marked as deactivated. This is an end of day alert.

5.10.1 Prerequisites

To configure Deactivated Location Events Alert, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure Deactivated Location Events Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **Deactivated Location Events**.
3. Click **Create**. The **Select Alert Templates** page appears

Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Pro

> Maintain Published Alerts

Select Alert Templates

Name	Description
☐ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☐ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☐ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☐ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %j. Kindly refer the Order Detail report for more details.
☐ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☐ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☐ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☐ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☐ Back-To-Life	In %1, %2 assets have been read at %3. The previous disposition for these assets was %4.
☒ Deactivated Location Events	There have been %1 events at the de-activated location %2. Kindly refer to Activity report for more details.
☐ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3. Kindly refer to Dwell time/Unreported assets report for more details.
☐ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4. Kindly refer to Activity report for more details.

Click to cancel the selection

Publish Alert Cancel

Figure 118: Select Alert Templates – Deactivated Location Events Page

4. Select **Deactivated Location Event**.
5. Select **Publish Alert**. The **Publish Deactivated Location Event Alert** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.

Home Administration Reports Welcome super user (CHEP AUSTRALIA LIMITED) [Manage Profile](#) Logout

Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Pro

> Maintain Published Alerts

Publish Deactivated Location Events Alert

Short description*

Roles* **Add**

Click to add roles.

Alert Expiry (Days)*

Activate Alert?* ☒ Yes ☐ No

Save **Cancel**

Click to cancel the data entered.

Figure 119: Deactivated Location Events Alert

5.10.2 Field References – Deactivated Location Events Alert

Table 33: Deactivated Location Events Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. It is a mandatory field. The field type is character.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either yes or no. Default value is yes.

5.11 LOST ASSETS ALERT

Lost Assets Alert allows you to provide alert when assets have been marked as 'Lost'. Assets are marked as 'Lost' based on the number of days the assets have been inactive, which is configured in AMS.

5.11.1 Prerequisites

To configure Lost Assets Alert, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure Lost Assets Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **Lost Assets**.
3. Click **Create**. The **Select Alert Templates** page appears.

Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Pro

Maintain Published Alerts

Select Alert Templates

Name	Description
☐ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☐ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☐ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☐ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %j. Kindly refer the Order Detail report for more details.
☐ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☐ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☐ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☐ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☐ Back-To-Life	In %1,%2 assets have been read at %3. The previous disposition for these assets was %4.
☐ Deactivated Location Events	There have been %1 events at the de-activated location %2. Kindly refer to Activity report for more details.
☒ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3. Kindly refer to Dwell time/Unreported assets report for more details.
☐ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4. Kindly refer to Activity report for more details.

Click to cancel the selection

Publish Alert **Cancel**

Figure 120: Select Alert Templates – Lost Assets Page

4. Select **Lost Assets**.
5. Click **Publish Alert**. The **Publish Lost Asset Alert** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.

Home Administration Reports Welcome super user (CHEP AUSTRALIA LIMITED) [Manage Profile](#) Logout

Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Pro

Maintain Published Alerts

Publish Lost Asset Alert

Short description*

Roles* **Add**

Click to add roles.

Alert Expiry (Days)*

Activate Alert?* ☒ Yes ☐ No

Save **Cancel**

Click to cancel the data entered.

Figure 121: Lost Asset Alert

5.11.2 Field References – Lost Assets Alert

Table 34: Lost Assets Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. It is a mandatory field. The field type is character.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either yes or no. Default value is yes.

5.12 DAMAGED ASSETS ALERT

Damaged Assets Alert allows you to provide an alert when the disposition of asset is changed to 'Damaged' at a non-Asset Owner site. This will be an end of day alert.


5.12.1 Prerequisites

To configure Damaged Assets Alert, you should have:

- Logged on to AMS
- Navigated to the Administration menu
- Navigated to the Manage Alerts menu.

To configure Damaged Assets Alert:

1. Click **Maintain Published Alerts** in the **Manage Alerts** page. The **Maintain Published Alerts** page appears.
2. Select **Damaged Assets**.
3. Click **Create**. The **Select Alert Templates** page appears.



Manage Users + Manage Data Sharing + Manage Assets + **Manage Alerts** + Report-KPI Configuration + Manage Locations + Manage Products

> Maintain Published Alerts

Select Alert Templates

Name	Description
☐ Stock Level	In %1, the current stock balance of %2 for asset type %3 in location %4 and sublocation %5,%6.
☐ Asset Dwell Time	In %1, a total of %2 assets of %3 have remained in location %4 and sublocation %5 for more than the threshold days of %6.
☐ Shelf Life Expiration	In %1, the product in the asset %2 of %3 for the process %4 and transaction type %5 expires on %6.
☐ Late Arrival	In %a, %b assets of the asset type %c for the process %d and transaction type %e have arrived late. Assets under the order reference %f left %g and arrived at %h at %i. The expected date of arrival in the delivery document is %j. Kindly refer the Order Detail report for more details.
☐ Missed Arrival	In %1, %2 assets of the asset type %3 under order reference %4 for the process %5 and transaction type %6 have not arrived at %7 from %8. The expected time of arrival in the delivery document is %9.
☐ Quantity Override	In %1, the actual quantity of %2 assets of asset type %3 under order reference %4 is different from the expected quantity of %5 at location %6.
☐ ASN-POD Discrepancy	The quantity %1 assets of asset type %2 under order reference %3 received by the %4 at location %5 does not match the quantity %6 shipped by the %7.
☐ Unreported Asset	In %1, %2 assets of asset type %3 with the disposition %4 shipped from location %5 have not been read for the last %6 days. Refer to the Unreported assets report for details.
☐ Back-To-Life	In %1,%2 assets have been read at %3. The previous disposition for these assets was %4.
☐ Deactivated Location Events	There have been %1 events at the de-activated location %2. Kindly refer to Activity report for more details
☐ Lost Assets	%1 assets of Asset type %2 have been marked as Lost at location %3. Kindly refer to Dwell time/Unreported assets report for more details.
☒ Damaged Assets	%1 assets of Asset type %2 have been marked damaged by Trading Partner %3 at location %4. Kindly refer to Activity report for more details.

Click to cancel the selection

Figure 122: Select Alert Templates – Damaged Assets Page

4. Select **Damaged Asset**.
5. Click **Publish Alert**. The **Publish Damaged Asset** page appears.
6. Enter or select the relevant details.
7. Click **Save**. The alert is configured on the user's home page as a link.




Figure 123: Damaged Assets Alert

5.12.2 Field References – Damaged Assets Alert

Table 35: Damaged Assets Alert Field References

Field Name	Description
Short description	Enter a short description about the alert. It is a mandatory field. The field type is character.
Roles	Select the role. It is a mandatory field. The field type is alphanumeric.
Alert Expiry (Days)	Enter the alert expiration days. It is a mandatory field. The field type is numeric.
Activate Alert?	Select either yes or no. Default value is yes.

5.13 SUBSCRIBING TO EMAIL ALERTS

To subscribe to email alerts, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- An alert published previously.

To subscribe to an email alert:

1. Click the **Subscriptions** tab in the **Reports** menu.
2. Click the **Alert Subscription-Email** tab on the left pane. The **Manage Alert Subscription** page appears.
3. Select the Published Alert for which you want an email subscription.

KPI Dashboard + **Subscriptions**

KPI Subscription

Alert Subscription -Email

Manage Alert Subscription

Select Published Alert

	Name	Description
☒	Late Arrival	SampleLateArrivalAlert
☐	Quantity Override	sampleQuantity
☐	Quantity Override	QuantityTest
☐	Quantity Override	Quantity Alert Test
☐	ASN-POD Discrepancy	Sample ASN pOD Alert
☐	ASN-POD Discrepancy	test
☐	ASN-POD Discrepancy	ASN-POD-test
☐	Unreported Asset	Unreported Asset Alert Sample
☐	Unreported Asset	Unreportalerttest
☐	Unreported Asset	unreportedalerttest
☐	Deactivated Location Events	LOCDeactiveCHEP

E-Mail* **Subscribe**

Subscribed Alerts

Name	Description
------	-------------

Unsubscribe **Cancel**

Figure 124: Manage Alert Subscription Page

4. Check that your e-mail ID is automatically displayed in the **E-Mail** field.

Note: You need to enter your email address in the **E-Mail** field in the **Manage Profile** section on the **Home** page to display it here.

5. Click **Subscribe**. You have successfully subscribed to an e-mail alert.

KPI Dashboard + **Subscriptions**

> KPI Subscription

> **Alert Subscription -Email**

Manage Alert Subscription

Select Published Alert

	Name	Description
☒	Late Arrival	SampleLateArrivalAlert
☐	Quantity Override	sampleQuantity
☐	Quantity Override	QuantityTest
☐	Quantity Override	Quantity Alert Test
☐	ASN-POD Discrepancy	Sample ASN pOD Alert
☐	ASN-POD Discrepancy	test
☐	ASN-POD Discrepancy	ASN-POD-test
☐	Unreported Asset	Unreported Asset Alert Sample
☐	Unreported Asset	Unreportalerttest
☐	Unreported Asset	unreportedalerttest
☐	Deactivated Location Events	LOCDeactiveCHEP

E-Mail **Subscribe**

Subscribed Alerts

Name	Description
------	-------------

Unsubscribe **Cancel**

Click to cancel the present action.

Figure 125: Email Alert Subscription Page


5.14 UNSUBSCRIBING FROM EMAIL ALERTS

To unsubscribe from e-mail alerts, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- An alert subscribed previously.

To unsubscribe from an e-mail alert:

1. Click the **Subscriptions** tab in the Reports menu.
2. Click the **Alert Subscription-Email** tab on the left pane. The **Manage Alert Subscription** page appears.



KPI Dashboard + **Subscriptions**

> KPI Subscription

> **Alert Subscription-Email**

Manage Alert Subscription

Select Published Alert

	Name	Description
☒	Late Arrival	SampleLateArrivalAlert
☐	Quantity Override	sampleQuantity
☐	Quantity Override	QuantityTest
☐	Quantity Override	Quantity Alert Test
☐	ASN-POD Discrepancy	Sample ASN pOD Alert
☐	ASN-POD Discrepancy	test
☐	ASN-POD Discrepancy	ASN-POD-test
☐	Unreported Asset	Unreported Asset Alert Sample
☐	Unreported Asset	Unreportalerttest
☐	Unreported Asset	unreportedalerttest
☐	Deactivated Location Events	LOCDeactiveCHEP

E-Mail*

Subscribed Alerts

	Name	Description
--	------	-------------

Figure 126: Manage Alert Subscription Page

3. Select the published alert for which you want to unsubscribe email alerts.
4. Click **Unsubscribe**. You have successfully unsubscribed from email alerts.

KPI Dashboard + Subscriptions

> KPI Subscription

> Alert Subscription -Email

Manage Alert Subscription

Select Published Alert

	Name	Description
☒	Late Arrival	SampleLateArrivalAlert
☐	Quantity Override	sampleQuantity
☐	Quantity Override	QuantityTest
☐	Quantity Override	Quantity Alert Test
☐	ASN-POD Discrepancy	Sample ASN pOD Alert
☐	ASN-POD Discrepancy	test
☐	ASN-POD Discrepancy	ASN-POD-test
☐	Unreported Asset	Unreported Asset Alert Sample
☐	Unreported Asset	Unreportalerttest
☐	Unreported Asset	unreportedalerttest
☐	Deactivated Location Events	LOCDeactiveCHEP

E-Mail*

Subscribed Alerts

	Name	Description
☐	Unsubscribe	Cancel

Click to cancel the present action.

Figure 127: Email Alert Unsubscription Page


5.15 SUBSCRIBING TO KPI ALERTS

To subscribe to KPI alerts, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- A KPI created previously.

To subscribe to a KPI alert:

1. Click the **Subscriptions** tab in the Reports menu.
2. Click the **KPI Subscription** tab on the left pane. The **KPI Subscription** page appears.



Home Administration Reports

Welcome super user (CHEP AUSTRALIA LIMITED) Manage Profile Logout

KPI Dashboard + Subscriptions

KPI Subscription


Alert Subscription -Email

Subscribe	KPI	Name	Frequency	Display in Report Home Page
☒	Percentage of Discrepancies between quantities	SAM	Daily	☐

Subscribe Cancel

Figure 128: KPI Subscription Page

3. Select the checkbox under the **Subscribe** column.
4. Click **Subscribe**. The KPI is successfully subscribed to.



The KPI was subscribed to successfully

KPI Subscription

Alert Subscription -Email

Subscribe	KPI	Name	Frequency	Display in Report Home Page
☒	Percentage of Discrepancies between quantities	SAM	Daily	☐

Subscribe Cancel

Click to cancel the subscription

Figure 129: KPI Subscription Page

5.16 UNSUBSCRIBING FROM KPI ALERTS

To unsubscribe from KPI alerts, you should have:

- Logged on to AMS
- Navigated to the Reports menu
- A KPI subscribed previously.

To unsubscribe from a KPI alert:

1. Click the **Subscriptions** tab in the Reports menu.
2. Click the **KPI Subscription** tab on the left pane. The **KPI Subscription** page appears.

Home Administration **Reports** Welcome super user (CHEP AUSTRALIA LIMITED) [Manage Profile](#) [Logout](#)

KPI Dashboard + **Subscriptions**

KPI Subscription

Alert Subscription -Email

Subscribe	KPI	Name	Frequency	Display in Reports Home Page
☒	Percentage of Discrepancies between quantities	SAM	Daily	☐

[Subscribe](#) [Cancel](#)

Figure 130: KPI Subscription Page

3. Deselect the checkbox under **Subscribe** column.
4. Click **Subscribe**. You have successfully unsubscribed from KPI.

Home Administration **Reports** Welcome super user (CHEP AUSTRALIA LIMITED) [Manage Profile](#) [Logout](#)

KPI Dashboard + **Subscriptions**

KPI Subscription

Alert Subscription -Email

The KPI was unsubscribed successfully

KPI Subscription

Subscribe	KPI	Name	Frequency	Display in Reports Home Page
☐	Percentage of Discrepancies between quantities	SAM	Daily	☐

[Subscribe](#) [Cancel](#)

Click to cancel the action

Figure 131: KPI Unsubscription Page

6 APPENDIX A – ERROR MESSAGES

This appendix lists all the error messages in the application and how to resolve them.

Table 36: Error Messages

Sr No	Report/Alert/KPI Name	Error Message	Cause	Resolution
1	All reports except: Site Volume In Out Report, Shelf Life Report, Stock Report, Asset Dwell Time Report and Unreported Assets Report and all KPIs	Start date is mandatory.	Start date is not provided.	Provide the Start date.
2	All reports except: Site Volume In Out Report, Shelf Life Report, Stock Report, Asset Dwell Time Report and Unreported Assets Report and all KPIs	End date is mandatory.	End date is not provided.	Provide the End date.
3	All reports except: Locations of Asset Report, Rediscovered Assets Report, Order Detail Report, Open Cycle Report, Cycle Time Report, Damage History Report, Stock Level Alert	Location is mandatory.	Location is not provided.	Provide the location of the asset.
4	All reports except: Site Volume In Out Report, Shelf Life Report, Stock Report, Asset Dwell Time Report and Unreported Assets Report and all KPIs	Start date should be less than the end date.	The start date is higher than the end date.	Please check whether start date is less than the end date.
5	Asset Dwell Time Report	Dwell days is mandatory.	Number of Dwell days is not provided.	Provide the number of dwell days.
6	Asset Dwell Time Report, Asset Dwell Time Alert	Dwell days should be positive integer.	The number of dwell days entered is a negative integer.	Check whether number of dwell days entered is a positive integer.
7	Open Cycle Report, Cycle Time Report	From-To-Location Set is mandatory.	From-To-Location set is not provided.	Provide the From-To-Location set.
8	Site Volume In Out Report, Damage History Report, Unreported Assets Alert, stock Level Alert, Asset Dwell Time Alert, Shelf Life Expiration Alert, Late Arrival Alert, Missed Arrival Alert, Unreported Assets Alert	Asset type is mandatory.	Asset type is not provided.	Provide the asset type.

Sr No	Report/Alert/KPI Name	Error Message	Cause	Resolution
9	Locations of Asset Report, Damage History Report	Asset ID is mandatory.	Asset ID is not provided in case Asset Type is not selected in Location of Assets Report or a detailed radio button is selected.	Provide the asset ID.
10	Locations of Asset Report	Asset Type or Asset ID should be entered.	Asset type or Asset ID is not provided.	Provide the Asset Type or Asset ID.
11	Open Cycle Report	Time Slice is mandatory.	Time Slice is not provided.	Provide the Time Slice in number of days.
12	Open Cycle Report	Time Slice should be positive integer.	The time slice entered is a negative integer.	Check whether Time slice entered is a positive integer.
13	Order Detail Report	Please select at least one Trading Partner location.	No Trading Partner location is selected.	Select at least one Trading Partner location.
14	Order Detail Report	Document Number is mandatory.	Document Number is not provided.	Provide the document number.
15	All reports except Locations of Asset Report, Rediscovered Assets Report, Open Cycle Report, Cycle Time Report, Damage History Report, Un-authorized Location Report, THAN Report	Trading Partner is mandatory.	Trading Partner is not provided.	Provide the trading partner.
16	Shelf Life Report	Expiry Days is mandatory.	Number of expiry days is not provided.	Provide the number of expiry days.
17	Shelf Life Report	Expiry Days should be positive integer.	The number of expiry days entered is a negative integer.	Check whether the expiry days entered is a positive integer.
18	Shelf Life Report	Selected Trading Partner must share the expiry-date.	The selected Trading Partner is not sharing the expiry date.	Check whether the selected Trading Partner is sharing the expiry-date.
19	Stock Report	Asset type or Pack Spec Name is mandatory.	Asset type or Pack Spec Name is not provided.	Provide the Asset Type or Pack Spec Name.
20	Unreported Assets Report	Unreported Days is mandatory.	Number of unreported days is not provided.	Provide the unreported days.
21	Unreported Assets Report	Unreported Days should be positive integer.	Number of unreported days entered is a negative integer.	Check whether the unreported days entered is a positive integer.
22	All reports	Save Search name is mandatory.	Save Search name is not provided.	Provide the Save Search Name.

Sr No	Report/Alert/KPI Name	Error Message	Cause	Resolution
23	All reports	Please select Saved Searches.	Saved Searches is not selected.	Select Saved Searches.
24	Missed Arrival Alert, Late Arrival Alert	Selected Trading Partner has not shared Receive process.	The selected Trading Partner is not sharing the Receive process.	Check whether the selected Trading Partner shares the Receive process.

Note: Contact Support helpdesk if the steps in Table 36 do not help resolve the issue.