Data and Instructions Appendix

Yohei Nakajima
Untapped Capital, Bellevue, Washington, USA
Correspondence: yohei@untapped.vc
ORCID: https://orcid.org/0009-0009-1293-6053

1. Scope and immutable archive

The data are synthetic model decisions and procedural records from the historical study, not a new human sample. Readable instructions below retain all template fields; exact byte files are `evidence/registry.json` and `evidence/personas-v4.json`, copied from source commit 62ab90beff1d291b069c87f13b6b6b3495171ddd. No prompt was regenerated. The sealed arm and schedule files define numeric bindings, seed lanes, horizons, role/display mappings, and permitted replacements; their immutable URLs and hashes are in `evidence-manifest.json`.

The confirmatory boundary is 320 Phase 3/X1 LLM runs +20 deterministic baselines +2,864 Phase 4 +1,712 Phase 5 =4,916. Three completed legacy diagnostics are also replayed: 4,919 verifier runs, comprising 4,899 LLM runs +20 baselines. A run is an episode, not a call or a human subject. The full event store's 5,505 completed runs, 54,276 round events, 108,552 seat-round choices, and 36,251 request events have a broader boundary. The separate Phase 4–5 budget ledger records 30,530 calls, 13,141,675 input tokens, and 45,247 output tokens. Normal request/response events (30,421/30,397) exclude other accounting classes; twenty-four failed-run partials have no completed observation. See immutable count reconciliation, not an equation between differently scoped totals.

2. Data dictionary and file roles

`capsule/data/engine.db.xz` decompresses to the archived SQLite graph/event store; `budget.db.xz` is the transactional call/token ledger. Event `type` distinguishes requested, responded, parsed, round, completed, and invalidation records. `run_id` joins an episode; payloads identify arm, prompt, persona, model, temperature, seed, seat, round, attempt, raw completion, parser outcome, provenance hashes, and RNG draws where recorded. Points are game payoff units. Cooperation is a payoff-role choice, distinct from the displayed COOPERATE token when labels are swapped. Episode mean is {0,.5,1}; proportions are unit-scale. Provider-failure partials never become decoded actions. Definitions vary by historical phase and are not backfilled.

CSV and JSON analysis exports under `docs/analysis/submission/` carry condition/prompt labels, intervals, family audits, and prior sensitivity. Figures are author-generated from these outputs. Codebook/estimands: hierarchy and count reconciliation; complete evidence inventory: supplied manifest. No provider API endpoint is required to read the SQLite/JSON/CSV archive or replay it.

2.1 Provider metadata and collection windows

The archived request model is gpt-4.1; responses record gpt-4.1-2025-04-14. Phase4–5 routes identify the Replit AI integration on localhost:1106 for OpenAI/Gemini; this is a historical route, not a service to start now. Gemini requests and returns name gemini-2.5-flash without an immutable deployment revision. Phase3 lacks the later route/response-ID/request-body capture. Ordinary request event timestamps in this released

snapshot are empty; they cannot independently establish collection windows. Where captured, provider-created timestamps bound the following GPT response windows (UTC), not provider-signed attestations:

- phase4: 2026-07-24T20:26:44Z to 2026-07-28T04:07:33Z, 11624 response events.
- phase5: 2026-07-28T14:59:14Z to 2026-07-28T18:18:04Z, 8766 response events.

Gemini and legacy provider-created windows are not recorded in this field; seals/reports supply the separate documented chronology. This is not a fabricated complete event-time audit. The metadata summary joins request/response IDs **within run_id**, because IDs can repeat across runs. Totals reconcile36,251 ordinary requests and36,227 responses; the24 missing responses are Phase4 Gemini failed-run partials. Exact fields, counts, query and decompressed-data SHA are in `evidence/provider-provenance.json`; existing field-coverage CSV gives20390 provider-created timestamps versus30397 Phase4–5 responses.

2.2 Subject apparatus versus research assistance

GPT-4.1 and Gemini generated the archived observations; the failed Claude Haiku entry test belongs to apparatus evaluation. Claude and Explore Science manuscript reviews, Replit Agent implementation/analysis/writing, and the later Codex journal preparation are separate research-assistance roles. Supplement S2.1 and the source-owned tool-use reconstruction give recoverable dates, exact known identifiers and unknown versions. They are not additional subject observations or independent journal peer review. Untapped Capital supported computation/model usage; the author is its Founder and General Partner, has a financial interest through that role, and is an ActiveGraph developer. Explore Science, used for author-side manuscript review, is publicly listed in Untapped Capital's portfolio.

3. Reproduction instructions

Use an isolated non-iCloud clone at the immutable commit. Review the verifier before running it. The historical `capsule/verify.sh` uses a temporary loopback server and can resolve dependencies. The journal route `tools/replay_offline.py` instead invokes identical native audit logic, replacing only Phase 4 HTTP transport with the function behind that endpoint. It copies the capsule into a new external disposable directory, checks all 190 original manifest entries before and after, blocks socket connect/bind and provider construction, and uses only archived cache hits. It never sets the maintenance manifest-bypass variable. Audit reports are copied out before the original transactional report bytes are restored for the final manifest check. Do not point the tool at production state or an existing output directory.

Example using cached dependencies, with no credential environment inherited:

```
/usr/bin/env -i HOME="$HOME" PATH=/usr/bin:/bin:/opt/homebrew/bin \
  /absolute/path/to/uv run --offline --no-project \
  --with activegraph==1.10.0 --with numpy==2.4.6 --with scipy==1.17.1 \
  --with pydantic==2.14.2 python journal/jesa/tools/replay_offline.py \
  /absolute/new/disposable/output
```

Environment needs Python ≥3.11 and the listed packages; exact observed versions and platform are in the receipt. A cold machine needs dependency setup before offline replay; this preparation installed no new TeX

runtime. Output includes three audit JSON reports and receipt.json. A mismatch, missing cache response, blocked network call, or manifest drift is a failure. Replay establishes reconstruction from the archive, not provider attestation, power, human validity, or freedom from pre-seal alteration.

4. Panel construction and persona instructions

Generation: mulberry32 seed 20260728; subset seed 20260729. Full cross of two age bands and three binary traits. Cooperative leaning iff at least two cooperative-side traits. Name, age, occupation, and traits are one prompt bundle, not independently identified treatments. Self-play uses the same persona in both seats. Composition: preamble + two newline characters + sealed bare system text; user text is unchanged. Environment seeds specify episodes; provider generation is not asserted seeded. Primary revision pin in Phase 5 is gpt-4.1-2025-04-14; the Gemini pin is unversioned/descriptive. Phase 3 legacy capture is less complete than Phases 4–5.

p01

You are Arden, a 31-year-old bus driver. People who know you describe you as agreeable, patient, and risk-averse.

p02

You are Sasha, a 35-year-old nurse. People who know you describe you as agreeable, patient, and risk-seeking.

p03

You are Quinn, a 31-year-old electrician. People who know you describe you as agreeable, impulsive, and risk-averse.

p04

You are Marlow, a 31-year-old physiotherapist. People who know you describe you as agreeable, impulsive, and risk-seeking.

p05

You are Riley, a 35-year-old optician. People who know you describe you as competitive, patient, and risk-averse.

p06

You are Tatum, a 33-year-old pharmacist. People who know you describe you as competitive, patient, and risk-seeking.

p07

You are Devon, a 34-year-old dental hygienist. People who know you describe you as competitive, impulsive, and risk-averse.

p08

You are Avery, a 32-year-old librarian. People who know you describe you as competitive, impulsive, and risk-seeking.

p09

You are Rowan, a 64-year-old archivist. People who know you describe you as agreeable, patient, and risk-averse.

p10

You are Morgan, a 63-year-old surveyor. People who know you describe you as agreeable, patient, and risk-seeking.

p11

You are Jordan, a 61-year-old accountant. People who know you describe you as agreeable, impulsive, and risk-averse.

p12

You are Casey, a 65-year-old veterinary technician. People who know you describe you as agreeable, impulsive, and risk-seeking.

p13

You are Harper, a 61-year-old landscape gardener. People who know you describe you as competitive, patient, and risk-averse.

p14

You are Ellis, a 65-year-old bookkeeper. People who know you describe you as competitive, patient, and risk-seeking.

p15

You are Reese, a 63-year-old school teacher. People who know you describe you as competitive, impulsive, and risk-averse.

p16

You are Emerson, a 62-year-old carpenter. People who know you describe you as competitive, impulsive, and risk-seeking.

5. Complete registered template text

Curly-brace fields below are substitutions, not omitted instructions. The arm manifest supplies their values. Displayed labels and payoff roles must not be conflated. The registry parser strips whitespace and uppercases exact action labels; one corrective retry is allowed before invalidation. The archived retry suffixes and history formats are included.

pd-repeated-v1

options

["J", "F"]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant's choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, J or F, at the same time.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.

After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Your choice (J or F):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

pd-oneshot-v1

options

[“J”, “F”]

system

You are Player {seat} in a decision-making study. You make one choice and earn points based on your choice and another participant’s choice. Reply with exactly one letter and nothing else.

user

{framingLine}You and another participant each choose one letter, J or F, at the same time. This happens exactly once.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.

Your choice (J or F):

framings

{“community”: “This is called the Community Game.”, “wallstreet”: “This is called the Wall Street Game.”, “neutral”: ““}

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

rps-v1

options

[“ROCK”, “PAPER”, “SCISSORS”]

system

You are Player {seat} in a decision-making study. In each round you make one choice. Reply with exactly one word and nothing else.

user

You are playing rock-paper-scissors against another player for {numRounds} rounds.
Each round, you and the other player choose ROCK, PAPER, or SCISSORS at the same time.

ROCK beats SCISSORS, SCISSORS beats PAPER, PAPER beats ROCK. The same choice is a tie.
Scoring each round: win +1 point, tie 0 points, loss -1 point.

{history}

Round {round}. Your choice (ROCK, PAPER, or SCISSORS):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. {outcome}

outcomes

{“win”: “You won (+1).”, “tie”: “Tie (0).”, “lose”: “You lost (-1).”}

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one word: ROCK, PAPER, or SCISSORS.

pd-repeated-v2a

options

[“J”, “F”]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person’s pick. Answer with a single letter only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one letter at the same time: J or F.
The points work like this:
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.

{history}

Round {round}. Pick J or F:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

That was not a valid answer. Answer with a single letter: J or F.

pd-repeated-v2b

options

["J", "F"]

system

You are Player {seat} taking part in a study of choices. Every round involves one decision, and points depend on your decision together with a co-player's decision. Respond with one letter and nothing more.

user

Each round, you and a co-player simultaneously select J or F.
Outcomes per round:
J+J: {rr} points each.
J+F: the one who selected J gets {rs}, the one who selected F gets {rt}.
F+F: {rp} points each.
Once a round finishes, the session continues to a further round with probability {deltaPct} in 100.

{history}

Round {round}. Select J or F:

historyHeader

History:

historyLine

Round {n} — you: {you}, co-player: {them}. Points: {youPts} (you), {themPts} (co-player).

firstRound

This is round one; nothing has been played yet.

retrySuffix

Invalid response. Respond with one letter only: J or F.

pd-os-w1-neu-cf-ad

options

["J", "F"]

system

You are Player {seat} in a decision-making study. You make one choice and earn points based on your choice and another participant's choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, J or F, at the same time. This happens exactly once.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.

Your choice (J or F):

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

d1-oneshot

pd-rep-w1-neu-cf-ad

options

["J", "F"]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant's choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, J or F, at the same time.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Your choice (J or F):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

e-repeated-candidate

pd-os-w1-neu-cf-pm

options

[“J”, “F”]

system

You are Player {seat} in a decision-making study. You make one choice and earn points based on your choice and another participant’s choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, J or F, at the same time. This happens exactly once.
Points for each combination:
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.

Your choice (J or F):

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

d1-oneshot

pd-rep-w1-neu-cf-pm

options

["J", "F"]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant's choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, J or F, at the same time.
Points for each combination:
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.

After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Your choice (J or F):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

e-repeated-candidate

pd-os-w1-neu-df-ad

options

["J", "F"]

system

You are Player {seat} in a decision-making study. You make one choice and earn points based on your choice and another participant's choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, F or J, at the same time. This happens exactly once.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.

Your choice (F or J):

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: F or J.

phase

4-proposed

family

d1-oneshot

pd-rep-w1-neu-df-ad

options

["J", "F"]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant's choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, F or J, at the same time.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Your choice (F or J):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: F or J.

phase

4-proposed

family

e-repeated-candidate

pd-os-w1-neu-df-pm

options

["J", "F"]

system

You are Player {seat} in a decision-making study. You make one choice and earn points based on your choice and another participant's choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, F or J, at the same time. This happens exactly once.
Points for each combination:
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.

Your choice (F or J):

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: F or J.

phase

4-proposed

family

d1-oneshot

pd-rep-w1-neu-df-pm

options

["J", "F"]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant's choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, F or J, at the same time.
Points for each combination:
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Your choice (F or J):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: F or J.

phase

4-proposed

family

e-repeated-candidate

pd-os-w1-sem-cf-ad

options

["COOPERATE", "DEFECT"]

system

You are Player {seat} in a decision-making study. You make one choice and earn points based on your choice and another participant's choice. Reply with exactly one word and nothing else.

user

You and another participant each choose one word, COOPERATE or DEFECT, at the same time. This happens exactly once.
Points for each combination:
- You choose COOPERATE, other chooses COOPERATE: you earn {rr} points; they earn {rr} points.
- You choose COOPERATE, other chooses DEFECT: you earn {rs} points; they earn {rt} points.
- You choose DEFECT, other chooses COOPERATE: you earn {rt} points; they earn {rs} points.
- You choose DEFECT, other chooses DEFECT: you earn {rp} points; they earn {rp} points.

Your choice (COOPERATE or DEFECT):

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one word: COOPERATE or DEFECT.

phase

4-proposed

family

d1-oneshot

pd-rep-w1-sem-cf-ad

options

["COOPERATE", "DEFECT"]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant's choice. Reply with exactly one word and nothing else.

user

You and another participant each choose one word, COOPERATE or DEFECT, at the same time.
Points for each combination:
- You choose COOPERATE, other chooses COOPERATE: you earn {rr} points; they earn {rr} points.
- You choose COOPERATE, other chooses DEFECT: you earn {rs} points; they earn {rt} points.
- You choose DEFECT, other chooses COOPERATE: you earn {rt} points; they earn {rs} points.
- You choose DEFECT, other chooses DEFECT: you earn {rp} points; they earn {rp} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Your choice (COOPERATE or DEFECT):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one word: COOPERATE or DEFECT.

phase

4-proposed

family

e-repeated-candidate

pd-os-w1-sem-cf-pm

options

["COOPERATE", "DEFECT"]

system

You are Player {seat} in a decision-making study. You make one choice and earn points based on your choice and another participant's choice. Reply with exactly one word and nothing else.

user

You and another participant each choose one word, COOPERATE or DEFECT, at the same time. This happens exactly once.
Points for each combination:
- You choose DEFECT, other chooses DEFECT: you earn {rp} points; they earn {rp} points.
- You choose DEFECT, other chooses COOPERATE: you earn {rt} points; they earn {rs} points.
- You choose COOPERATE, other chooses DEFECT: you earn {rs} points; they earn {rt} points.
- You choose COOPERATE, other chooses COOPERATE: you earn {rr} points; they earn {rr} points.

Your choice (COOPERATE or DEFECT):

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one word: COOPERATE or DEFECT.

phase

4-proposed

family

d1-oneshot

pd-rep-w1-sem-cf-pm

options

[“COOPERATE”, “DEFECT”]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant’s choice. Reply with exactly one word and nothing else.

user

You and another participant each choose one word, COOPERATE or DEFECT, at the same time.
Points for each combination:
- You choose DEFECT, other chooses DEFECT: you earn {rp} points; they earn {rp} points.
- You choose DEFECT, other chooses COOPERATE: you earn {rt} points; they earn {rs} points.
- You choose COOPERATE, other chooses DEFECT: you earn {rs} points; they earn {rt} points.
- You choose COOPERATE, other chooses COOPERATE: you earn {rr} points; they earn {rr} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Your choice (COOPERATE or DEFECT):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one word: COOPERATE or DEFECT.

phase

4-proposed

family

e-repeated-candidate

pd-os-w1-sem-df-ad

options

[“COOPERATE”, “DEFECT”]

system

You are Player {seat} in a decision-making study. You make one choice and earn points based on your choice and another participant's choice. Reply with exactly one word and nothing else.

user

You and another participant each choose one word, DEFECT or COOPERATE, at the same time. This happens exactly once.
Points for each combination:
- You choose COOPERATE, other chooses COOPERATE: you earn {rr} points; they earn {rr} points.
- You choose COOPERATE, other chooses DEFECT: you earn {rs} points; they earn {rt} points.
- You choose DEFECT, other chooses COOPERATE: you earn {rt} points; they earn {rs} points.
- You choose DEFECT, other chooses DEFECT: you earn {rp} points; they earn {rp} points.

Your choice (DEFECT or COOPERATE):

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one word: DEFECT or COOPERATE.

phase

4-proposed

family

d1-oneshot

pd-rep-w1-sem-df-ad

options

["COOPERATE", "DEFECT"]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant's choice. Reply with exactly one word and nothing else.

user

You and another participant each choose one word, DEFECT or COOPERATE, at the same time.
Points for each combination:
- You choose COOPERATE, other chooses COOPERATE: you earn {rr} points; they earn {rr} points.
- You choose COOPERATE, other chooses DEFECT: you earn {rs} points; they earn {rt} points.
- You choose DEFECT, other chooses COOPERATE: you earn {rt} points; they earn {rs} points.
- You choose DEFECT, other chooses DEFECT: you earn {rp} points; they earn {rp} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Your choice (DEFECT or COOPERATE):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one word: DEFECT or COOPERATE.

phase

4-proposed

family

e-repeated-candidate

pd-os-w1-sem-df-pm

options

["COOPERATE", "DEFECT"]

system

You are Player {seat} in a decision-making study. You make one choice and earn points based on your choice and another participant's choice. Reply with exactly one word and nothing else.

user

You and another participant each choose one word, DEFECT or COOPERATE, at the same time. This happens exactly once.
Points for each combination:
- You choose DEFECT, other chooses DEFECT: you earn {rp} points; they earn {rp} points.
- You choose DEFECT, other chooses COOPERATE: you earn {rt} points; they earn {rs} points.
- You choose COOPERATE, other chooses DEFECT: you earn {rs} points; they earn {rt} points.
- You choose COOPERATE, other chooses COOPERATE: you earn {rr} points; they earn {rr} points.

Your choice (DEFECT or COOPERATE):

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one word: DEFECT or COOPERATE.

phase

4-proposed

family

d1-oneshot

pd-rep-w1-sem-df-pm

options

[“COOPERATE”, “DEFECT”]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant’s choice. Reply with exactly one word and nothing else.

user

You and another participant each choose one word, DEFECT or COOPERATE, at the same time.
Points for each combination:
- You choose DEFECT, other chooses DEFECT: you earn {rp} points; they earn {rp} points.
- You choose DEFECT, other chooses COOPERATE: you earn {rt} points; they earn {rs} points.
- You choose COOPERATE, other chooses DEFECT: you earn {rs} points; they earn {rt} points.
- You choose COOPERATE, other chooses COOPERATE: you earn {rr} points; they earn {rr} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Your choice (DEFECT or COOPERATE):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one word: DEFECT or COOPERATE.

phase

4-proposed

family

e-repeated-candidate

pd-os-w2a-neu-cf-ad

options

[“J”, “F”]

system

You are Player {seat} in a decision-making session. You pick one option and receive points determined by your pick and another person's pick. Answer with a single letter only.

user

You and another person each pick one letter at the same time: J or F. This happens one time only.
The points work like this:
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.

Your pick (J or F):

retrySuffix

That was not a valid answer. Answer with a single letter: J or F.

phase

4-proposed

family

d1-oneshot

pd-rep-w2a-neu-cf-ad

options

["J", "F"]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person's pick. Answer with a single letter only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one letter at the same time: J or F.
The points work like this:
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.

{history}

Round {round}. Pick J or F:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

That was not a valid answer. Answer with a single letter: J or F.

phase

4-proposed

family

e-repeated-candidate

pd-os-w2a-neu-cf-pm

options

[“J”, “F”]

system

You are Player {seat} in a decision-making session. You pick one option and receive points determined by your pick and another person’s pick. Answer with a single letter only.

user

You and another person each pick one letter at the same time: J or F. This happens one time only.
The points work like this:
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.

Your pick (J or F):

retrySuffix

That was not a valid answer. Answer with a single letter: J or F.

phase

4-proposed

family

d1-oneshot

pd-rep-w2a-neu-cf-pm

options

["J", "F"]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person's pick. Answer with a single letter only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one letter at the same time: J or F.
The points work like this:
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.

{history}

Round {round}. Pick J or F:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

That was not a valid answer. Answer with a single letter: J or F.

phase

4-proposed

family

e-repeated-candidate

pd-os-w2a-neu-df-ad

options

["J", "F"]

system

You are Player {seat} in a decision-making session. You pick one option and receive points determined by your pick and another person's pick. Answer with a single letter only.

user

You and another person each pick one letter at the same time: F or J. This happens one time only.
The points work like this:
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.

Your pick (F or J):

retrySuffix

That was not a valid answer. Answer with a single letter: F or J.

phase

4-proposed

family

d1-oneshot

pd-rep-w2a-neu-df-ad

options

["J", "F"]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person's pick. Answer with a single letter only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one letter at the same time: F or J.
The points work like this:
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.

{history}

Round {round}. Pick F or J:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

That was not a valid answer. Answer with a single letter: F or J.

phase

4-proposed

family

e-repeated-candidate

pd-os-w2a-neu-df-pm

options

[“J”, “F”]

system

You are Player {seat} in a decision-making session. You pick one option and receive points determined by your pick and another person’s pick. Answer with a single letter only.

user

You and another person each pick one letter at the same time: F or J. This happens one time only.
The points work like this:
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.

Your pick (F or J):

retrySuffix

That was not a valid answer. Answer with a single letter: F or J.

phase

4-proposed

family

d1-oneshot

pd-rep-w2a-neu-df-pm

options

[“J”, “F”]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person’s pick. Answer with a single letter only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one letter at the same time: F or J.
The points work like this:
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.

{history}

Round {round}. Pick F or J:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

That was not a valid answer. Answer with a single letter: F or J.

phase

4-proposed

family

e-repeated-candidate

pd-os-w2a-sem-cf-ad

options

[“COOPERATE”, “DEFECT”]

system

You are Player {seat} in a decision-making session. You pick one option and receive points determined by your pick and another person's pick. Answer with a single word only.

user

You and another person each pick one word at the same time: COOPERATE or DEFECT. This happens one time only.
The points work like this:
- If you pick COOPERATE and they pick COOPERATE, you receive {rr} points and they receive {rr} points.
- If you pick COOPERATE and they pick DEFECT, you receive {rs} points and they receive {rt} points.
- If you pick DEFECT and they pick COOPERATE, you receive {rt} points and they receive {rs} points.
- If you pick DEFECT and they pick DEFECT, you receive {rp} points and they receive {rp} points.

Your pick (COOPERATE or DEFECT):

retrySuffix

That was not a valid answer. Answer with a single word: COOPERATE or DEFECT.

phase

4-proposed

family

d1-oneshot

pd-rep-w2a-sem-cf-ad

options

["COOPERATE", "DEFECT"]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person's pick. Answer with a single word only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one word at the same time: COOPERATE or DEFECT.
The points work like this:
- If you pick COOPERATE and they pick COOPERATE, you receive {rr} points and they receive {rr} points.
- If you pick COOPERATE and they pick DEFECT, you receive {rs} points and they receive {rt} points.
- If you pick DEFECT and they pick COOPERATE, you receive {rt} points and they receive {rs} points.
- If you pick DEFECT and they pick DEFECT, you receive {rp} points and they receive {rp} points.

{history}

Round {round}. Pick COOPERATE or DEFECT:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

That was not a valid answer. Answer with a single word: COOPERATE or DEFECT.

phase

4-proposed

family

e-repeated-candidate

pd-os-w2a-sem-cf-pm

options

["COOPERATE", "DEFECT"]

system

You are Player {seat} in a decision-making session. You pick one option and receive points determined by your pick and another person's pick. Answer with a single word only.

user

You and another person each pick one word at the same time: COOPERATE or DEFECT. This happens one time only.
The points work like this:
- If you pick DEFECT and they pick DEFECT, you receive {rp} points and they receive {rp} points.
- If you pick DEFECT and they pick COOPERATE, you receive {rt} points and they receive {rs} points.
- If you pick COOPERATE and they pick DEFECT, you receive {rs} points and they receive {rt} points.
- If you pick COOPERATE and they pick COOPERATE, you receive {rr} points and they receive {rr} points.

Your pick (COOPERATE or DEFECT):

retrySuffix

That was not a valid answer. Answer with a single word: COOPERATE or DEFECT.

phase

4-proposed

family

d1-oneshot

pd-rep-w2a-sem-cf-pm

options

[“COOPERATE”, “DEFECT”]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person’s pick. Answer with a single word only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one word at the same time: COOPERATE or DEFECT.
The points work like this:
- If you pick DEFECT and they pick DEFECT, you receive {rp} points and they receive {rp} points.
- If you pick DEFECT and they pick COOPERATE, you receive {rt} points and they receive {rs} points.
- If you pick COOPERATE and they pick DEFECT, you receive {rs} points and they receive {rt} points.
- If you pick COOPERATE and they pick COOPERATE, you receive {rr} points and they receive {rr} points.

{history}

Round {round}. Pick COOPERATE or DEFECT:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

That was not a valid answer. Answer with a single word: COOPERATE or DEFECT.

phase

4-proposed

family

e-repeated-candidate

pd-os-w2a-sem-df-ad

options

[“COOPERATE”, “DEFECT”]

system

You are Player {seat} in a decision-making session. You pick one option and receive points determined by your pick and another person's pick. Answer with a single word only.

user

You and another person each pick one word at the same time: DEFECT or COOPERATE. This happens one time only.
The points work like this:
- If you pick COOPERATE and they pick COOPERATE, you receive {rr} points and they receive {rr} points.
- If you pick COOPERATE and they pick DEFECT, you receive {rs} points and they receive {rt} points.
- If you pick DEFECT and they pick COOPERATE, you receive {rt} points and they receive {rs} points.
- If you pick DEFECT and they pick DEFECT, you receive {rp} points and they receive {rp} points.

Your pick (DEFECT or COOPERATE):

retrySuffix

That was not a valid answer. Answer with a single word: DEFECT or COOPERATE.

phase

4-proposed

family

d1-oneshot

pd-rep-w2a-sem-df-ad

options

["COOPERATE", "DEFECT"]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person's pick. Answer with a single word only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one word at the same time: DEFECT or COOPERATE.
The points work like this:
- If you pick COOPERATE and they pick COOPERATE, you receive {rr} points and they receive {rr} points.
- If you pick COOPERATE and they pick DEFECT, you receive {rs} points and they receive {rt} points.
- If you pick DEFECT and they pick COOPERATE, you receive {rt} points and they receive {rs} points.
- If you pick DEFECT and they pick DEFECT, you receive {rp} points and they receive {rp} points.

{history}

Round {round}. Pick DEFECT or COOPERATE:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

That was not a valid answer. Answer with a single word: DEFECT or COOPERATE.

phase

4-proposed

family

e-repeated-candidate

pd-os-w2a-sem-df-pm

options

["COOPERATE", "DEFECT"]

system

You are Player {seat} in a decision-making session. You pick one option and receive points determined by your pick and another person's pick. Answer with a single word only.

user

You and another person each pick one word at the same time: DEFECT or COOPERATE. This happens one time only.
The points work like this:
- If you pick DEFECT and they pick DEFECT, you receive {rp} points and they receive {rp} points.
- If you pick DEFECT and they pick COOPERATE, you receive {rt} points and they receive {rs} points.
- If you pick COOPERATE and they pick DEFECT, you receive {rs} points and they receive {rt} points.
- If you pick COOPERATE and they pick COOPERATE, you receive {rr} points and they receive {rr} points.

Your pick (DEFECT or COOPERATE):

retrySuffix

That was not a valid answer. Answer with a single word: DEFECT or COOPERATE.

phase

4-proposed

family

d1-oneshot

pd-rep-w2a-sem-df-pm

options

[“COOPERATE”, “DEFECT”]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person’s pick. Answer with a single word only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one word at the same time: DEFECT or COOPERATE.
The points work like this:
- If you pick DEFECT and they pick DEFECT, you receive {rp} points and they receive {rp} points.
- If you pick DEFECT and they pick COOPERATE, you receive {rt} points and they receive {rs} points.
- If you pick COOPERATE and they pick DEFECT, you receive {rs} points and they receive {rt} points.
- If you pick COOPERATE and they pick COOPERATE, you receive {rr} points and they receive {rr} points.

{history}

Round {round}. Pick DEFECT or COOPERATE:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

That was not a valid answer. Answer with a single word: DEFECT or COOPERATE.

phase

4-proposed

family

e-repeated-candidate

pd-rep-community-w1

options

[“J”, “F”]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant's choice. Reply with exactly one letter and nothing else.

user

This is called the Community Game. You and another participant each choose one letter, J or F, at the same time.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Your choice (J or F):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

e-community

pd-x2-f1

options

["J", "F"]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person's pick. Answer with a single letter only.

user

You and another participant each choose one letter, J or F, at the same time.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Your choice (J or F):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

x2-forward

spansApplied

[1]

pd-x2-r1

options

[“J”, “F”]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant’s choice. Reply with exactly one letter and nothing else.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one letter at the same time: J or F.
The points work like this:

- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.

{history}

Round {round}. Pick J or F:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

x2-reverse

spansReverted

[1]

pd-x2-f2

options

["J", "F"]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person's pick. Answer with a single letter only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another participant each choose one letter, J or F, at the same time.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.

- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.

{history}

Round {round}. Your choice (J or F):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

x2-forward

spansApplied

[1, 2]

pd-x2-r2

options

[“J”, “F”]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant’s choice. Reply with exactly one letter and nothing else.

user

You and another person each pick one letter at the same time: J or F.
The points work like this:
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Pick J or F:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

x2-reverse

spansReverted

[1, 2]

pd-x2-f3

options

[“J”, “F”]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person’s pick. Answer with a single letter only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one letter at the same time: J or F.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.

{history}

Round {round}. Your choice (J or F):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

x2-forward

spansApplied

[1, 2, 3]

pd-x2-r3

options

[“J”, “F”]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant’s choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, J or F, at the same time.
The points work like this:
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Pick J or F:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

x2-reverse

spansReverted

[1, 2, 3]

pd-x2-f4

options

[“J”, “F”]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person’s pick. Answer with a single letter only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one letter at the same time: J or F.
The points work like this:
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.

{history}

Round {round}. Your choice (J or F):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

x2-forward

spansApplied

[1, 2, 3, 4]

pd-x2-r4

options

[“J”, “F”]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant’s choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, J or F, at the same time.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Pick J or F:

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

x2-reverse

spansReverted

[1, 2, 3, 4]

pd-x2-f5

options

[“J”, “F”]

system

You are Player {seat} in a decision-making session. Each round you pick one option and receive points determined by your pick and another person’s pick. Answer with a single letter only.

user

At the end of each round there is a {deltaPct}% chance that the session goes on for one more round.
You and another person each pick one letter at the same time: J or F.
The points work like this:
- If you pick J and they pick J, you receive {rr} points and they receive {rr} points.
- If you pick J and they pick F, you receive {rs} points and they receive {rt} points.
- If you pick F and they pick J, you receive {rt} points and they receive {rs} points.
- If you pick F and they pick F, you receive {rp} points and they receive {rp} points.

{history}

Round {round}. Your choice (J or F):

historyHeader

Rounds so far:

historyLine

Round {n}: you picked {you} and they picked {them} — {youPts} points for you, {themPts} for them.

firstRound

No rounds have happened yet.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

x2-forward

spansApplied

[1, 2, 3, 4, 5]

pd-x2-r5

options

[“J”, “F”]

system

You are Player {seat} in a decision-making study. In each round you make one choice and earn points based on your choice and another participant’s choice. Reply with exactly one letter and nothing else.

user

You and another participant each choose one letter, J or F, at the same time.
Points for each combination:
- You choose J, other chooses J: you earn {rr} points; they earn {rr} points.
- You choose J, other chooses F: you earn {rs} points; they earn {rt} points.
- You choose F, other chooses J: you earn {rt} points; they earn {rs} points.
- You choose F, other chooses F: you earn {rp} points; they earn {rp} points.
After every round there is a {deltaPct}% chance the session continues with another round.

{history}

Round {round}. Pick J or F:

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. You earned {youPts} points; they earned {themPts} points.

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: J or F.

phase

4-proposed

family

x2-reverse

spansReverted

[1, 2, 3, 4, 5]

rps-sym-v1

options

[“X”, “Y”, “Z”]

system

You are Player {seat} in a decision-making study. In each round you make one choice. Reply with exactly one letter and nothing else.

user

You are playing a symbol game against another player for {numRounds} rounds.
Each round, you and the other player choose {optList} at the same time.
{beatsLine} The same choice is a tie.
Scoring each round: win +1 point, tie 0 points, loss -1 point.

{history}

Round {round}. Your choice ({optList}):

historyHeader

Previous rounds:

historyLine

Round {n}: you chose {you}, the other chose {them}. {outcome}

outcomes

{“win”: “You won (+1).”, “tie”: “Tie (0).”, “lose”: “You lost (-1).”}

firstRound

This is the first round.

retrySuffix

Your previous reply was not a valid choice. Reply with exactly one letter: {optList}.

phase

4-proposed

family

d3-rps-symbols

6. Immutable file index

- docs/phase3-preregistration.md
- docs/phase3-report.md
- docs/phase4/seal-record.md
- docs/phase4/budget-amendments.md
- docs/phase4/execution-schedule-amendments.json
- docs/phase4/provenance-notes.md
- docs/phase5/seal-record.md
- docs/phase5/amendment-1-caps.md
- docs/paper/scope-seal-status.md
- docs/reviews/README.md
- docs/reviews/round-2-methods-review.md
- docs/analysis/dead-predictions-final.md
- capsule/README.md
- capsule/SHA256SUMS.capsule
- docs/analysis/hierarchy.md
- docs/analysis/submission/figure-sources/count-reconciliation-by-block.csv
- docs/analysis/submission/submission-analysis-summary.json
- docs/analysis/submission/round5/figure-sources/provenance-field-coverage.csv
- docs/phase5/arms.json
- docs/phase5/execution-schedule.json
- docs/phase4/arms.json
- artifacts/api-server/prompts/registry.json