https://yoitsjowjow.github.io/accessibility/ - Section 508

Scan completed: 10/2/2017 2:54:19 PM All issues Group Section 508 Section 508 guidelines for web applications as described at the US Access Board web site. 。 ×1194.22(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content). Za.1 All IMG elements are required to contain either the ALT or LONGDESC attribute The ALT or LONGDESC attribute is used by user agents to supply information about an image when images cannot be MG element contains no ALT attribute. nttps://yoitsjowjow.gitnub.io/accessibility/
 Line 2517, column 691, img element, SRC = "./blogTO _ Toronto blog_files/todo-not-animating-24.svg"
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 Line 4, column 550, img element, SRC = "./it"
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 Line 3, column 10981, img element, SRC = "./!"
 https://woitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 Line 10, column 10, img element, SRC = "./b=33455927"
 Line 12, column 1, img element, SRC = "./b=33455927" ■ Non-decorative IMG element contains empty ALT attribute https://yoitsjowjow.github.io/accessibility/ Line 415, column 52, img element, SRC = "./blogTO%20_%20Toronto%20blog_files/20170830-futurebistro-08.jpg" Line 41, Column 12, img element, 3RC = ",https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 Line 80, column 9, img element, SRC = "...0ieG1wLmRpZDpFMTZCRDY3RUIzRjAxMU"
 Line 84, column 9, img element, SRC = "...0ieG1wLmRpZDpEQUM1QkUxRkI0MUMxMU"
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 Line 3, column 9991, img element, SRC = "./12250429195779526788" ■ ✓All IMG elements have valid ALT attributes. https://voitsiowiow.github.io/accessibility/ Page does not have IMG elements. https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... = a.2 All APPLET elements are required to contain both element content and the ALT ... APPLET elements provide functionality that is not available to all users. Either the element content or the ALT attribute are used to describe the purpose of the applet, depending on the user agent. No APPLET elements found. https://yoitsjowjow.github.io/accessibility/
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... ■ ■a.3 When EMBED elements are used, the NOEMBED element or ARIA attributes are requ... EMBED elements present functionality not available to all users. The NOEMBED element can be used to provide a deion. ARIA attributes can be use as an alternative of NOEMBED element for providing deion. Page does not have EMBED elements. https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... = a.4 All OBJECT elements are required to contain element content. OBJECT elements typically use technologies that are not available to all users. The element content is used to describe the purpose of the object/applet. Page does not have OBJECT elements. ge does not have OBJECT elements.

https://yoitsjowjow.github.io/accessibility/
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... = a.5 All SVG elements require a 'Title' or 'Desc' element, or an 'Aria' attribute ... SVG elements requires title or desc child elements or ARIA attributes which describe purpose of element. ■ Page doesn't have SVG elements https://yoitsjowjow.github.io/accessibility/ https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files. All issues Group https://yoitsjowjow.github.io/accessibility/blog1U%2U_%2U1oronto%2Ublog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... ■ ■a.6 All IFRAME elements that contain non-text content should use a 'Title' elemen.. Page does not have IFRAME elements which contains non-text content. atte dues not nave iroame elements which contains non-text content.

https://yoitsjowjow.github.io/accessibility/
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

```
    nttps://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20Dlog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

       ■ ■a.7 All FIGURE elements require a 'figcaption' tag that describes the purpose of ...
                      Figcaption contains describe the purpose of the figure or any other element which is inside figure element.

    No Figure elements found.

                           lo Figure elements found.

https://yoitsjowjow.github.io/accessibility/
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

×1194.22(d)
            Documents shall be organized so they are readable without requiring an associated style sheet.

    Xd.2 Ensure Color and background color may be specified at any level in the cascad...

                      Users with vision loss or cognitive challenges often require specific foreground (text) and background color combinations.
                      For instance, many people with low vision find it much easier to see a Web page that has white text on a black background, so they may have set their user agent to create this contrast. If the author specifies that the text must be
                     black, then it may override the settings of the user agent and render a page that has black text (specified by the author) on black background (that was set in the user agent). This principle also works in reverse. If the Webmaster forces the
                      background to be white, then the white background specified by the author would be the same color as the white text (which was set in the user agent) rendering the page unusable to the user. Therefore, if the author specifies a foreground
                       (text) color then they should also specify a background color which has sufficient contrast (link) with the foreground and
                    Content specifies foreground (text) color but does not specify background color

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    Line 3, column 9332, a element, HREF = "https://googleads.g.doubleclick.net/pcs/click..._campaign%3Dfnlfall10/06/17&nm=2"
    Line 3, column 9991, img element, SRC = "./12250429195779526788"
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    Line 59, column 3116, b element

                                     Line 59, column 3279, a element, HREF = "https://l.facebook.com/l.php?u=http%3A%2F%2Fo...75ELyVqKc95zegiy8kZ87T2WFaL5zY6Q"

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                     Line 59, column 3116, b element
                                     Line 59, column 3279, a element, HREF = "https://l.facebook.com/l.php?u=http%3A%2F%2Fo...TBehEt1KGrYHcGAbSbc9EJEY_DmeaMiW"

    Element specifies background color but not specify foreground (text) color
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

Line 51, column 3, BODY element
Line 53, column 5, DIV element
Line 55, column 7, h1 element

                 ■ ✓Page contain no elements that specific foreground color but no background color or vice versa

    https://yoitsjowjow.github.io/accessibility/
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    Organize documents so they may be read without style sheets.

                      Organize documents so they may be read without style sheets. For example, when an HTML document is rendered without
                      associated style sheets, it must still be possible to read the page.
                    Page uses an external style sheet. Verify that the page can be read without it.
                               https://yoitsjowjow.github.io/accessibility/
                    Page uses an internal style sheet. Verify that the page can be read without it.

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    Page does not use style sheets.

                              https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                              https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
         d.3 Making the DOM order match the visual order.
                     Elements displayed with absolute positioning may be out of logical DOM order

    https://yoitsjowjow.github.io/accessibility/
    Line 181, column 8, DIV element
    Line 267, column 8, DIV element

                                         Line 328, column 10, UL element
Line 365, column 8, DIV element
                                         Line 426, column 10, ul element
                                     Line 480, column 6, DIV element
                                                                                                                                                                                                                                                                                               All issues
                                         Line 493, column 4, DIV element
Line 622, column 13, DIV element
Line 622, column 434, div element
                                         Line 622, column 521, button element
Line 760, column 13, DIV element
                                         Line 760, column 434, div element
Line 760, column 521, button element
                                         Line 814, column 13, DIV element
Line 814, column 434, div element
Line 814, column 521, button element
                                         Line 868, column 13, DIV element
Line 868, column 434, div element
Line 868, column 521, button element
                                         Line 922, column 13, DIV element
Line 922, column 434, div element
                                         Line 922, column 521, button element
Line 976, column 13, DIV element
                                         Line 976, column 434, div element
Line 976, column 521, button element
Line 1030, column 13, DIV element
                                         Line 1030, column 434, div element
Line 1030, column 521, button element
                                         Line 1084, column 13, DIV element
```

Line 1084, column 434, div element Line 1084, column 521, button element Line 1138, column 13, DIV element Line 1138, column 434, div element Line 1138, column 521, button element Line 1192, column 13, DIV element Line 1192, column 435, div element

Group

```
■ Line 1192, column 522, button element
                                                                                 Line 1246, column 13, DIV element
Line 1246, column 435, div element
Line 1246, column 522, button element
                                                                                 Line 1300, column 13, DIV element
Line 1300, column 435, div element
                                                                                  Line 1300, column 522, button element
                                                                                 Line 1354, column 13, DIV element
Line 1354, column 435, div element
                                                                                 Line 1354, column 522, button element
Line 1408, column 13, DIV element
                                                                                 Line 1408, column 435, div element
Line 1408, column 522, button element
                                                                                 Line 1462, column 13, DIV element
                                                                                 (72 more)

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                                                             Line 3, column 8874, div element
                                                 ■ Page does not use absolute positioning
                                                               age does not use absolute postrioning .
    https://yoitsjowjow.github.io/accessibility/
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                                                    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                                 ■ Page contains blank elements

    a https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                     。 ×1194.22(i)
                                          Frames shall be titled with text that facilitates frame identification and navigation
                                       ■ .1 All IFRAME elements are required to contain element content.
                                                        IFRAME elements provide functionality that is not available to all users. The element content should describe the purpose
                                                        of the IFRAME.
                                                             IRRAME element does not have element content.

https://yoitsjowjow.github.io/accessibility/
Line 533, column 113, iframe element, SRC = "./blogTO _ Toronto blog_files/saved_resource.html"
Line 568, column 104, iframe element, SRC = "./blogTO _ Toronto blog_files/saved_resource(1).html"
Line 669, column 107, iframe element, SRC = "./blogTO _ Toronto blog_files/saved_resource(2).html"
Line 1943, column 115, iframe element, SRC = "./blogTO _ Toronto blog_files/saved_resource(3).html"
Line 2594, column 115, iframe element, SRC = "./blogTO _ Toronto blog_files/22duorNoYeF.html"
Line 2594, column 417, iframe element, SRC = "./blogTO _ Toronto blog_files/22duorNoYeF.(1).html"
Line 2853, column 319, iframe element, SRC = "./blogTO _ Toronto blog_files/saved_resource(4).html"
Line 2853, column 319, iframe element, SRC = "./blogTO _ Toronto blog_files/saved_resource(4).html"
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
Line 4, column 277, iframe element, SRC = "./async_usersync.html"
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
Line 7, column 524, iframe element, SRC = "./async_usersync(1).html"
Line 10, column 169, iframe element, SRC = "./async_usersync(2).html"
Line 12, column 160, iframe element, SRC = "./async_usersync(2).html"
Line 12, column 160, iframe element, SRC = "./async_usersync(2).html"
                                                 ■ IFRAME element does not have element content.
                                                 ■ Page does not have IFRAME elements.

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                                                    https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files...
                                    ■ ■ .2 All FRAME elements are required to contain the title attribute.

    ERAME element does not contain a TITLE attribute.

                                                              https://yoitsjowjow.github.io/accessibility/
                                                                                                                                                                                                                                                                                                                                                                                                                            All issues
Group

    https://yoitsjowjow.github.io/accessibility/
    Line 2853, column 1, iframe element, SRC = "./blog10 _ loronto blog_files/saved_resource(4).html
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    Line 4, column 277, iframe element, SRC = "./async_usersync.html"
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    Line 7, column 524, iframe element, SRC = "./saved_resource(5).html"
    Line 10, column 169, iframe element, SRC = "./async_usersync(1).html"
    Line 12, column 160, iframe element, SRC = "./async_usersync(2).html"

                                                 ■ FRAME element has a TITLE attribute.
                                                                 https://yoitsjowjow.github.io/accessibility/

    ENo FRAME elements found in document body.

                                                                  https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                    ■ ■.3 All FRAMESET elements will be checked for the NOFRAMES element.
                                                        Pages with frames are not available to all users. The NOFRAMES element should used to provide an alternative.

    Page does not have FRAMESET elements.

                                                                    https://yoitsjowjow.github.io/accessibility/

    https://yoitsjowjow.github.io/accessibility/
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                          When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access
                                          the information, field elements, and functionality required for completion and submission of the form, including all directions
                                          and cues
                                        ■n.2 All INPUT elements are required to contain the ALT or TITLE attribute, or use...
                                                        All visible INPUT elements must have a label, either by using a linked or containing LABEL element, or by using the ALT or
                                                        TITLE attribute. Buttons are considered to be self-labeling.
                                                 ■ ■INPUT element does not use an ALT attribute, TITLE attribute or linked LABEL.

    https://yoitsjowjow.github.io/accessibility/
    Line 1958, column 258, input element, TYPE = "text"

                                                 ■ ■No relevant INPUT elements found in document.

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
```

Group

```
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    In.6 Identify all INPUT elements that uses the 'placeholder' attribute instead of ...

                           The placeholder attribute represents a short hint (a word or short phrase) intended to aid the user with data entry. A hint
                         could be a sample value or a brief deion of the expected format. The placeholder text gets removed as the form is being filled out and forms needs to be usable even when placeholder text is not there.

    INPUT element contains placeholder attribute

    https://yoitsjowjow.github.io/accessibility/
    Line 1958, column 258, input element, TYPE = "text"

    ZINPUT element doesn't contains placeholder attribute.

    https://yoitsjowjow.github.io/accessibility/

                  ■ ■No INPUT elements available on page.
                                        https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                       https://yoitsjowjow.github.io/accessibility/blog10%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files...

    = n.1 Identify all LABEL elements used within FORM elements.

                         Until user agents support explicit associations between labels and form controls, for all form controls with implicitly associated labels, ensure that the label is properly positioned.
                       Page does not contain FORM elements.
                                      https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                  ■ Page does not contain LABEL elements.
                                         https://yoitsjowjow.github.io/accessibility/

    and Associate labels explicitly with their controls (SELECT elements).

                           All SELECT elements must have a label, either by using a linked or containing LABEL element, or by using the TITLE or

    No SELECT elements were found.

                                         https://yoitsjowjow.github.io/accessibility/
                                   https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                           All issues

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                         https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    = n.4 Associate labels explicitly with their controls (TEXTAREA elements).

                          All TEXTAREA elements must have a label, either by using a linked or containing LABEL element, or by using the TITLE or
                           ALT attribute.
                  ■ No TEXTAREA elements were found.
                                         https://yoitsjowjow.github.io/accessibility/
                                       https://yoitsjowjow.github.io/accessibility/hlogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    Ensure that all LABEL 'FOR' attributes match another control.

    No LABEL 'FOR' attribute found on page.

                                       https://yoitsjowjow.github.io/accessibility/https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                        https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files...
     =n.7 Ensure that all elements that have a 'Role' attribute value of 'application',...
                      No elements have role=application on page.
■ No elements have role=application on page.

■ https://yoitsjowjow.github.io/accessibility/
■ https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    ENo elements have required attribute.

■ No elements have required attribute.

■ https://yoitsjowjow.github.io/accessibility/
■ https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files...
                     No elements have role attribute with value of checkbox or radio.
                                      https://yoitsjowjow.github.io/accessibility/

    No elements have role attribute.

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://voitsiowiow.aithub.io/accessibility/bloaTO%20 %20Toronto%20bloa files...
```

```
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    1194.22(I)

                                          When pages utilize ing languages to display content, or to create interface elements, the information provided by the shall be identified with functional text that can be read by assistive technology.
                                            .2 When SCRIPT elements are used, the NOSCRIPT element is required in the page.
                                                      SCRIPT element used without NOSCRIPT.

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                                                   https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    Both SCRIPT are NOSCRIPT elements are present.
    https://yoitsjowjow.github.io/accessibility/

                                                     Page does not use a SCRIPT element.

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                      1 Verify information provided by scripts shall be identified with functional te...
                                                    Verify that script is invokable or have textual representation

    https://yoitsjowjow.github.io/accessibility/
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                                                                                                                                                                                                                                                                                                                                                                                                          All issues
Group
                                                 ■ No scripts used on page

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                   ■ ■.3 Ensure that all anchor elements that use JavaScript in the link target descri...
                                                     Page does not have A link element which has href contain javascript.
                                                                    https://yoitsjowjow.github.io/accessibility/

    https://yoitsjowjow.github.io/accessibility/
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                                                    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                     o 1194.22(c)
                                          Web pages shall be designed so that all information conveyed with color is also available without color, for example from
                                           context or markup.

    Oc.1 Ensure that all information conveyed with color is also available without col...

                                                        This check identifies pages that potentially require color for visual checking.
                                                 ■ ©Element style specifies color usage. Visual check required.

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    Line 6, column 565, div element

                                                               https://yoitsjowjow.github.io/accessibility/blogTO%20 %20Toronto%20blog files...
                                                                                Line 7, column 177, ins element
Line 7, column 354, ins element
Line 15, column 601, div element
                                                               https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                                                            Line 59, column 3116, b element

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    Line 59, column 3116, b element

    Page references an external style-sheet. Visual check required.

                                                                   https://yoitsjowjow.github.io/accessibility/
                                                        Stylesheet specifies color usage. Visual check required.
                                                                 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

Line 9, column 51, style element, #content = "body {background background background background background line 16, column 53, style element, #content = "body {background background 
                                                                                                                                                                                                                                         background-color: #f1f1...ratio: 2),
                                                                                                                                                                                                                                                                                                                                      only screen and"
                                                                                                                                                                                                                                        background-color: #f1f1...ratio: 2),
background-color: #f1f1...ratio: 2),
                                                                                                                                                                                                                                                                                                                                      only screen and"
                                                                                                                                                                                                                                                                                                                                         only screen and"
                                                                                Line 20, column 53, style element, #content = "
Line 40, column 51, style element, #content = "
                                                                                                                                                                                                                                           background-color: #f1f1...ratio: 2),
background-color: #f1f1...ratio: 2),
                                                                                                                                                                                                             body
                                                                                                                                                                                                                                                                                                                                         only screen and"
                                                                                                                                                                                                             body {
                                                                                                                                                                                                                                                                                                                                         only screen and
                                                                                  Line 43, column 51, style element, #content = "
                                                                                                                                                                                                                                            background-color: #f1f1...ratio: 2),
                                                                                                                                                                                                                                                                                                                                         only screen and"
                                                                                                                                                                                                             body {

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files..
    Line 3, column 147, style element, #content = "a { color: #000000 }"

    Page does not specify color information.

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                     o 1194.22(j)
                                         Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.
                                               .2 Until user agents allow users to control blinking, avoid causing content to b...
                                                        Page may contain elements that cause blinking.
                                                              https://yoitsjowjow.github.io/accessibility/

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                                                https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    Page does not contain elements that can cause blinking.
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    V<sub>i</sub>.1 Pages are required not to contain the BLINK element.

                                                     Page does not contain a BLINK element.
                                                              rage does not contain a BLINK element.

https://yoitsjowjow.github.io/accessibility/

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                     • 1194.22(k)
```

Group

A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.

Land the control of the control o

If a Text Only Equivalent of a page is provided it must be updated every time the primary content changes. This checkpoint typically gets marked N/A because there are sufficient techniques for making complex web content accessible. This checkpoint may need to be customized.

- Verify if text only version is necessary for page
 - https://yoitsjowjow.github.io/accessibility
 - https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
- https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%2U1oronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
- o 1194.22(o)

A method shall be provided that permits users to skip repetitive navigation links.

0.1 Pages should contain a bookmark link to skip navigation.

This checkpoint may require customization.

- Page has no skip navigation link, but has no significant content.
 - https://yoitsjowjow.github.io/accessibility/
- Page has no links.

 - https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 - https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
- **2**1194.22(p)

When a timed response is required, the user shall be ed and given sufficient time to indicate more time is required

p.2 Allow users to complete an activity without any time limit.

The objective of this technique is to provide users with all the time they need to complete an activity. This technique involves providing a specified activity which does not require timed interaction. Users are allowed as much time as they need to interact with the activity.

- Overify purpose of timeout. Usability test to ensure that user can complete activity without time limit
 - https://yoitsjowjow.github.io/accessibility/
 - Line 44, column 5, script element, SRC = "./blogTO _ Toronto blog_files/osd.js.download"
 - https://yoitsjowjow.github.lo/accessibility/
 Line 44, column 5, script element, SRC = "./blogTO _ Toronto blog_files/osd.js.download"
 Line 44, column 74, script element, SRC = "./blogTO _ Toronto blog_files/sdk.js.download"
 Line 44, column 164, script element, SRC = "./blogTO _ Toronto blog_files/sdk.js.download"
 Line 44, column 253, script element, SRC = "./blogTO _ Toronto blog_files/sdks.js.download"
 Line 44, column 310, script element, SRC = "./blogTO _ Toronto blog_files/sdds(1)"
 Line 44, column 370, script element, SRC = "./blogTO _ Toronto blog_files/ads(2)"
 Line 44, column 430, script element, SRC = "./blogTO _ Toronto blog_files/ads(3)"
 Line 44, column 490, script element, SRC = "./blogTO _ Toronto blog_files/gats,is.download"
 Line 44, column 691, script element, SRC = "./blogTO _ Toronto blog_files/gats,is.download"
 Line 44, column 691, script element, SRC = "./blogTO _ Toronto blog_files/gats,is.download"
 Line 98, column 5, script element, SRC = "./blogTO _ Toronto blog_files/google_service.js.download"
 Line 110, column 14, script element, SRC = "./blogTO _ Toronto blog_files/google_ads.js.download"
 Line 110, column 14, script element, SRC = "./blogTO _ Toronto blog_files/google_ads.js.download"
 Line 139, column 14, script element, SRC = "./blogTO _ Toronto blog_files/blogto-35816b1936bb8de69d07.js.download"
 Line 2737, column 119, script element, SRC = "./blogTO _ Toronto blog_files/cc.js.download"
 Line 2853, column 199, script element, SRC = "./blogTO _ Toronto blog_files/chartbeat.js.download"
 Line 3, column 114, script element, SRC = "./tif(2)"
 Line 4, column 53, script element, SRC = "./tif(2)"
 Line 4, column 168, script element, SRC = "./tif(2)"
 Line 4, column 168, script element, SRC = "./tif(3)"
 Line 6, column 1, script element, SRC = "./tif(3)"
 Line 6, column 1, script element, SRC = "./ti

 - Line 6, column 1, script element, SRC = "./osd_listener.js.download"
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 Line 3, column 10093, script element, SRC = "./m_window_focus_non_hydra.js.download"
 Line 3, column 10523, script element, SRC = "./osd_listener.js.download"
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 Line 3, column 80, script element, SRC = "./ca-pub-3265858257515661.js.download"
 Line 4, column 1, script element, SRC = "./ttj(4)"
 Line 4, column 56, script element, SRC = "./ttj(5)"

 - Line 4, column 56, script element, SRC = "./ttj(5)"
 Line 5, column 1, script element, SRC = "./ttj(6)"
 Line 5, column 16, script element, SRC = "./ttj(7)"
 Line 5, column 171, script element, SRC = "./adsbygoogle.js.download"
 Line 15, column 1, script element, SRC = "./osd_listener.js.download"
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 Line 59, column 3627, script element, #content = "if (window == top) { setTimeout(function() {...e.display = 'block'; }, 2000);}"
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 Line 59, column 3586, script element, #content = "if (window == top) { setTimeout(function() {...e.display = 'block'; }, 2000);}"
- Page does not contain timeouts

 - https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
- Ep.1 Pages are required not to use the META element with the HTTP-EQUIV attribute .
- Until user agents provide the ability to stop the refresh, do not create periodically auto-refreshing pages.
 - Page does not contain the META element.
 - https://yoitsjowjow.github.io/accessibility/

 - https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
 https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

 - https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
- 。 1194.22(e)

Redundant text links shall be provided for each active region of a server-side image map.

- Ze.2 No INPUT element should contain the USEMAP attribute. No INPUT element contains an USEMAP attribute.
- https://yoitsjowjow.github.io/accessibility/

Page does not contain INPUT elements.

6/8

All issues

```
    https://yoitsjowjow.github.io/accessibility/blog10%20_%201oronto%20blog_files

                                                                        https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files...
                                                                        https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                      ■ ■e.1 Locate any IMG element that contains the ISMAP attribute.
                                                            If you must use a server-side image map, provide redundant text links for each active region. You should use client-side
                                                            image maps where possible.

    Page does not use server-side maps.

                                                                         https://yoitsjowjow.github.io/accessibility/
                                                                       https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                                                  https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                       ∘ 21194,22(f)
                                             Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with
                                             an available geometric shape.

    Mr. 2 No IMG element should contain the ISMAP attribute.

                                                    ■ No IMG element contains an ISMAP attribute.
                                                                   o Into element contains an ISMAP activities.

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    Page does not contain IMG elements.

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                      ■ ☑f.3 No INPUT element should contain the ISMAP attribute.

    Mo INPUT element contains an ISMAP attribute.

                                                                        https://yoitsjowjow.github.io/accessibility/
                                                    ■ Page does not contain INPUT elements.
                                                                  Page does not contain INPUT elements.

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    = f.1 All AREA elements are required to have the ALT attribute.

                                                            Client-side image maps present functionality that is not available to all users. The ALT attribute can be used for AREA
                                                            elements to provide a text equivalent.

    Page has no AREA elements.

                                                                  Page has no AREA elements.

https://yoitsjowjow.github.io/accessibility/

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                       • =1194.22(b)
                                             Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.

    Bb.1 Identify all OBJECT Elements that have a multimedia MIME type as the type att...

                                                            For any time-based multimedia presentation (e.g., a movie or animation), synchronize equivalent alternatives (e.g.,
                                                            captions or auditory deions of the visual track) with the presentation.
                                                         Page does not contain OBJECT elements using known multimedia MIME type as type attribute value.
                                       ■ Page does not contain OBJECT elements using known multimedia MIME type as type attr

• https://yoitsjowjow.github.io/accessibility/
• https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                                         Page does not contain OBJECT elements using known multimedia file extensions.
                                                                   age does not contain OBJECT elements using known mutumed a me extensions.

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                                                         https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                                                    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files.
                                                                                                                                                                                                                                                                                                                                                                                                                                                       All issues
Group

    https://yoitsjowjow.github.io/accessibility/blogTU%2U_%2U1oronto%2Ublog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                      ■ b.3 Identify all EMBED elements that have a SRC attribute value with a multimedia...
                                                        Page does not contain EMBED elements using a known multimedia file extension.
https://yoitsjowjow.github.io/accessibility/

    https://yoitsjowjow.github.io/accessibility/
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    b.4 Identify all links that have an HREF attribute value with a multimedia file e...

                                                            For any time-based multimedia presentation (e.g., a movie or animation), synchronize equivalent alternatives (e.g.,
```

captions or auditory deions of the visual track) with the presentation.

Page does not contain links referring to any known multimedia file extension.

```
https://yoitsjowjow.github.io/accessibility/
                                   https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                       https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files...
                                    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
            ■ b.5 Identify all VIDEO or AUDIO elements that have a 'Track' child element with a...

    Page does not contain video or Audio elements.

                                        https://yoitsjowjow.github.io/accessibility/
                                       https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                       https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files...
                                       https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    <u>Bb.6 Identify</u> all IFRAME elements that have a SRC attribute value with an external...

    Page does not contain IFRAME elements with external known webpage's video.
    https://yoitsjowjow.github.io/accessibility/

    https://yoitsjowjow.github.io/accessibility/
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

。 =1194.22(g)
                 Row and column headers shall be identified for data tables.

    = g.1 For data tables, identify row and column headers.

                             This check identifies data tables that do not have any TH elements. Data tables are recognised as having a border
                             attribute greater than 0. Tables with no border require a visual check, unless they contain input, image or child table
                             elements, or cells with long text, indicating they are most likely layout tables.

    Page contains no tables.

                                       https://yoitsjowjow.github.io/accessibility/
                                   https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                       https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files...
                                       https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
。 =1194.22(h)
                  Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or

    h.1 For data tables that have two or more logical levels of row or column headers...

                             Describe the table structure using the SUMMARY attribute or ARIA attributes. Identify structural groups of rows using THEAD, TFOOT, TBODY, COLGROUP and COL. Label table elements with the "scope", "headers", and "axis" attributes to
                              assist user agents.

    Page does not contain complex data tables.
    https://yoitsjowjow.github.io/accessibility/

                                   https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
    https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...

                                        https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
∘ =1194.22(m)
                  When a web page requires that an applet, plug-in or other application be present on the client system to interpret page
                  content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (I)
           ■ ■m.1 All pages that have links to files that require a special reader or plug-in a...
                             This checkpoint may require customization.
                       ■ Page does not contain links to files known to require a special reader.
                                        https://yoitsjowjow.github.io/accessibility/
                                       https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files...
                                      https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files... https://yoitsjowjow.github.io/accessibility/blogT0%20_%20Toronto%20blog_files...
```

Group

All issues

https://yoitsjowjow.github.io/accessibility/blogTO%20_%20Toronto%20blog_files... Total

15