

Insertion, Updation, and Deletion of Database Records

Index.html

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>JDBC Insert, Update and Delete</title>
  </head>
  <body>
    <a href="init"> JDBC Insert, Update and Delete </a>
    <br>
  </body>
</html>
```

DBConnection.java

```
package com.ecommerce;

import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.SQLException;

public class DBConnection {

    private Connection connection;

    public DBConnection(String dbURL, String user, String pwd) throws
    ClassNotFoundException, SQLException {

        Class.forName("com.mysql.jdbc.Driver");
        this.connection = DriverManager.getConnection(dbURL, user,
pwd);
    }
}
```

```
        public Connection getConnection() {
            return this.connection;
        }

        public void closeConnection() throws SQLException {
            if (this.connection != null)
                this.connection.close();
        }
    }
}
```

config.properties

```
url=jdbc:mysql://localhost:3306/ecommerce
userid=root
password=root
```

ProductDetails.java

```
import java.io.IOException;
import java.io.InputStream;
import java.io.PrintWriter;
import java.math.BigDecimal;
import java.sql.CallableStatement;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
import java.util.Properties;

import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;

import com.ecommerce.DBConnection;
```

```

@WebServlet("/ProductDetails")
public class ProductDetails extends HttpServlet {
    private static final long serialVersionUID = 1L;

    public ProductDetails() {
        super();
        protected void doGet(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {

            try {
                PrintWriter out = response.getWriter();
                out.println("<html><body>");

                InputStream in =
getServletContext().getResourceAsStream("/WEB-INF/config.properties");
                Properties props = new Properties();
                props.load(in);

                DBConnection conn = new
DBConnection(props.getProperty("url"), props.getProperty("userid"),
props.getProperty("password"));
                Statement stmt =
conn.getConnection().createStatement(ResultSet.TYPE_SCROLL_INSENSITIVE,
ResultSet.CONCUR_READ_ONLY);
                stmt.executeUpdate("insert into eproduct (name, price,
date_added) values ('New Product', 17800.00, now())");
                out.println("Executed an insert operation<br>");

                stmt.executeUpdate("update eproduct set price=2000 where
name = 'New Product'");
                out.println("Executed an update operation<br>");

                stmt.executeUpdate("delete from eproduct where name = 'New
Product'");
                out.println("Executed a delete operation<br>");

                stmt.close();
            }
        }
    }
}

```

```

        conn.closeConnection();
        out.println("</body></html>");
        conn.closeConnection();

    } catch (ClassNotFoundException e) {
        e.printStackTrace();
    } catch (SQLException e) {
        e.printStackTrace();
    }
}

protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {

    doGet(request, response);
}
}

```

Web.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://xmlns.jcp.org/xml/ns/javaee"
xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee
http://xmlns.jcp.org/xml/ns/javaee/web-app_4_0.xsd" id="WebApp_ID"
version="4.0">
    <display-name>JDBC Insert, Update, Delete</display-name>
    <welcome-file-list>
        <welcome-file>index.html</welcome-file>
        <welcome-file>index.htm</welcome-file>
        <welcome-file>index.jsp</welcome-file>
        <welcome-file>default.html</welcome-file>
        <welcome-file>default.htm</welcome-file>
        <welcome-file>default.jsp</welcome-file>
    </welcome-file-list>
    <servlet>
        <servlet-name>ProductDetails</servlet-name>
        <servlet-class>ProductDetails</servlet-class>

```

```
</servlet>
<servlet-mapping>
  <servlet-name>ProductDetails</servlet-name>
  <url-pattern>/list</url-pattern>
</servlet-mapping>

</web-app>
```