

Test Sprogmodel KittyChat i Windows PowerShell

1. Test information om kats adoption og velfærd

```
PS C:\Users\omamy> $response.reply
Purr ð,! That slot is available â shall I book it for you?
PS C:\Users\omamy>
PS C:\Users\omamy> # Base URL of the FastAPI server
PS C:\Users\omamy> $baseUrl = "http://127.0.0.1:8001/generate"
PS C:\Users\omamy>
PS C:\Users\omamy> # Intents to test
PS C:\Users\omamy> $testIntents = @(
>>     @{ intent="adoption_info"; context=@{} },
>>     @{ intent="cat_welfare"; context=@{} }
>> )
PS C:\Users\omamy>
PS C:\Users\omamy> foreach ($test in $testIntents) {
>>     Write-Host "`n--- Testing intent: $($test.intent) ---`n"
>>
>>     $body = @{
>>         session_id = "1"
>>         intent = $test.intent
>>         context = $test.context
>>     } | ConvertTo-Json -Compress
>>
>>     try {
>>         $response = Invoke-RestMethod -Uri $baseUrl `
>>             -Method POST `
>>             -ContentType "application/json" `
>>             -Body $body
>>
>>         Write-Host $response.reply
>>     } catch {
>>
>>         Write-Host $response.reply
>>     } catch {
>>         Write-Host "Error testing intent $($test.intent): $_"
>>     }
>> }
```

Base URL of the FastAPI server

```
$baseUrl = "http://127.0.0.1:8001/generate"
```

Intents to test

```
$testIntents = @( @{ intent="adoption_info"; context=@{} }, @{ intent="cat_welfare"; context=@{} } )
```

```
foreach ($test in $testIntents) { Write-Host "`n--- Testing intent: $($test.intent) ---`n"
```

```

$body = @{
    session_id = "1"
    intent = $test.intent
    context = $test.context
}| ConvertTo-Json -Compress

try{
    $response = Invoke-RestMethod -Uri $baseUrl `
        -Method POST `
        -ContentType "application/json" `
        -Body $body

    Write-Host $response.reply
} catch {
    Write-Host "Error testing intent $($test.intent): $_"
}

}

```

Respons (Positive)

```

--- Testing intent: adoption_info ---
Mjaau ð°! Check out our adoption guide: <a href='https://www.dyrenesbeskyttelse.dk/adopter-et-dyr' target='_blank'>Click here to adopt a cat</a>

--- Testing intent: cat_welfare ---
Purr ð°! Learn about cat welfare here: <a href='https://dyreetik.ku.dk/center-for-forskning-i-familiedyrs-velfaerd/katte-ns-adfaerd-og-velfaerd/' target='_blank'>Click here</a>
PS C:\Users\omamy>

```

2. Test Get Kats information By Name

```

PS C:\Users\omamy> $response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate"
>> -Method POST `
>> -ContentType "application/json" `
>> -Body '{"session_id":"1","intent":"cat_info","context":{"name":"Orran"}}'

```

```
$response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate" -Method POST -ContentType  
"application/json" -Body '{"session_id":"1","intent":"cat_info","context":{"name":"Orran"}}'  
$response.reply
```

Response (Positive)

```
PS C:\Users\omamy> $response.reply  
Here is the info I found:  
Orran (Norwegian Forest Cat), age 6
```

3. Test Get Alle katte

```
PS C:\Users\omamy> $response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate"  
>> -Method POST `  
>> -ContentType "application/json" `  
>> -Body '{"session_id":"1","intent":"get_all_cats","context":{}}'
```

```
$response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate" -Method POST -ContentType  
"application/json" -Body '{"session_id":"1","intent":"get_all_cats","context":{}}' $response.reply
```

Response (Positive)

```
PS C:\Users\omamy> $response.reply  
Here is a list of all cats:  
Abey (British Shorthair), age 16  
Adi (Ragdoll), age 17  
Alfonso (Ragdoll), age 14  
Aloisia (Russian Blue), age 7  
Amos (Sphynx), age 16  
Anatol (Bengal), age 14  
Antony (Scottish Fold), age 11  
Audre (Siberian), age 1  
Augustine (Siamese), age 10  
Barbaraanne (Norwegian Forest Cat), age 13  
Batsheva (British Shorthair), age 4  
Bev (Russian Blue), age 16  
Bliss (Oriental), age 16  
Blondy (Scottish Fold), age 3  
Bobbee (Scottish Fold), age 8  
Briana (Oriental), age 15  
Bud (Sphynx), age 2  
Butch (Norwegian Forest Cat), age 18  
Camala (British Shorthair), age 6  
Carolynne (Persian), age 14  
Chicky (Siberian), age 16  
Chloe (Scottish Fold), age 2  
Clarence (British Shorthair), age 4  
Daphene (Maine Coon), age 3  
Darnall (British Shorthair), age 10  
Darnall (British Shorthair), age 7  
Deina (Persian), age 12  
Dru (Burmese), age 6
```

4. Test om booking tid er tilgængelig

- For tilgængelig tid

```
PS C:\Users\omamy> $response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate" `  
>> -Method POST `  
>> -ContentType "application/json" `  
>> -Body '{"session_id":"1","intent":"check_availability","context":{"day":"2025-10-20","time":"14:00","people":2}}'
```

```
$response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate" -Method POST -ContentType "application/json" -Body '{"session_id":"1","intent":"check_availability","context":{"day":"2025-10-20","time":"14:00","people":2}}' $response.reply
```

- For ikke tilgængelig tid

```
PS C:\Users\omamy> $response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate" -Method POST -ContentType "application/json" -Body '{"session_id":"1","intent":"check_availability","context":{"day":"2025-10-17","time":"14:00","people":2}}'
```

```
$response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate" -Method POST -ContentType "application/json" -Body '{"session_id":"1","intent":"check_availability","context":{"day":"2025-10-17","time":"14:00","people":2}}'
```

Print the reply

```
$response.reply
```

Respons (Positive)

- For tilgængelig tid

```
PS C:\Users\omamy> $response.reply  
Purr ð, ! That slot is available â shall I book it for you?
```

- For ikke tilgængelig tid

Kl. 14 er stadig tilgængelig som tid, fordi der er sat i Stored procedure Kapacitet til 20 personer per tid det er kun brugt til 2 personer i database.

```
PS C:\Users\omamy> # Print the reply  
PS C:\Users\omamy> $response.reply  
Purr ð, ! That slot is available â shall I book it for you?
```

```

/***** Object: StoredProcedure [dbo].[uspCheckAvailability]    Script Date: 17-10-2025 13:49:03 *****/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
ALTER PROCEDURE [dbo].[uspCheckAvailability]
    @Day DATE,
    @TimeOfDay TIME,
    @AmtPeople INT
AS
BEGIN
    SET NOCOUNT ON;

    -- Example capacity per time-slot (adjust to your business rules)
    DECLARE @Capacity INT = 20;

    DECLARE @Booked INT = (
        SELECT ISNULL(SUM(AmtPeople), 0)
        FROM BOOKING
        WHERE Day = @Day
              AND TimeOfDay = @TimeOfDay
    );

    IF (@Booked + @AmtPeople <= @Capacity)
        SELECT 1 AS Available;
    ELSE
        SELECT 0 AS Available;
END

```

5. Test for Small Talks

```

PS C:\Users\omamy> $response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate" `
>> -Method POST `
>> -ContentType "application/json" `
>> -Body '{"session_id":"1","intent":"chitchat","context":{"message":"Hi KittyChat! How are you?"}}'

```

```
$response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate" `
```

```
-Method POST `
```

```
-ContentType "application/json" `
```

```
-Body '{"session_id":"1","intent":"chitchat","context":{"message":"Hi KittyChat! How are you?"}}'
```

```
$response.reply
```

Responses (Positive)

```

PS C:\Users\omamy> $response.reply
I'm really happy that your question is being asked so nicely - but please don't interrupt me or anything... Please just
be polite with us while we're here :)

```

6. Test for Unknown

```

PS C:\Users\omamy> $response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate" `
>> -Method POST `
>> -ContentType "application/json" `
>> -Body '{"session_id":"1","intent":"foobar","context":{}}'

```

```
$response = Invoke-RestMethod -Uri "http://127.0.0.1:8001/generate" `
```

-Method POST`

-ContentType "application/json" `

-Body '{"session_id":"1","intent":"foobar","context":{'}}

\$response.reply

Respons (Positive)

```
PS C:\Users\omamy> $response.reply
Purr ð,! Sorry, I don't understand the intent 'foobar'. Try asking about cats, bookings, or small talk.
```