

Integrate ThousandEyes with REST API key token

- Release version: Australia
-
- Updated March 12, 2026
-
- ⌚ 1 minute to read


Integrate using an API key to establish secure communication and automate data exchange via REST API. This simplifies integration, enabling seamless access to services and enhancing operational efficiency.

Before you begin

Role required: evt_mgmt_integration

Procedure

1. Navigate to All > System Web Services > API Access Policies > REST API Key.



2. Select New.
 3. On the form, fill the fields.
- Note:

The user needs to be created with the evt_mgmt_integration role. Create a new one on the sys_user table to use here to facilitate the right access.

Table 1. API Key

Field	Description
Name	Name to identify the REST API Key
Description	Description for the REST API Key.
Active	Status of the REST API Key.
User	User associated to the REST API Key. Use the look-up icon to select the user.
Auth Scope	Option to add auth scope to manage the authority of the REST API Key.
Token	The REST API key generated. Copy the key to use as part of the REST API call within the Header or Query parameter.
Expiry	Time after which the credential is no longer valid. Empty value means no expiration.

4. Unlock Auth Scope and add: UserAccount.
5. Use the form menu and select Save.

The system generates a token and saves it in the Token field. To see the token, use the lock icon and copy the contents display below the field. This is your query parameter (or header) value when your other system sends a REST API request to ServiceNow.

API Key
sn_em_connector

REST API Key general information

- Name: A name for the REST API Key.
- Description: Description for this REST API Key.
- Active: REST API Key active status.
- User: User associated to this REST API Key.
- Auth Scope: To manage the authority of the REST API Key, add a scope which will be checked at runtime.
- Token: The REST API Key generated by ServiceNow.

* Name: AppDynamics

Description: AppD Token

Active: ☒

* User: AppDynamics

Auth Scope:

Source: sn_em_connector

Token: *****

Update Delete

Result

Now you are ready to start sending events. In your monitoring tool you can send events either with the header or the query `param: x-sn-apikey` . For example:

```
https://[INSTANCENAME].service-now.com/api/sn_em_connector/em/inbound_event?so
```

