

Configure the SNMP traps listener to receive OEM traps

- Release version: Australia
-
- Updated March 12, 2026
-
- ⌚ 1 minute to read

Configure the SNMP trap listener to receive traps from Oracle Enterprise Manager (OEM).

Before you begin

Role required: evt_mgmt_admin

About this task

Event Management can process Oracle Enterprise Manager Cloud Control SNMP traps as events. For the SNMP trap listener to receive traps from OEM, you must designate the MID Server that runs the SNMP trap listener as a recipient of the trap. Upon receiving an OEM trap, the MID Server sends the trap to the ServiceNow instance for further processing as an event by Event Management.

The `OEM 12c Trap` event rule is provided with the default base instance, as well as these alert action rules:

- `Oracle EM Launch Target Status`
- `Oracle EM Launch View Event`

Procedure

1. Navigate to All > Event Management > Integrations > MID SNMP Traps Listener.
2. Click New.
3. Fill in the fields, as described in Configure event collection for SNMP traps.
For the SNMP version field, select: v1 and v2c.
4. Click Submit.

Note:

Ensure all required SNMP MIB files are uploaded on the instance. For more information, see Load a MIB module.

What to do next

In Oracle Enterprise Manager Cloud Control, configure the MID Server as a trap listener target.