

Modify the greeting text on the landing page

- Release version: Australia
-
- Updated March 12, 2026
-
- ⌚ 10 minutes to read

Customize the header message that is a part of the greeting text on the home page. This will create a more personalized user experience, making visitors feel welcomed and valued, and can also help in setting the right tone and context for the information presented.

Before you begin

Role required: evt_mgmt_admin or admin

About this task

The Get service desk agent shift data broker server script calls the SOWServiceDeskAgentShift script includes to display the shift information in the greeting text.

While the display text can be customized for the default landing page, the visual styling changes to the text can be done only by creating a copy of the landing page.

Suppose you are on call until Monday, March 21. You can update your greetings to reflect your on-call status.

Figure 1. Header



Procedure

1. Navigate to All > Service Operations Workspace Admin Center > Overview.
2. On the Overview tab, from the Initial Setup section, select the Configure the landing page option.
3. On the Landing Page form, select Configure next to Greetings.
The Script Includes form is displayed for SOWServiceDeskAgentShift, which internally calls the SOWServiceDeskAgentShiftSNC

4. Copy the Script value of SOWServiceDeskAgentShiftSNC.
 - a. Navigate to All > System Definition > Script Includes.
 - b. From the list of Script Includes, open SOWServiceDeskAgentShiftSNC.

Figure 2. Script Includes list

Name	Application	Active	Description	Updated
SOWServiceDeskAgentShift	Incident Management for Service Operatio...	true		2022-01-28 10:49:36
SOWServiceDeskAgentShiftSNC	Incident Management for Service Operatio...	true		2023-12-15 12:16:42
SOWSdebarChatUtils	Collaboration Services for Service Opera...	true		2023-04-14 10:25:12
SOWSdebarChatUtilsSNC	Collaboration Services for Service Opera...	true		2023-07-06 13:14:19
SOWSdebarNotificationsUtils	Collaboration Services for Service Opera...	true		2023-05-30 13:57:14
SOWSdebarNotificationsUtilsSNC	Collaboration Services for Service Opera...	true		2023-06-15 08:29:52
SOWSRMAdminCenterUtils	Service Operations Workspace ITSM Admin...	true	Implements extension point sn_sow_admin...	2023-12-14 11:34:55
SOWTaskIntelligenceAppHelper	Service Operations Workspace Core	true		2023-12-20 12:49:31
SOWTaskIntelligenceConstants	Service Operations Workspace Core	true		2023-10-04 12:13:18
SOWTeamManagement	Service Operations Workspace Core	true	User customization point for the TeamMan...	2023-11-01 19:18:16
SOWTeamManagementSNC	Service Operations Workspace Core	true	SNC Base class for Team management. Dea...	2023-11-23 20:43:02
SOWTeamsRecordTabsUtil	Service Operations Workspace Core	true		2023-11-01 06:05:30
SOWTeamsRecordTabsUtilsSNC	Service Operations Workspace Core	true		2024-01-04 21:11:41
SOWUpcoming	Incident Management for Service Operatio...	true		2022-05-28 11:10:26
SOWUpcomingLinkProvider_Incidents	Incident Management for Service Operatio...	true	Implements extension point sn_sow.Upcomi...	2022-11-24 08:52:34
SOWUpcomingLinkService	Service Operations Workspace Core	true		2022-11-24 17:05:27
SOWUpcomingSNC	Incident Management for Service Operatio...	true		2022-01-28 11:25:04
SPCart	Global	true		2023-09-24 30:20:54
SPCatalogOrder	Global	true	Place orders for single items and Order ...	2019-05-30 19:30:24
SPClonePage	Global	true	Clones the current SP page (as well as L...	2020-09-11 00:34:15

- c. Copy the Script field value.

Figure 3. Script includes details page

Script Include: SOWServiceDeskAgentShift

You are editing a record in the Incident Management for Service Operations Workspace application. [Cancel](#)

Name: SOWServiceDeskAgentShift

API Name: sn_sow_inc_SOWServiceDeskAgentShift

Client callable: ☐

Application: Incident Management for Service Operations Workspace

Caller Access: --None--

Accessible from: All application scopes

Active: ☒

Description:

Script:

```

1 var SOWServiceDeskAgentShift = Class.create();
2 SOWServiceDeskAgentShift.prototype = Object.extend(SOWServiceDeskAgentShiftSNC, {
3   initialize: function() {
4     SOWServiceDeskAgentShiftSNC.prototype.initialize.call(this);
5   },
6   type: "SOWServiceDeskAgentShift"
7 };
8

```

Protection policy: --None--

Update Delete

Related Links

[Run Point Scan](#)

Versions

Created	Source	Source table	Created by
No records to display			

5. Edit the SOWServiceDeskAgentShift script.
 - a. Navigate to All > System Definition > Script Includes.
 - b. From the list of Script Includes, open SOWServiceDeskAgentShift.
 - c. Paste the Script field value that you copied from SOWServiceDeskAgentShiftSNC.

```

initialize: function() {

    this.PLUGINS = {

        ON_CALL: "com.snc.on_call_rotation",

        SHIFT_PLANNING: "com.sn_shift_planning"

    };

    this.DAYS_AHEAD = gs.getProperty('com.snc.on_call_rotation.up

```

```

        this.DATE_FORMAT = gs.getDateFormat();

        this.TIME_FORMAT = gs.getTimeFormat();

        this.WFO_SCHEMA_IDENTIFIER = 'readInTimezone';

        this.WFO_ONCALL_TYPE_IDENTIFIER = 'oncallAPIReadInTimezone';

        this.WEEK_DAY_FORMAT = 'EEEE';

        this.FORMAT = {

            SERVICE_DESK_HEADER: 'SERVICE_DESK_HEADER'

        };

        this.DATE_TIME_FORMAT_FULL = "full";

    },

    getUpcomingShift: function(userId, outputFormat, wfoShift) {

        var upcomingShifts, gd = new GlideDate();

        var from = gd.getDisplayValueInternal();

        gd.addDaysLocalTime(this.DAYS_AHEAD);

        var to = gd.getDisplayValueInternal();

        var maybeWFOUser = userId == gs.getUserID() ? gs.hasRole("sn_

        if (GlidePluginManager.isActive(this.PLUGINS.SHIFT_PLANNING)

            upcomingShifts = this.getWFOShifts(from, to, userId);

        var isWFOResponseValid = Array.isArray(upcomingShifts) && upc

        if (!isWFOResponseValid && GlidePluginManager.isActive(this.F

            upcomingShifts = this.getOnCallShifts(from, to, userId);

        return this.getFormattedShift(upcomingShifts, outputFormat);

    },

```

```

getWFOShifts: function(from, to, userId) {

    var smUtil = new sn_shift_planning.ScheduleManagerUtil();

    var defaultEventCategories = [

        smUtil.WORK_CATEGORY_SYS_ID,

        smUtil.ON_CALL_CATEGORY_SYS_ID

    ];

    var params = {

        "assignmentGroups": "",

        "individualAgents": userId,

        "startDate": from,

        "endDate": to,

        "published": true,

        "eventCategories": defaultEventCategories,

        "filter": {

            "sn_shift_planning_agent_schedule": {

                "event": ["8d03fd9b0f310010717cc562ff767e4a", "93

            }

        }

    };

    var upcomingShifts = [];

    try {

        var agentScheduleRESTAPIUtils = new sn_shift_planning.Age

        var spans = agentScheduleRESTAPIUtils.retrieveAgentSchedu

```

```

        if (spans && spans.shiftData && spans.shiftData.user && spans.shiftData.user.data[0].schedule) {

            var schedules = spans.shiftData.user.data[0].schedule;

            arrayUtil = new global.ArrayUtil();

            for (var schedule in schedules)

                upcomingShifts = arrayUtil.union(upcomingShifts, schedule);

        }

    } catch (e) {

        gs.error("SOWServiceDeskAgentShiftSNC: Error fetching WFO Shifts");

    }

    return upcomingShifts;

},

getOnCallShifts: function(from, to, userId) {

    var onCallCommon = new global.OnCallCommon();

    var onCallGroups = onCallCommon.getMyGroups();

    var spans = new global.OCRotationV2(null, global.OCRotationV2);

    var upcomingShifts = [];

    for (var i = 0; i < spans.length; i++)

        if ((spans[i].type == "roster" || spans[i].type == "overrride"))

            upcomingShifts.push(spans[i]);

    return upcomingShifts;

},

```

```

getFormattedShift: function(upcomingShifts, outputFormat) {

    if (gs.nil(upcomingShifts))

        return;

    switch (outputFormat) {

        case this.FORMAT.SERVICE_DESK_HEADER:

            return this.getServiceDeskFormattedShift(upcomingShifts);

        default:

            return upcomingShifts;

    }

},

```

```

getServiceDeskFormattedShift: function(upcomingShifts) {

    var response = {

        shiftText: "",

        nearestShift: {}

    };

    var startAttr = "start",

        endAttr = "end",

        isOnCall = true;

    var dateFormat = 'EEEE, MMM dd',

        timeFormat = 'hh:mm a';

    var isWFOSchema = Array.isArray(upcomingShifts) && upcomingShifts[0].isWFOSchema;

    if (isWFOSchema)

        startAttr = "scheduledStartTime", endAttr = "scheduledEndTime";

}

```

```

response.nearestShift = this.getNearestShift(upcomingShifts,

if (response.nearestShift) {

    if (isWFOSchema) {

        if (response.nearestShift.schedule && !(this.WFO_ONCA

            isOnCall = false;

    }

    if (isOnCall) {

        if (response.nearestShift.isCurrent) {

            if (response.nearestShift.roster_name)

                response.shiftText = gs.getMessage("You are c

            else

                response.shiftText = gs.getMessage("You are c

        } else {

            if (response.nearestShift.roster_name)

                response.shiftText = gs.getMessage("Your next

            else

                response.shiftText = gs.getMessage("Your next

        }

    } else {

        if (response.nearestShift.isCurrent) {

            response.shiftText = gs.getMessage("Your shift ex

        } else

            response.shiftText = gs.getMessage("Your next shi

    }

```

```

    }

    return response;

},

getNearestShift: function(upcomingShifts, startAttr, endAttr) {

    if (gs.nil(upcomingShifts) || gs.nil(startAttr) || gs.nil(endAttr)) {

        return;

    }

    var nearestShift;

    upcomingShifts.sort(function(shift_1, shift_2) {

        var gdt1 = new GlideDateTime();

        gdt1.setDisplayValueInternal(shift_1[startAttr]);

        var gdt2 = new GlideDateTime();

        gdt2.setDisplayValueInternal(shift_2[startAttr]);

        return GlideDateTime.subtract(gdt2, gdt1).getNumericValue();

    });

    var currentDateTime = new GlideDateTime(),

    startDateTime = new GlideDateTime(),

    endDateTime = new GlideDateTime();

    for (var i = 0; i < upcomingShifts.length; i++) {

        startDateTime.setDisplayValueInternal(upcomingShifts[i][startAttr]);

        endDateTime.setDisplayValueInternal(upcomingShifts[i][endAttr]);

        if (currentDateTime.onOrBefore(endDateTime)) {

            nearestShift = upcomingShifts[i];

        }

    }

}

```



```

        if (currentDateTime.onOrAfter(startDateTime))

            nearestShift.isCurrent = true;

        else

            nearestShift.isCurrent = false;

        break;

    }

}

return nearestShift;

},

getFormattedDateSpan: function(date, dateFormat, timeFormat) {

    var formattedDate = this.getFormattedDate(date, dateFormat);

    var dateAmPmTime = this.getFormattedTime(date, timeFormat);

    return formattedDate + " " + dateAmPmTime;

},

getFormattedDate: function(inputDate, format) {

    var date = new GlideDateTime();

    date.setDisplayValueInternal(inputDate);

    format = !format ? this.DATE_FORMAT : format;

    var gd = date.getLocalDate();

    return gd.getByFormat(format);

},

```

```

getFormattedTime: function(inputDate, format) {

    var date = new GlideDateTime();

    date.setDisplayValueInternal(inputDate);

    format = !format ? this.TIME_FORMAT : format;

    var gt = date.getLocalTime();

    return gt.getByFormat(format);

},

getFormattedDateTime: function(date) {

    var dateTime = new GlideDateTime();

    dateTime.setDisplayValueInternal(date);

    return dateTime.getDisplayValueLang(this.DATE_TIME_FORMAT_FUI

},

endsToday: function(inputDate) {

    var inputGdt = new GlideDateTime();

    inputGdt.setDisplayValueInternal(inputDate);

    return new GlideDateTime().getLocalDate().getValue() == input

},

endingTomorrow: function(inputDate) {

    var inputGdt = new GlideDateTime();

    inputGdt.setDisplayValueInternal(inputDate);

    var tomorrowDateTime = new GlideDateTime();

```

```

        tomorrowDateTime.addDaysLocalTime(1);

        return tomorrowDateTime.getLocalDate().getValue() == inputGdt
    },

```

d. Edit the following part of the script as mentioned.

```

        if (isOnCall) {

            if (response.nearestShift.isCurrent) {

                if (response.nearestShift.roster_name)

                    response.shiftText = gs.getMessage("You are c

                else

                    response.shiftText = gs.getMessage("You are c

            } else {

                if (response.nearestShift.roster_name)

                    response.shiftText = gs.getMessage("Your next

                else

                    response.shiftText = gs.getMessage("Your next

            }

        } else {

            if (response.nearestShift.isCurrent) {

                response.shiftText = gs.getMessage("Your shift er

            } else

                response.shiftText = gs.getMessage("Your next shi

        }

```

6. Select Update.

