

Create Respond automation

- Release version: Australia
-
- Updated March 12, 2026
-
- ⌚ 5 minutes to read

Respond to alerts automatically by notifying appropriate stakeholders, escalating them as needed based on severity and type, or other executing response actions. This process ensures that alerts are managed promptly and effectively.

Before you begin

Role required: evt_mgmt_admin, evt_team_operator, or srm_responder

About this task

For users familiar with the classic Event Management experience, this provides an easy interface with enhanced team support for creating response automations or alert management rules. Alert management rules or response automations are configurable automated actions triggered in response to alerts which match specific conditions, helping IT teams resolve issues faster and with minimal manual effort. These advanced features are currently only available to administrators and other personas mentioned in the role required section.

Procedure

1. Navigate to Workspaces > Service Operations Workspace.
2. From the bottom of the navigation pane, select the AIOps configuration center icon . The ITOM AIOps configuration center page appears. The configuration center is a centralized workspace. Use it to configure and manage AIOps features from a single place.
3. On the ITOM AIOps configuration center page, under the Optimize section, select Respond alerts.
4. Select Create automation. The Respond page appears.

Alert automation

Set actions that run automatically when an alert is received in the platform. [Learn more.](#)

Automation types	Immediately take action on certain alerts with notifications, remediation's, or automatic escalations. Learn more.				
Ignore					
Enrich					
Group					
Respond					

All response automations 19

Name	Order	Active	Description	Assignment Group
☐ Open sensor dashboard in PRTG	100	True	OOB rule. Open PRTG sensor dashboard.	
☐ Create Incident with Now Assist	100	True	OOB Rule: Execute the GenAI alert analysis and use the results for new incidents.	
☐ Show Instana Event on Instana UI	100	True	OOB rule. Opens the Alert in Instana Console directly from the Quick Response.	
☐ Show Trigger in Honeycomb	100	True	OOB rule. Opens the Trigger related to alert in Honeycomb directly from the Quick Response.	
☐ View Dependency View	100	True	OOB rule. Open dependency view	
☐ Oracle EM Launch Target Status and View Event	100	True	OOB rule. Launch Oracle Enterprise Manager to view [1] Target Status; [2] Event for alerts from source Oracle EM.	
☐ Drilldown to OMi	100	True	OOB rule. Drilldown to OMi.	
☐ Create Incident on Primary Critical Alert	100	False	OOB rule. Create an incident for primary critical alerts.	
☐ Dependency View for CMDB	100	True	OOB rule. Open dependency view for CMDB Groups to show CI's and transient	
☐ Windows server actions	100	False	OOB rule. Populate remediation actions for windows server.	

5. In the Automation name field, enter the name of the automation.

By default, the Active check box is selected.

6. In the If these conditions are met section, create filter criteria to identify the alerts you want to capture.

Important:

You can limit respond automations to primary alerts to prevent secondary alerts from being overwhelmed by unnecessary noise. Ensure these automations are applied only to alerts associated with CIs that are not currently undergoing maintenance.

Respond to alerts

Automation name: *
Notification Routing Automation ☒ Active

^ If these conditions are met... 3 condition(s) defined

Assignment group is All groups

and

Parent is empty or and

and Maintenance is false or and

+ New condition set

^ Then, apply the following actions No Actions defined

a. From the Assignment group field menu, select the assignment group to determine which team's alerts will trigger the automation.

The Assignment group represents a specific team responsible for handling certain alerts. By selecting an assignment group, you ensure that only the alerts assigned to that particular team will trigger the automation. This way, the automation is targeted and only activates for relevant alerts associated with the selected team.

Note:

- If you're logged in to the instance with an administrator role (evt_mgmt_admin), all of the assignment groups are available. Additionally,

you can select All groups to enable generating alerts for any of the available groups.

- If you're an operator, only the group you're a part of is available.
- Only members of the selected group or administrators can update or delete the automation.

b. For the Parent field value, select whether the alert for which you want a response is grouped under a parent alert.

c. For the Maintenance field value, select whether the alert for which you want a response is under maintenance.

d. To add another set of conditions, select + New condition set. You can also manually add an additional info field if you don't see it in the drop-down list.

Set up the conditions by selecting the field, operator, and field value. Then, add more conditions using OR or AND operators.

7. In the Then, apply the following actions section, select one or more of the two automation actions that can be triggered by the automation.

ITOM AIOps configurati... | Alert automation x Create Automati... x + ...

Automation name *
Notification Routing Automation ☒ Active

▼ If these conditions are met... 3 condition(s) defined

^ Then, apply the following actions 1 Action defined

For on-call notifications, you can create escalation policies for each [on-call team](#).



☒ Create incident and other response actions
Automatically create incidents and execute selected subflows from ServiceNow flow designer for alerts that match the conditions.

☐ Use outbound webhooks to send data to other systems
Get notified with a JSON object representing the triggered alerts.

▼ And finally...

▼ Automation details

Action	Description
Create incident and other response actions	Creates an incident for the alerts that match the specified filter. For details on mapping the alert fields to the incident fields, see Alert field mapping on the Respond page. Note: If you want incident fields to be automatically populated with default values, consider using Create Incident (advanced) in the Response subflows field. Create Incident (advanced) pre-populates incident fields even when you don't explicitly customize them, which helps ensure consistent incident data and reduces configuration effort.

Action	Description
	The Create incident and other response actions option also executes selected subflows from Workflow Studio for alerts that match the specified condition. For example, you may select out-of-the-box subflows to restart services. You can also create your own custom subflows, leveraging hundreds of integrations available in Integration Hub.  a. In the Response subflow field, select the subflow. Selecting the Information icon () takes you to the workflow of the subflow. For example, if you select the Information icon () next to Close Alert, the Close Alert workflow opens. Figure 1. Close Alerts workflow  b. In the How should the subflow execute? field, select Automatically, Manually or Automatically and Manually. Note: If you select a subflow with an execution type of Manually or Automatically and Manually, and then save the automation, it appears in the Express List.

Action	Description
	c. In the Execution limit field, specify the maximum number of times the subflow can run. After reaching the limit, the subflow will not execute again. d. In the Response subflow field, when you select Create Incident (advanced), two check boxes appear. ■ Customize incident fields ■ Add wait time When you select the Customize incident fields check box, a mapping section appears with the following fields: ■ Alert input value: Generates the value using Now Assist or takes it from the alert. ■ Incident field name: Maps the selected alert value to the specified incident field. Note: At least one field mapping is required when you select the Customize incident fields check box. Create Incident (advanced) automatically fills incident fields with default values, even if you don't customize them. e. Select the Add wait time check box to delay incident creation and allow alerts time to auto-resolve or downgrade. You can define conditions that are evaluated after the wait period to determine whether an incident still needs to be created. This helps prevent unnecessary incidents for alerts that resolve on their own or reduce in severity. To add another response action, select + Add response action.

Action	Description
Use outbound webhooks to send data to other systems	Sends notifications to other systems using outbound webhooks. For example, this capability can be used to send a chat notification, create a case, or trigger an external runbook to remediate the issue. For details on configuring an outbound webhook, see Outbound webhook parameters. To create an additional property, select + Add property. The property can be any custom key-value pair that you want to include in the webhook payload, such as "Content-Type: application/json" or "Authorization: Bearer <token>".

Note:

If you don't select at least one action, the automation is deactivated.

8. In the And finally section, to continue running other response automations with same filter conditions after this automation is executed, select Run other response automations.

If you select Don't run response automations, additional automations of this type will stop running after this automation is executed once. If the automation is managed by an administrator, it will stop running administrator-owned automations but will continue to run automations owned by other assignment groups.

9. In the Automation details section, provide an order and automation description.

ITOM AIOps configurati...
Alert automation x
Create Automati... x
+

Respond to alerts ⓘ
Save automation

Automation name *
Notification Routing Automation
Active

If these conditions are met...
3 condition(s) defined

Then, apply the following actions
1 Action defined

And finally...

Automation details

Order * ⓘ
100
Automation is managed by ⓘ
Admins

Description ⓘ

For information on the Automation details fields, see [../reference/automation-details-fields.html](https://reference/automation-details-fields.html).

10. Select Save automation.

A notification appears when the automation is successfully saved. Otherwise, an error message is displayed.

The response automation that you created appears on the All response automations page where you can view, edit, or delete the existing automations.