# Medico-Legal Management of Survivor of Sexual Assault/Abuse and Reporting to the Criminal Justice System

Prof. Anuruddhi Edirisinghe



To produce a graduate who will be able to conduct a medico-legal examination of an alleged victim or perpetrator of sexual assault adhering ethical principles, write a report and give evidence in a court of law as an expert witness

Knowledge, skills and attitude





#### multidisciplinary approach is needed in management of sexual assault/ abuse

Sexual assault/ Abuse is non-consensual sexual contact



It is an act of violence to control and obtain power over the individual

can cause severe harm to individuals (early short / long-lasting effects)





# What are these harms? Short/ long lasting











Psychological impairment is severe and long lasting esp those at childhood




#### **INJURIES**

- Most of injuries are minor injuries in the body: abrasions, contusions and laceration
- □Surgical care/minor bodily pains
- Severe genital injuries : gynecologist eg. internal bleeding, Examination under anesthesia and injury repairs



#### Contraception (emergency) EC: morning after pill



1.5 mg of levonorgestrel (progestin)

two 0.75 mg levonorgestrel tablets taken 12 hours apart




## Sri Lanka Family Planning Association









#### **IUCD**

☐ Effective up to 5 days after unprotective sexual intercourse

umuch more effective than pill (99%)



Gynecological support, deliver the baby, psychosocial support

If already pregnant: no the life of the mother











## Acquiring an STI after SA

- If STI acquired following the incident it proves that there was a sexual contact
- Isolating similar strains of organism in the victim and assailant proves the link
- Opinion of time of the incident based on acquiring infection
- Some injuries may be due to itching caused by vaginitis: Eg. Candida,




# Commonly detected STI in SA cases in Sri Lanka






# Indication of Sexual activity or not? Children/ adolescents



Candida infections





Bacterial vaginosis





# Psychological impairment of sexual assault



Infancy

Injury

- Affect regulation
- Attachment
- Growth
- Developmental delay



Childhood

Anxiety disorders

- PTSD
- Mood disorders
- Disruptive behaviour disorders (e.g. ADHD)
- Academic failure
- Poor peer relations



Adolescent

• Conduct disorder

- Alcohol abuse
- Drug abuse
- Other risk-taking behaviors
- Recurrent victimization



Personality disorders

- Relationship problems
- Employment problems
- Chronic disease

Maladjusted individual



#### Case report

- •A 12 year old boy presented with a tick at 3.00 p.m.
  - A boy passed 5<sup>th</sup> standard scholarship
  - Grade 6 performance deteriorated
  - Developed a tick at 3.00 p.m.
  - Corresponds to the time of abuse by a three-wheel driver- intra-crural sex
  - Presented to a psychiatrist after 6 months
  - Medico-legal care initiated: No justice yet
  - After psychological care tick disappeared



#### Sexual assault/ abuse Management



Child/ adult
Male/ female



Criminal Justice response

Health response


Psychosocial response

Multidisciplinary teams are needed to address all these issues and provide care

JMOs are mainly for CJR

Since JMO is the first contacting doctor most instances, he / she has a role in the health and psychosocial response too










If the victim is child, he or she comes under the vulnerable group

Mandatory reporting to the criminal justice system is practiced by professionals and the society





#### Multi Disciplinary Teams in other countries

#### **Common Goal**

Developing a coordinated system to respond to abuse and neglect cases

**MDT** 

Focus: Prosecution

Action: Criminal

Child Protection Team

Focus: Protection

Action: civil

Both teams may share members from same agency









#### Pseudo-convulsions in a child subjected to abuse

Anuruddhi Edirisinghel and Ananda Samarasekera<sup>2</sup>

(Index words: Multidisciplinary approach to management, "fits" due to learned behaviour)




#### Lessons to learn to understand what we were doing in early 2000 was not enough








#### The guidelines available in Sri Lanka







#### Objectives of the MDM

Provide immediate care in a secure environment

Reduce re-traumatization

Psychosocial re-habilitation and reintegration

Assess other children who may be at risk

Work towards holistic recovery

Prevent further abuse

Assist legal process for justice



#### Steps in the management

Referrals (ML opinion/Treatment)

Clinical Case Conference

Reduce retraumatization / victimization

Attending to immediate needs (Contraception, STI prophylaxis, Psychology, Protection )

Psycho-social rehabilitation

Institutional case conference (Sectorial Case conference)



#### To prevent re-victimization at hospital what we have done



JMO

• Hx, Ex, Evi, opinion


CCC Pea/Psy/ STI/ Gyne



- Probation
- NCPA
- Police




#### Clinical case conference





#### Institutional case conference





#### Institutional Case conference










#### Objectives

- Ensure that further victimization does not take place
- 2. Prevent stigmatization
- 3. Ensure safety of child and family
- 4. Ensure that the child continues his/her education without interruption
- Ensure a process of psychosocial rehabilitation and re-integration
- 6. Ensure legal justice with minimal delay



## My experience at NCTH Ragama






# MEDICO-LEGAL REPORTING FOR CRIMINAL JUSTICE RESPONSE An expert opinion based

An expert opinion based on scientific reasoning







Medico-legal report



#### Medico-Legal opinion & MLR

MLEF: preliminary opinion under the remarks

Police copy & doctors copy

MLR to courts when summons/ request received

Attorney General & indictment



## Medico-legal opinion MLEF

#### Penetration

Prove or disapprove sexual intercourse

#### Presence/absence of injuries

Interpretation on the consent



#### Opinions in the MLEF (remarks)

#### Evidence of penetration (injuries to hymen)

• යෝනිගත ලිංගික පුවෙශයක වෛදා සලකුණු ඇත.

#### Evidence of penile penetration (injuries + semen)

• පුරුෂ ලිංගෙන්දිය මගින් සිදුවූ යෝනිගත ලිංගික පුවෙශයක වෛදා සලකුණු ඇත.



## No injuries to the hymenal membrane, but there is medical evidence of penetration between labia (injuries in fossa navicularis)

• කතා පටලය තුලින් සිදුවූ යෝනිගත ලිංගික පුවේශයක වෛදා සලකුණු නැත. එනමුදු අන්තර් අධර සිදුවූ ලිංගික කියාවක සලකුණු ඇත.

## No penetrative injuries. However intralabial penetration cannot be confirmed or excluded

• යෝනිගත ලිංගික පුවේශයක වෛදා සලකුණු නැත. එනමුදු අන්තර් අධර සිදුවූ ලිංගික කියාවක් තහවුරු කිරීමට හෝ බැහැර කිරීමට නොහැක

No penetrative injuries. However other forms of sexual activities such as intracrural sexual intercourse cannot be confirmed or excluded


• යෝනිගත ලිංගික පුවේශයක වෛදා සලකුණු නැත.එනමුදු කලවා අතර සිදුවූ ලිංගික කියාවක් තහවුරු කිරීමට හෝ බැහැර කිරීමට නොහැක



#### Medico-Legal Report


 Health 1145 is not suitable for these cases.

- Recommends Free style medico-legal report
- National guide has given the subtopics to be included





#### **Evidence in Courts**







#### Recent experience

- Nilusha Nadeeshani.pdf
- Examined 2000
- Report sent : 2009
- Examination in Chief: 2014
- During cross examination 2015 at trial victim faints
- She cannot recall (no video-recording done)
- Cross examination 2015: asked me about the positions




#### Management of Sexual Assault/abuse





JMO Starts the relay: if the beginning is not good other runners cannot take the baton to the victory





# Thank

