Breathlessness

Y. TILAKARATNA

Definition

- Subject is conscious of shortness of breath. (difficult/labored/uncomfortable breathing)

Breathlessness

- Onset
  - Acute
  - Chronic
  - Acute on Chronic

Acute breathlessness

- Causes
  - Cardiac
  - Respiratory
  - Haematological
  - Neurological
  - Musculoskeletal
  - other

Acute breathlessness

- Causes
  - Cardiac
    - Acute left ventricular failure
      - Following acute MI
      - arrhythmia
      - Acute valvular dysfunction: infective endocarditis
    - Mitral stenosis
    - Pericardial effusion

Acute breathlessness

- Causes
  - Respiratory
    - Acute severe asthma
    - Pneumothorax
    - Acute pneumonia
    - Exacerbation
    - Acute pulmonary embolism
    - Major airway obstruction (Lung collapse)
    - Pleural effusions
    - Acute anaphylaxis
    - ARDS

Acute breathlessness

- Causes
  - Haematological
    - Anemia due to rapid blood loss or intravascular haemolysis

Acute breathlessness

- Causes
  - Neurological
    - Gullian barre syndrome
    - Myasthenia gravis
    - Diaphragamatic paralysis
    - OP poisoning

Acute breathlessness

- Causes
  - Other causes
    - Severe acidosis due to any cause
    - Psychiatric illness
    - Anxiety
    - Voluntary hyperventilation

19.9 DIFFERENTIAL DIAGNOSIS OF ACUTE SEVERE DYSPNOEA

Condition	History	Signs	Chest radiography	Arterial blood gases	ECG	Other tests
Pulmonary oedema	Chest pain Orthopnoea Palpitations A previous cardiac history*	Central cyanosis JVP (→ or ↑) Sweating* Cool extremities Dullness and crepitations at bases*	Cardiomegaly Upper zone vessel enlargement* Overt oedema/pleural effusions*	↓ $Pa\,O_2$ ↓ $Pa\,CO_2$	Sinus tachycardia Signs of myocardial infarction/ischaemia* Arrhythmia	Echocardiography* (↓ left ventricular function)
Massive pulmonary embolus	Recent surgery or other risk factors Chest pain Previous pleurisy Syncope* Dizziness*	Severe central cyanosis Elevated JVP* Absence of signs in the lung (unless previous pulmonary infarction)* Shock (tachycardia, reduced blood pressure)	May be subtle changes only Prominent hilar vessels Oligaemic lung fields*	↓ $Pa\,O_2$ ↓ $Pa\,CO_2$	Sinus tachycardia $S_1Q_3T_3$ pattern ↓ T (V_1-V_4) Right bundle-branch block	Echocardiography* V/Q scan* CT pulmonary angiography*
Acute severe asthma	History of previous episodes, asthma medications, wheeze*	Tachycardia and pulsus paradoxus yanosis (late) JVP →* ↓ peak flow, rhonchi*	Hyperinflation only (unless complicated by pneumothorax)*	↓ $Pa\,O_2$ ↓ $Pa\,CO_2$ (Pa CO_2 rises in extremis)	Sinus tachycardia (bradycardia with severe hypoxaemia-late)	

Condition	History	Signs	Chest radiography	Arterial blood gases	ECG	Other tests
Acute exacerbation of COPD	Previous episodes (admissions)* If in type II respiratory failure may not be distressed	Cyanosis Signs of COPD (p. 649)* Signs of CO_2 retention (warm periphery, flapping tremor, bounding pulses)*	Hyperinflation* Signs of emphysema Signs of events precipitating exacerbation	↓ or ⇓ *Pa* O_2 *Pa* CO_2 ↑ in type II failure, with ↑ [H+] and ↑ bicarbonate	Nil, or signs of right ventricular strain	
Pneumonia	Prodromal illness* Fever* Rigors* Pleurisy*	Fever, confusion Pleural rub* Consolidation* Cyanosis (only if severe)	Pneumonic consolidation*	↓ *Pa* CO_2 ↓ *Pa* O_2	Tachycardia	↑ CRP ↑ White cell count Sputum and blood culture
Metabolic acidosis	Evidence of diabetes/renal disease* Overdose of aspirin or ethylene glycol*	Fetor (ketones) Hyperventilation without physical signs in heart or lungs* Dehydration* Air hunger (Kussmaul's respiration)	Normal	*Pa* O_2 normal* ⇓ *Pa* CO_2 ⇓ pH (↑ H^+)		
Psychogenic (a diagnosis of exclusion)	Previous episodes	Not cyanosed* No heart signs* No lung signs* Carpopedal spasm	Normal	*Pa* O_2 normal* ⇓ *Pa* CO_2 pH normal or ↑ (H^+ ↓)*		End-tidal *P* CO_2 low at rest and during exercise

Chronic breathlessness

- Causes
  - Cardiac
  - Respiratory
  - Haematological
  - Neurological
  - Musculoskeletal
  - Other causes

Chronic breathlessness

- Causes
  - Cardiac
    - chronic heart failure
    - Pericardial effusion
    - Pulmonary hypertension
    - Chronic pulmonary embolism

Chronic breathlessness

- Causes
  - Respiratory
    - Bronchial asthma
    - COPD
    - Fibrotic lung diseases
    - Pulmonary hypertension
    - Chronic pulmonary embolism

Chronic breathlessness

- Causes
  - Haematological
    - Anaemia due to any cause

Chronic breathlessness

- Causes
  - Neurological
    - Chronic neurological illness
    - Motor neuron diseases etc.
    - myopathies

Chronic breathlessness

- Causes
  - Musculoskeletal
    - Chronic musculo skeletal disease
    - Ankylosing spondylitis

Chronic breathlessness

- Causes

Other causes

- Psychiatric disorders
- Anxiety
- Hypothyroidism

Classification of breathlessness according to severity

- NYHA grading
  - Grade 1-unlimited effort capacity
  - Grade 2-breathlessness with severe exertion
  - Grade 3-breathlessness with mild exertion
  - Grade 4-breathlessness at rest

Different manifestations of breathlessness

- Orthopnea-breathlessness while lying down
- Paroxysmal nocturnal dysnea-episodes of breathlessness developing in the night while sleeping
- Tachypnea-rapid respiration

Chronic Breathlessness

CVS	RS	Other
• Chronic Heart Failure • Pericardial effusion	• COPD • Bronchial Asthma • Bronchiectasis • Interstitial Lung Disease • Bronchial CA • TB • Pleural effusion • Chronic Pulmonary Emboli	• Neurological Disease, Myopathy → Respiratory muscle weakness • Hypothyroidism • Anaemia, Chronic Metabolic Acidosis – CKD • Mediastinal mass • Musculoskeletal: Kyphoscoliosis

Diagnostic Approach

Objectives

- To determine the cause of breathlessness
- Find out severity – Respiratory Failure

History 9 : Breathlessness

Points you should elicit	Significance
History of Presenting Complaint	
• Onset and progression of symptoms	Acute vs. chronic dyspnoea has different causes
• Dyspnoea severity according to NYHA	
• Orthopnoea, PND	Pulmonary oedema due to heart Failure
• Retrosternal chest pain	Acute coronary syndrome

Points you should elicit	Significance
	with heart failure
• Chest pain suggestive of pulmonary / pleural pathology	Pulmonary embolism, pneumonia, bronchial CA, TB
• Platypnea	Hepato-pulmonary syndrome
• Cough , purulent sputum, fever	Respiratory infection
• Sudden onset breathlessness, pleuritic pain	Pulmonary embolism
• Acute pleuritic pain with breathlessness, haemoptysis, cough, febrile illness	Spontaneous pneumothorax
• Recurrent attacks with cough, wheeze	Obstructive airway disease
• Dyspnoea provoked by exercise, emotions, environmental agents like pollen, dust; symptoms worse at night	Bronchial asthma
• Faintishness, lethargy, palpitations	Anaemia
• LOW, LOA, cough, haemoptysis	TB, bronchial CA, bronchiectasis
• Dry irritating cough, exertional breathlessness	Interstitial lung disease
• Chronic symptomatic cough, wheeze, worsening symptoms by infection	COPD
Past Medical History	
• IHD, HT, valvular heart disease	Pulmonary oedema
• Connective tissue disease like rheumatoid arthritis	Pulmonary fibrosis
• Chest trauma	Pneumothorax
Drug History	
• Methotrexate, amiodarone	Pulmonary fibrosis
• Oral contraceptives	Pulmonary embolism

Points you should elicit	Significance
• History of using Inhalers and response to it	Obstructive airway disease
Family History	
• Atopy, Asthma	
Social History	
• History of smoking and exposure to dust	Bronchitis, asthma
• Details of household and occupational environment	Precipitants of asthma

Examination 9 : Breathlessness

Signs you should elicit	Significance
General	
• Respiratory rate, use of accessory muscles, nasal flare	Objective assessment of breathlessness
• Stridor	Upper airway obstruction
• Fever	High fever in pneumonia low grade fever in TB
• General Impression, cachexia	Chronic HF, malignancy
• Dehydration	Metabolic acidosis : DKA, ARF
• Pallor	Anaemia
• Cyanosis	Evidence of respiratory failure
• Cyanosis + Polycythaemia	CO_2 retention in COPD
• Facial plethora, engorged neck veins	SVC obstruction
• Clubbing	Interstitial lung disease, bronchiectasis, bronchial CA

Signs you should elicit	Significance
• Lymphadenopathy	Bronchial CA, pulmonary TB
• Rheumatoid arthritis • Cutaneous manifestations of SLE, scleroderma	Interstitial lung disease
• Stridor	Upper airway obstruction
• Ankle oedema	CCF, cor-pulmonale
Cardiovascular	
• Pulse rhythm and volume	Arrhythmias
• JVP	↑ in congestive HF, cor-pulmonale, pericardial effusion, large pulmonary embolism
• Blood pressure	↓ in CCF, pulmonary embolism, pericardial effusion
• Shifted apex	Cardiac failure
• Palpable and loud P2	Cor-pulmonale
• Soft heart sounds	Pericardial effusion
• Heart murmurs	Valvular heart disease → CCF
Respiratory	
• Chest shape	Scoliosis → Fibrosis Barrel chest → Emphysema
• Use of accessory muscles, retraction of intercostals spaces and supraclavicular fossae with abnormal breathing	Airway obstruction
• Respiratory rhythm	Tachypnoea → respiratory / CVS disorder, metabolic acidosis Irregular → hysteria
• Trachea / apex displacement	Underlying lung / cardiac disease

Dyspnoea

Signs you should elicit	Significance
• Percussion note dullness	Pleural effusion, fibrosis, collapse, consolidation
• Unilateral hyper-resonance	Pneumothorax
• Bilateral hyper-resonance with impaired liver dullness	COPD
• Patch of bronchial breathing	Consolidation, cavitation
• Rhonchi	Bronchial asthma, acute bronchitis COPD Anaphylaxis
• Fine crepitations	Oedema, fibrosing alveolitis
• Coarse basal crepitations	Bronchiectasis
• Fine crepitations	Fibrosis, resolving pneumonia
• Friction rub	Pleurisy
• Sputum	Frothy → Pulmonary oedema Muco-purulent → Bronchitis, pneumonia Purulent → Lung abscess, bronchiectasis Blood → Bronchial CA, tuberculosis, bronchiectasis
Abdomen	
• Tender pulsatile liver	CCF Right heart failure secondary to pulmonary HT (cor-pulmonale)
• Ascites	Limited expansion of lungs
• Hepatosplenomegaly	Anaemia
Nervous	
• Exclude neuromuscular disorders	GBS, myopathies, kyphoscoliosis

Investigations

- Full Blood Count
- ECG
- Chest X ray
- Random Blood Sugar
- Serum Creatinine / Electrolytes
- UFR

Advanced Investigations

- Arterial Blood gas
- Echo Cardiogram
- Lung function
- CT Chest
- Pulmonary Angiogram

Management

- Start with resuscitation if acutely ill (positioning , removal of secretions , maintaining air-way)
- Oxygenation (Nasal cannula , face masks , CPAP)
- Monitoring saturation , vital signs
- Poor response – ventilation
- Treat the underlying illness

Fig. 2.16




Fig. 5.11
I
VR
V1
V4
II
VL
V2
V5
III
VF
V3
V6


Fig. 4.6
I
VR
V1
V4
II
VL
V2
V5
III
VF
V3
V6


ECG 10
I
VR
V1
V4
II
VL
V2
V5
III
VF
V3
V6

Pulmonary oedema



Pneumothorax



COPD



Lobar pneumonia

Pleural effusion



Thank You