

Neck


Dr. Vasitha


Neck-Anatomy


- The side: above, by the lower border of the body of the <u>mandible</u>, and an imaginary line extending from the angle of the mandible to the <u>mastoid process</u>; below, by the upper border of the <u>clavicle</u>; in front, by the middle line of the neck; behind, by the anterior margin of the <u>trapezius</u>.
- This space is subdivided into two large triangles by <u>sternocleidomastoid</u>, which passes obliquely across the neck, from the <u>sternum</u> and <u>clavicle</u> below, to the <u>mastoid</u> process and <u>occipital bone</u> above.
- The triangular space in front of this muscle is called the <u>anterior</u> triangle of the <u>neck</u>; and that behind it, the <u>posterior triangle of</u> the neck














Posterior triangle






ANTERIOR TRIANGLE OF NECK SUB-TRIANGLES SUPRAHYOID AND STRAP MUSCLES



Lie between pretracheal & investing fasciae. Supplied by anterior rami of C1-3, ansa cervicalis, facial nerve & nerve to mylohyoid (Vc)

ANTERIOR TRIANGLE OF NECK DIAGRAM OF CONTENTS

Internal jugular, facial vein, retromandibular & external jugular veins






Fig. 4.3. Contents of the Anterior triangle of Neck (Schematic).

Carotid Triangle:

Borders:

Super: Post. belly of Digastric Med: Sup. Belly of Omohyoid

(2)


Lat: Sternocleidomastoid (1)

Skin innervat.: cervical plexus

Content:


External jugular vein and Superficial cervical fascia Internal jugular vein (9) and Common facial vein (6) Common carotid A. (10) Carotid Sinus (11)

- 12- Internal carotid A.
- 13- External carotid A.
- 29- Vagus nerve (behind and in between vessels)
- 24- descending branch of XII (upper root of cervical ansa) runs above the carotid sheath. 18- Hypoglossal N.



POSTERIOR TRIANGLE OF NECK

- Boundaries: Posterior border of sternocleidomastoid, anterior border of trapezius, mid 1/3 clavicle
- Shape: Spiral
- Roof: Investing fascia, platysma, external jugular vein
- Floor: Prevertebral fascia covering muscles, subclavian artery, trunks of brachial plexus & cervical plexus
- Contents:
 - Arteries: Occipital, superficial cervical, suprascpular
 - Veins: Transverse cervical, suprascapular, external jugular
 - Nerves: Branches of cervical plexus, spinal root of accessory
 - Muscle: Omohyoid with its sling
 - Lymph nodes: Occipital (rubella/scalp infections)
 Supraclavicular (part of the deep chain)






Fig. 3.11. Sub-occipital triangle (Left).




Fig. 3.5. Contents of the Posterior triangle.




Figure 1: Lymph node groups are most commonly referred to by the names in this illustration.