# Email Security Gateway Requirements

Software Requirements Specification

IEEE 830-1998 outline

DRAFT — human review required

Version 1 | 2026-10-29T20:48:11.110883+00:00

## Contents


1 Introduction 2
- 1.1 Purpose . . . 2
- 1.2 Scope . . . 2
- 1.3 Definitions, acronyms and abbreviations . . . 2
- 1.4 References . . . 2
- 1.5 Overview . . . 2

2 Overall description 2
- 2.1 Product perspective . . . 2
- 2.2 Product functions . . . 2
- 2.3 User characteristics and stakeholders . . . 3
- 2.4 Constraints . . . 3
- 2.5 Assumptions and dependencies . . . 3

3 Specific requirements 4
- 3.1 External interface requirements . . . 4
  - 3.1.1 User interfaces . . . 4
  - 3.1.2 Hardware interfaces . . . 4
  - 3.1.3 Software interfaces . . . 4
  - 3.1.4 Communications interfaces . . . 4
- 3.2 Functional requirements . . . 4
- 3.3 Performance requirements . . . 5
- 3.4 Logical database requirements . . . 5
- 3.5 Design constraints . . . 5
- 3.6 Software system attributes . . . 5
  - 3.6.1 Reliability . . . 5
  - 3.6.2 Availability . . . 5
  - 3.6.3 Security . . . 5
  - 3.6.4 Maintainability . . . 6
  - 3.6.5 Portability . . . 6
- 3.7 Other requirements . . . 6

# 1 Introduction

## 1.1 Purpose

This specification records the project purpose, stakeholder constraints and unresolved decisions stated in the source evidence below.

This SRS describes the software's required behavior for users, administrators and the Project Analyst reviewing the specification.

## 1.2 Scope

Design a secure email security gateway for a university that protects students, faculty, staff, and administrators from phishing, malicious attachments, spoofed messages, and suspicious links. The system should inspect incoming and outgoing email traffic, detect suspicious messages, quarantine potentially harmful emails, generate security alerts, and allow authorized administrators to review and release quarantined messages. The platform should maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events. The solution should be secure, reliable, scalable, and manageable for university-wide deployment.

## 1.3 Definitions, acronyms and abbreviations

| Term | Meaning |
|---|---|
| Log | A collection of event records. This term does not itself require additional logging fields, events or access permissions. |
| Audit record | A stored record of an event. Required event scope and retention are determined by the linked source, not this definition. |

## 1.4 References

| Reference | Source |
|---|---|
| Format | IEEE Std 830-1998, clauses 5 and Annex A (document organization). |

## 1.5 Overview

Section 2 summarizes the product, stakeholders and open decisions. Section 3 contains the uniquely identified requirements. Detailed evidence, acceptance procedures and the SDLC plan are available in the supporting report.

# 2 Overall description

## 2.1 Product perspective

Design a secure email security gateway for a university that protects students, faculty, staff, and administrators from phishing, malicious attachments, spoofed messages, and suspicious links.

## 2.2 Product functions

Functional topics are summarized below; section 3 retains the full requirements.

- protect students, faculty, staff, and administrators from phishing, malicious attachments, spoofed messages, and suspicious links - FR-001
- inspect incoming and outgoing email traffic - FR-002
- detect suspicious messages - FR-003
- quarantine potentially harmful emails - FR-004
- generate security alerts - FR-005
- allow authorized administrators to review quarantined messages - FR-006
- allow authorized administrators to release quarantined messages - FR-007
- maintain audit logs of filtering decisions and administrator actions - FR-008
- integrate with the university identity system - FR-009
- provide a dashboard for monitoring email security events - FR-010

## 2.3 User characteristics and stakeholders

Labels group stakeholders for readability. They do not combine permissions.

Education, training and experience requirements remain unspecified.

| Role | Source user groups | Responsibility |
|---|---|---|
| User | students, faculty, staff | Uses permitted functions; each source class keeps its specified permissions. |
| Admin | administrators | Performs only the role's source-defined operations in section 3. |
| Project Analyst | Document review role | Reviews requirements and tracks open decisions; this role grants no product access. |

## 2.4 Constraints

No additional implementation constraints were confirmed. Source-defined restrictions remain in the requirements in section 3.

## 2.5 Assumptions and dependencies

Open decisions requiring confirmation:

- What conditions define suspicious email content?
- Which fields must the audit logs contain?
- What retention period is required for the audit logs?
- Which security acceptance outcomes must be demonstrated?
- What measurable reliability and recovery targets must the system meet?
- What measurable scalability targets must the system meet?
- What criteria define acceptable manageability?
- What conditions permit quarantining and releasing messages?

# 3 Specific requirements

Each requirement is stated once with its original identifier and wording. Cross-references identify requirements covering more than one concern.

## 3.1 External interface requirements

### 3.1.1 User interfaces

Related requirements: FR-010. Interface details beyond those requirements remain unspecified.

### 3.1.2 Hardware interfaces

No specific interface requirement was supplied; confirmation is required.

### 3.1.3 Software interfaces

Related requirements: FR-009. Interface details beyond those requirements remain unspecified.

### 3.1.4 Communications interfaces

No specific interface requirement was supplied; confirmation is required.

## 3.2 Functional requirements

### FR-001 · Must · explicit

The system shall protect students, faculty, staff, and administrators from phishing, malicious attachments, spoofed messages, and suspicious links.

Traceability: E-001, TEST-001

### FR-002 · Should · explicit

The system shall inspect incoming and outgoing email traffic.

Traceability: E-002, TEST-002

### FR-003 · Should · explicit

The system shall detect suspicious messages.

Traceability: E-002, TEST-003

### FR-004 · Should · explicit

The system shall quarantine potentially harmful emails.

Traceability: E-002, TEST-004

### FR-005 · Should · explicit

The system shall generate security alerts.

Traceability: E-002, TEST-005

### FR-006 · Should · explicit

The system shall allow authorized administrators to review quarantined messages.

Traceability: E-002, TEST-006

### FR-007 · Should · explicit

The system shall allow authorized administrators to release quarantined messages.

Traceability: E-002, TEST-007

### FR-008 · Should · explicit

The system shall maintain audit logs of filtering decisions and administrator actions.

Traceability: E-003, TEST-008

### FR-009 · Should · explicit

The system shall integrate with the university identity system.

Traceability: E-003, TEST-009

### FR-010 · Should · explicit

The system shall provide a dashboard for monitoring email security events.

Traceability: E-003, TEST-010

## 3.3 Performance requirements

### NFR-004 · Should · explicit

The system shall be scalable for university-wide deployment.

Traceability: E-004, TEST-014

## 3.4 Logical database requirements

No separate requirement was specified in the supplied brief.

## 3.5 Design constraints

No separate requirement was specified in the supplied brief.

## 3.6 Software system attributes

### 3.6.1 Reliability

### NFR-003 · Should · explicit

The system shall be reliable for university-wide deployment.

Traceability: E-004, TEST-013

### 3.6.2 Availability

No separate requirement was specified in the supplied brief.

### 3.6.3 Security

Also covered by: FR-005, FR-008, FR-010.

### NFR-001 · Must · explicit

The system shall be secure.

Traceability: E-001, TEST-011

### NFR-002 · Should · explicit

The system shall be secure for university-wide deployment.

Traceability: E-004, TEST-012

### 3.6.4 Maintainability

### NFR-005 · Should · explicit

The system shall be manageable for university-wide deployment.

Traceability: E-004, TEST-015

### 3.6.5 Portability

No separate requirement was specified in the supplied brief.

## 3.7 Other requirements

No separate requirement was specified in the supplied brief.

Detailed acceptance criteria, evidence, architecture and the SDLC plan are available in the supporting report and canonical JSON.

Canonical content SHA-256: 1bb043df83c19ee4c4464e31019ca21950425429116f17f42f388f4613b16e6e