CYBERSRS

Email Security Gateway Requirements

Software Requirements Specification

DRAFT — human review required

Version 1 • 2026-10-29T13:38:00.456514+00:00

AI-generated advisory document. Review by a qualified professional is required.

Automated checks do not prove completeness or semantic correctness. SDLC suitability scores are rule-based points, not probabilities.

Content SHA-256: 062e0490b0389c1f958ee4cf1ea261a982c5e61f0f896a1ffa87e3d09fb96636

Contents

1. Introduction 3

2. Functional requirements 4

3. Non-functional requirements 5

4. Security, privacy and compliance 6

5. Data requirements 7

6. Network and interfaces 7

7. Compliance and policy applicability matrix 7

8. Architecture 7

9. Threats 11

10. Risks 11

11. User stories and use cases 11

12. Verification and acceptance 12

13. Glossary 14

14. SDLC recommendation and workflow 14

SDLC rankings and decision evidence 17

Evidence register 18

Source references 18

Validation findings 20

Human review history 20

AI drafting record 20

Requirements traceability matrix 21

1. Introduction

Original project description

Design a secure email security gateway for a university that protects students, faculty, staff, and administrators from phishing, malicious attachments, spoofed messages, and suspicious links. The system should inspect incoming and outgoing email traffic, detect suspicious messages, quarantine potentially harmful emails, generate security alerts, and allow authorized administrators to review and release quarantined messages. The platform should maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events. The solution should be secure, reliable, scalable, and manageable for university-wide deployment.

Summary: This specification records the project purpose, stakeholder constraints and unresolved decisions stated in the source evidence below.

Items

Stakeholder source statement E-001

Detail: Design a secure email security gateway for a university that protects students, faculty, staff, and administrators from phishing, malicious attachments, spoofed messages, and suspicious links.

Status: confirmed

Evidence ids: E-001

Stakeholder source statement E-002

Detail: The system should inspect incoming and outgoing email traffic, detect suspicious messages, quarantine potentially harmful emails, generate security alerts, and allow authorized administrators to review and release quarantined messages.

Status: confirmed

Evidence ids: E-002

Stakeholder source statement E-003

Detail: The platform should maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events.

Status: confirmed

Evidence ids: E-003

Stakeholder source statement E-004

Detail: The solution should be secure, reliable, scalable, and manageable for university-wide deployment.

Status: confirmed

Evidence ids: E-004

2. Functional requirements

Applicability reason: Source-backed obligations; unspecified decisions remain open.

Requirements

FR-001 - inspect incoming and outgoing email traffic for phishing attempts, malicious attachments, spoofed messages, and suspicious links.

Statement: The system shall inspect incoming and outgoing email traffic for phishing attempts, malicious attachments, spoofed messages, and suspicious links.

Rationale: Implements stakeholder source E-001.

Priority: must

Dimensions: business

Basis: explicit

Evidence ids: E-001

Acceptance criteria

Given: An email with a malicious attachment is sent to a university user

When: The email security gateway processes the message during transmission

Then: The system detects the malicious content and quarantines the message

Method: demonstration

Observable evidence: Test capture of the quarantine action triggered by the gateway

Given: A spoofed message is received from an external sender

When: The message arrives at the university's email server

Then: The system identifies the spoofing attempt and generates a security alert for administrators

Method: test

Observable evidence: Test capture of the generated security alert

Unresolved decisions: Thresholds for what constitutes a suspicious link or attachment are not defined

FR-002 - allow authorized administrators to review quarantined messages and release them if deemed safe.

Statement: The system shall allow authorized administrators to review quarantined messages and release them if deemed safe.

Rationale: Implements stakeholder source E-002.

Priority: should

Dimensions: business

Basis: explicit

Evidence ids: E-002

Acceptance criteria

Given: An administrator requests access to a quarantined message

When: The request is processed by the email security gateway

Then: The administrator receives the message for review and can approve or reject it

Method: demonstration

Observable evidence: Test capture of the approval workflow for a quarantined message

Given: A message is released after administrative review

When: It is delivered to the recipient's inbox

Then: The delivery occurs without error.

Method: test

Observable evidence: Test capture of successful message delivery post-release

Unresolved decisions: Access controls for which administrators can approve messages are not defined

3. Non-functional requirements

Applicability reason: Source-backed obligations; unspecified decisions remain open.

Requirements

NFR-001 - The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.

Statement: The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.

Rationale: Implements stakeholder source E-004.

Priority: should

Dimensions: availability

Basis: explicit

Evidence ids: E-004

Acceptance criteria

Given: A university administrator initiates a deployment request for the system across campus networks

When: The system is configured to operate in a university-wide environment

Then: The system remains secure, reliable, scalable, and manageable under operational conditions

Method: test

Observable evidence: Test capture of system behavior during university-wide deployment

Unresolved decisions: Definition of scalability in terms of message volume or user count; Criteria for reliability under network failure or high load; Specifics of manageability including interface usability and access controls

4. Security, privacy and compliance

Applicability reason: Source-backed obligations; unspecified decisions remain open.

Requirements

SEC-001 - The platform shall maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events.

Statement: The platform shall maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events.

Rationale: Implements stakeholder source E-003.

Priority: should

Dimensions: security

Basis: explicit

Evidence ids: E-003

Acceptance criteria

Given: An administrator performs a filtering action or reviews quarantined messages

When: The system processes the request and records the decision

Then: A log entry is generated in the platform's audit database indicating the action type, timestamp, user ID, and message details

Method: test

Observable evidence: Test capture of the audit log record after a filtering action or quarantine review

Given: An operator accesses the email security dashboard via the university identity system

When: The operator views real-time monitoring events and alerts

Then: The dashboard displays current threats, event counts, and administrator actions with accurate timestamps

Method: demonstration

Observable evidence: Test capture of the dashboard interface showing live threat data

Unresolved decisions: Whether audit logs shall be retained for 30 days or longer; How real-time monitoring thresholds are defined

Related requirement ids: FR-001; FR-002

5. Data requirements

Applicability reason: Existing canonical requirements, where applicable, are linked below; this section adds no separate obligation. Unresolved stakeholder decisions remain open.

Related requirement ids: SEC-001

6. Network and interfaces

Applicability reason: Existing canonical requirements, where applicable, are linked below; this section adds no separate obligation. Unresolved stakeholder decisions remain open.

7. Compliance and policy applicability matrix

Open decisions: Which specific identity-based authentication mechanisms (e.g., MFA, device fingerprinting) should be implemented for email access in the university environment?; How will dynamic risk-based policies be defined and evaluated to determine whether a user should be allowed to access sensitive data or perform high-risk actions?; What thresholds will trigger quarantining of messages or generation of security alerts?; How will real-time monitoring of device health, patch levels, and network traffic be implemented for email endpoints?; Will the system use certificate-based device identity or other forms of device authentication?; How will access to sensitive data (e.g., payroll) be controlled based on user behavior and location?; What is the definition of ' scalability' in terms of message volume or number of users, and how will it be measured during deployment?; What are the specific reliability criteria under network failure or high load conditions?; How will manageability be ensured through interface usability, access controls, and operational workflows?

8. Architecture

Summary: Proposed logical components and interactions mapped to canonical source obligations.

Items

Actor: authorized administrators

Detail: Proposed logical endpoint for the source-stated actor: authorized administrators.

Status: proposed

Evidence ids: E-002

Requirement ids: FR-002

Component name: Actor: authorized administrators

Responsibility: Represent the source-stated actor: authorized administrators.

Email Traffic Inspector

Detail: Proposed logical owner for FR-001, NFR-001.

Status: proposed

Evidence ids: E-001; E-004

Requirement ids: FR-001; NFR-001

Component name: Email Traffic Inspector

Responsibility: The system shall inspect incoming and outgoing email traffic for phishing attempts, malicious attachments, spoofed messages, and suspicious links. The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.

Quarantine Manager

Detail: Proposed logical owner for FR-002, NFR-001.

Status: proposed

Evidence ids: E-002; E-004

Requirement ids: FR-002; NFR-001

Component name: Quarantine Manager

Responsibility: The system shall allow authorized administrators to review quarantined messages and release them if deemed safe. The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.

Audit and Monitoring Dashboard

Detail: Proposed logical owner for SEC-001, NFR-001.

Status: proposed

Evidence ids: E-003; E-004

Requirement ids: SEC-001; NFR-001

Component name: Audit and Monitoring Dashboard

Responsibility: The platform shall maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events. The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.

Data flows

Proposed source-defined interaction

Detail: Proposed directed path for FR-002.

Status: proposed

Evidence ids: E-002

Requirement ids: FR-002

From component: Actor: authorized administrators

To component: Quarantine Manager

Data or action: The system shall allow authorized administrators to review quarantined messages and release them if deemed safe.

Trust boundaries

Proposed source-defined trust boundary

Detail: Proposed logical trust-domain crossing for FR-002.

Status: proposed

Evidence ids: E-002

Requirement ids: FR-002

Untrusted component: Actor: authorized administrators

Trusted component: Quarantine Manager

Enforcement: The system shall allow authorized administrators to review quarantined messages and release them if deemed safe.

Proposed source-defined trust boundary

Detail: Proposed logical trust-domain crossing for NFR-001.

Status: proposed

Evidence ids: E-004

Requirement ids: NFR-001

Untrusted component: Email Traffic Inspector

Trusted component: Quarantine Manager

Enforcement: The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.

Proposed source-defined trust boundary

Detail: Proposed logical trust-domain crossing for NFR-001.

Status: proposed

Evidence ids: E-004

Requirement ids: NFR-001

Untrusted component: Email Traffic Inspector

Trusted component: Audit and Monitoring Dashboard

Enforcement: The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.

Proposed source-defined trust boundary

Detail: Proposed logical trust-domain crossing for NFR-001.

Status: proposed

Evidence ids: E-004

Requirement ids: NFR-001

Untrusted component: Quarantine Manager

Trusted component: Email Traffic Inspector

Enforcement: The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.

Proposed source-defined trust boundary

Detail: Proposed logical trust-domain crossing for NFR-001.

Status: proposed

Evidence ids: E-004

Requirement ids: NFR-001

Untrusted component: Quarantine Manager

Trusted component: Audit and Monitoring Dashboard

Enforcement: The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.

Proposed source-defined trust boundary

Detail: Proposed logical trust-domain crossing for NFR-001.

Status: proposed

Evidence ids: E-004

Requirement ids: NFR-001

Untrusted component: Audit and Monitoring Dashboard

Trusted component: Email Traffic Inspector

Enforcement: The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.

Proposed source-defined trust boundary

Detail: Proposed logical trust-domain crossing for NFR-001.

Status: proposed

Evidence ids: E-004

Requirement ids: NFR-001

Untrusted component: Audit and Monitoring Dashboard

Trusted component: Quarantine Manager

Enforcement: The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.

9. Threats

Assumptions

1. These are defensive planning hypotheses, not observed incidents or approved extra controls. Unrecognized threats and actual implementation effectiveness require human review.

10. Risks

11. User stories and use cases

User stories and use cases

Id: UC-001

Actor: authorized administrators

Goal: The system shall allow authorized administrators to review quarantined messages and release them if deemed safe.

Story: As authorized administrators, I need the following behavior: The system shall allow authorized administrators to review quarantined messages and release them if deemed safe.

Preconditions

1. An administrator requests access to a quarantined message

Steps

1. The request is processed by the email security gateway

Success outcome: The administrator receives the message for review and can approve or reject it

Alternate flows

1. Given: A message is released after administrative review When: It is delivered to the recipient's inbox Then: The delivery occurs without error. Evidence: Test capture of successful message delivery post-release

Requirement ids: FR-002

Evidence ids: E-002

Unresolved decisions: Access controls for which administrators can approve messages are not defined

Open issues: Access controls for which administrators can approve messages are not defined

12. Verification and acceptance

Tests

Id: TEST-001

Requirement ids: FR-001

Procedure

1. Given: An email with a malicious attachment is sent to a university user
2. When: The email security gateway processes the message during transmission

Expected result: Expected: The system detects the malicious content and quarantines the message

Evidence to record: Evidence: Test capture of the quarantine action triggered by the gateway

Test type: positive

Id: TEST-002

Requirement ids: FR-001

Procedure

1. Given: A spoofed message is received from an external sender
2. When: The message arrives at the university's email server

Expected result: Expected: The system identifies the spoofing attempt and generates a security alert for administrators

Evidence to record: Evidence: Test capture of the generated security alert

Test type: positive

Id: TEST-003

Requirement ids: FR-002

Procedure

1. Given: An administrator requests access to a quarantined message
2. When: The request is processed by the email security gateway

Expected result: Expected: The administrator receives the message for review and can approve or reject it

Evidence to record: Evidence: Test capture of the approval workflow for a quarantined message

Test type: positive

Id: TEST-004

Requirement ids: FR-002

Procedure

1. Given: A message is released after administrative review
2. When: It is delivered to the recipient's inbox

Expected result: Expected: The delivery occurs without error.

Evidence to record: Evidence: Test capture of successful message delivery post-release

Test type: negative

Id: TEST-005

Requirement ids: NFR-001

Procedure

1. Given: A university administrator initiates a deployment request for the system across campus networks
2. When: The system is configured to operate in a university-wide environment

Expected result: Expected: The system remains secure, reliable, scalable, and manageable under operational conditions

Evidence to record: Evidence: Test capture of system behavior during university-wide deployment

Test type: positive

Id: TEST-006

Requirement ids: SEC-001

Procedure

1. Given: An administrator performs a filtering action or reviews quarantined messages
2. When: The system processes the request and records the decision

Expected result: Expected: A log entry is generated in the platform's audit database indicating the action type, timestamp, user ID, and message details

Evidence to record: Evidence: Test capture of the audit log record after a filtering action or quarantine review

Test type: positive

Id: TEST-007

Requirement ids: SEC-001

Procedure

1. Given: An operator accesses the email security dashboard via the university identity system
2. When: The operator views real-time monitoring events and alerts

Expected result: Expected: The dashboard displays current threats, event counts, and administrator actions with accurate timestamps

Evidence to record: Evidence: Test capture of the dashboard interface showing live threat data

Test type: positive

Limitations: These verification plans have not been executed; their acceptance outcomes require testing.

13. Glossary

Summary: Source-present terminology; definitions introduce no additional product obligation.

Items

Log

Detail: A collection of event records. This term does not itself require additional logging fields, events or access permissions.

Status: proposed

Evidence ids: E-003

Audit record

Detail: A stored record of an event. Required event scope and retention are determined by the linked source, not this definition.

Status: proposed

Evidence ids: E-003

14. SDLC recommendation and workflow

Selected model: Agile

Justification: No differentiating input evidence is provided to favor one lifecycle model over others. The absence of explicit factors such as budget, delivery, failure consequences, feedback, legacy, regulation, schedule, stability, uncertainty, verification, or assurance maturity prevents a ranked selection. All models are equally suitable under current conditions.

Tradeoffs

1. Recurring delivery requires stakeholder review and backlog refinement; a cycle does not guarantee completeness or remove unresolved decisions.

Phases

Name: Requirements and verification planning

Phase type: planning

Activities

1. Review and baseline the source-defined work group: FR-001: The system shall inspect incoming and outgoing email traffic for phishing attempts, malicious attachments, spoofed messages, and suspicious links.; FR-002: The system shall allow authorized administrators to review quarantined messages and release them if deemed safe.; SEC-001: The platform shall maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events.
2. Review and baseline the source-defined work group: NFR-001: The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.
3. Create the unit, integration, system and acceptance test plan before implementation; retain each authored acceptance criterion.

Roles: Proposed project owner; Proposed development lead; Proposed verification reviewer

Deliverables

1. Versioned requirements baseline
2. Unit, integration, system and acceptance test plan
3. Unresolved-decision record

Entry criteria

1. Authoritative inputs and canonical requirements are available for review.

Exit criteria

1. A human reviewer has recorded the baseline decision and disposition of unresolved scope.

Security checks

1. Review implementation and acceptance evidence against SEC-001: The platform shall maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events.

Human approval: Pending human decision by Proposed project owner on this phase's deliverables and unresolved decisions; no approval is recorded by generation.

Requirement ids: FR-001; FR-002; NFR-001; SEC-001

Name: Agile delivery cycle

Phase type: iteration

Activities

1. Review and prioritize the backlog for the next iteration without changing source-defined scope.
2. Implement the source-defined work group: FR-001: The system shall inspect incoming and outgoing email traffic for phishing attempts, malicious attachments, spoofed messages, and suspicious links.; FR-002: The system shall allow authorized administrators to review quarantined messages and release them if deemed safe.; SEC-001: The platform shall maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events.
3. Implement the source-defined work group: NFR-001: The solution shall be secure, reliable, scalable, and manageable for university-wide deployment.
4. In an authorized isolated test environment, execute TEST-001: Given: An email with a malicious attachment is sent to a university user When: The email security gateway processes the message during transmission Expected: The system detects the malicious content and quarantines the message
5. In an authorized isolated test environment, execute TEST-002: Given: A spoofed message is received from an external sender When: The message arrives at the university's email server Expected: The system identifies the spoofing attempt and generates a security alert for administrators
6. In an authorized isolated test environment, execute TEST-003: Given: An administrator requests access to a quarantined message When: The request is processed by the email security gateway Expected: The administrator receives the message for review and can approve or reject it
7. In an authorized isolated test environment, execute TEST-004: Given: A message is released after administrative review When: It is delivered to the recipient's inbox Expected: The delivery occurs without error.

8. In an authorized isolated test environment, execute TEST-005: Given: A university administrator initiates a deployment request for the system across campus networks When: The system is configured to operate in a university-wide environment Expected: The system remains secure, reliable, scalable, and manageable under operational conditions
9. In an authorized isolated test environment, execute TEST-006: Given: An administrator performs a filtering action or reviews quarantined messages When: The system processes the request and records the decision Expected: A log entry is generated in the platform's audit database indicating the action type, timestamp, user ID, and message details
10. In an authorized isolated test environment, execute TEST-007: Given: An operator accesses the email security dashboard via the university identity system When: The operator views real-time monitoring events and alerts Expected: The dashboard displays current threats, event counts, and administrator actions with accurate timestamps
11. Collect stakeholder feedback; agree its cadence with a human reviewer before scheduling cycles.
12. Return accepted stakeholder feedback and observed defects to the backlog and plan the next iteration.

Roles: Proposed project owner; Proposed development lead; Proposed verification reviewer

Deliverables

1. Requirement-linked implementation increment
2. Recorded test evidence
3. Reviewed feedback and next-iteration backlog

Entry criteria

1. Prior work, source scope and the reviewed test plan are available for iteration planning.

Exit criteria

1. A human reviewer has assessed the increment, test evidence and feedback; unresolved changes return to the next iteration.

Security checks

1. Review implementation and acceptance evidence against SEC-001: The platform shall maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events.

Human approval: Pending human decision by Proposed project owner on this phase's deliverables and unresolved decisions; no approval is recorded by generation.

Requirement ids: FR-001; FR-002; NFR-001; SEC-001

Name: Release and handoff

Phase type: release

Activities

1. Review the exact requirements baseline, implementation links and verification evidence before a release decision.
2. Carry unresolved source decisions into handoff; generated text is not human approval.

Roles: Proposed project owner; Proposed development lead; Proposed verification reviewer

Deliverables

1. Requirements and verification evidence package

2. Pending human release decision
3. Outstanding-decision record

Entry criteria

1. Verification evidence and unresolved decisions are available for human review.

Exit criteria

1. A human has recorded the release/handoff decision for the reviewed content.

Security checks

1. Review implementation and acceptance evidence against SEC-001: The platform shall maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events.

Human approval: Pending human decision by Proposed project owner on this phase's deliverables and unresolved decisions; no approval is recorded by generation.

Requirement ids: FR-001; FR-002; NFR-001; SEC-001

Unknown factors: budget; delivery; failure_consequences; feedback; legacy; regulation; schedule; stability; uncertainty; verification

SDLC rankings and decision evidence

Policy: sequential-sdlc-1.1

Generation profile: sequential-sdlc-generation-2.0

Ranked candidates

Model: Agile

Score: 40

Reasons: No differentiating input evidence

Model: DevSecOps

Score: 40

Reasons: No differentiating input evidence

Model: Spiral

Score: 40

Reasons: No differentiating input evidence

Model: V-Model

Score: 40

Reasons: No differentiating input evidence

Model: Waterfall

Score: 40

Reasons: No differentiating input evidence

Model: Hybrid

Score: 40

Reasons: No differentiating input evidence

Model: Incremental

Score: 40

Reasons: No differentiating input evidence

Evidence register

Id: E-001

Source: description

Quote: Design a secure email security gateway for a university that protects students, faculty, staff, and administrators from phishing, malicious attachments, spoofed messages, and suspicious links.

Id: E-002

Source: description

Quote: The system should inspect incoming and outgoing email traffic, detect suspicious messages, quarantine potentially harmful emails, generate security alerts, and allow authorized administrators to review and release quarantined messages.

Id: E-003

Source: description

Quote: The platform should maintain audit logs of filtering decisions and administrator actions, integrate with the university identity system, and provide a dashboard for monitoring email security events.

Id: E-004

Source: description

Quote: The solution should be secure, reliable, scalable, and manageable for university-wide deployment.

Source references

kb-0150d5352d0ec304:22 - 03_OWASP_CheatSheets/036_OWASP_Authentication_Cheat_Sheet.md

Source document id: kb-0150d5352d0ec304

Chunk index: 22

Page or section: text chunk 23

Relevance score: 0.7453

Sha256: b1d318a57f742d12b57bccda3153873653652c767038c5ca3d9d74350819f303

kb-c1e0239af9dd46bd:1 - 03_OWASP_CheatSheets/107_OWASP_Zero_Trust_Architecture_Cheat_Sheet.md

Source document id: kb-c1e0239af9dd46bd

Chunk index: 1

Page or section: text chunk 2

Relevance score: 0.71

Sha256: f5fe6d1e1cfefc05da1b1b9773acee6b7e9d156f4aa69ab0a14a7a1adfd2a8ef

kb-c1e0239af9dd46bd:8 - 03_OWASP_CheatSheets/107_OWASP_Zero_Trust_Architecture_Cheat_Sheet.md

Source document id: kb-c1e0239af9dd46bd

Chunk index: 8

Page or section: text chunk 9

Relevance score: 0.7076

Sha256: f5fe6d1e1cfefc05da1b1b9773acee6b7e9d156f4aa69ab0a14a7a1adfd2a8ef

kb-c1e0239af9dd46bd:14 - 03_OWASP_CheatSheets/107_OWASP_Zero_Trust_Architecture_Cheat_Sheet.md

Source document id: kb-c1e0239af9dd46bd

Chunk index: 14

Page or section: text chunk 15

Relevance score: 0.7071

Sha256: f5fe6d1e1cfefc05da1b1b9773acee6b7e9d156f4aa69ab0a14a7a1adfd2a8ef

kb-92ffa375cd05a8f5:14 - 03_OWASP_CheatSheets/081_OWASP_Multifactor_Authentication_Cheat_Sheet.md

Source document id: kb-92ffa375cd05a8f5

Chunk index: 14

Page or section: text chunk 15

Relevance score: 0.7113

Sha256: 0c1de91561bd8b449f5a27033e799c6928df3f24cb48a965994f615671612490

kb-0150d5352d0ec304:15 - 03_OWASP_CheatSheets/036_OWASP_Authentication_Cheat_Sheet.md

Source document id: kb-0150d5352d0ec304

Chunk index: 15

Page or section: text chunk 16

Relevance score: 0.7097

Sha256: b1d318a57f742d12b57bccda3153873653652c767038c5ca3d9d74350819f303

kb-92ffa375cd05a8f5:19 - 03_OWASP_CheatSheets/081_OWASP_Multifactor_Authentication_Cheat_Sheet.md

Source document id: kb-92ffa375cd05a8f5

Chunk index: 19

Page or section: text chunk 20

Relevance score: 0.7107

Sha256: 0c1de91561bd8b449f5a27033e799c6928df3f24cb48a965994f615671612490

Validation findings

Code: human_semantic_review_required

Severity: warning

Section: document

Message: Review completeness, actor permissions, contradictions and citation applicability; schema and link checks do not prove semantic correctness.

Human review history

None recorded.

AI drafting record

Requested model: cybersrs-qwen3-4b-ft:latest

Actual models used: cybersrs-qwen3-4b-ft:latest; qwen3:4b-instruct-2507-q4_K_M

Section models

Introduction: cybersrs-qwen3-4b-ft:latest

Functional requirements: cybersrs-qwen3-4b-ft:latest

Non-functional requirements: qwen3:4b-instruct-2507-q4_K_M

Security, privacy and compliance: cybersrs-qwen3-4b-ft:latest

Compliance and policy applicability matrix: cybersrs-qwen3-4b-ft:latest

Architecture: cybersrs-qwen3-4b-ft:latest

Threats: cybersrs-qwen3-4b-ft:latest

Risks: cybersrs-qwen3-4b-ft:latest

User stories and use cases: cybersrs-qwen3-4b-ft:latest

Verification and acceptance: cybersrs-qwen3-4b-ft:latest

Glossary: cybersrs-qwen3-4b-ft:latest

SDLC recommendation and workflow: cybersrs-qwen3-4b-ft:latest

Prompt version: sequential-1.29

Requirements traceability matrix

Requirement	Evidence / sources	Stories / tests / SDLC
FR-001	E-001	TEST-001, TEST-002, Requirements and verification planning, Agile delivery cycle, Release and handoff
FR-002	E-002	UC-001, TEST-003, TEST-004, Requirements and verification planning, Agile delivery cycle, Release and handoff
NFR-001	E-004	TEST-005, Requirements and verification planning, Agile delivery cycle, Release and handoff
SEC-001	E-003	TEST-006, TEST-007, Requirements and verification planning, Agile delivery cycle, Release and handoff

Model: cybersrs-qwen3-4b-ft:latest + qwen3:4b-instruct-2507-q4_K_M; prompt: sequential-1.29