CYBERSRS

Firewall Management System Requirements

Software Requirements Specification

DRAFT — human review required

Version 1 • 2026-10-29T13:30:25.017272+00:00

AI-generated advisory document. Review by a qualified professional is required.

Automated checks do not prove completeness or semantic correctness. SDLC suitability scores are rule-based points, not probabilities.

Content SHA-256: 30b00cff04dbf97269fdb9c12ea99062c44f04cb4e0259194e89f132255ecf54

Contents

1. Introduction 3

2. Functional requirements 4

3. Non-functional requirements 6

4. Security, privacy and compliance 6

5. Data requirements 6

6. Network and interfaces 7

7. Compliance and policy applicability matrix 7

8. Architecture 7

9. Threats 9

10. Risks 9

11. User stories and use cases 9

12. Verification and acceptance 10

13. Glossary 11

14. SDLC recommendation and workflow 12

SDLC rankings and decision evidence 15

Evidence register 16

Source references 16

Validation findings 18

Human review history 18

AI drafting record 18

Requirements traceability matrix 19

1. Introduction

Original project description

Design a centralized firewall management system for a university that manages firewall policies across academic, administrative, research, hostel, and guest networks. The system should allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts. The platform should maintain audit logs of firewall policy changes and administrative actions, provide a dashboard for reviewing network security events, and support multiple campus buildings. The solution should be secure, scalable, reliable, and manageable.

Summary: This specification records the project purpose, stakeholder constraints and unresolved decisions stated in the source evidence below.

Items

Stakeholder source statement E-001

Detail: Design a centralized firewall management system for a university that manages firewall policies across academic, administrative, research, hostel, and guest networks.

Status: confirmed

Evidence ids: E-001

Stakeholder source statement E-002

Detail: The system should allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts.

Status: confirmed

Evidence ids: E-002

Stakeholder source statement E-003

Detail: The platform should maintain audit logs of firewall policy changes and administrative actions, provide a dashboard for reviewing network security events, and support multiple campus buildings.

Status: confirmed

Evidence ids: E-003

Stakeholder source statement E-004

Detail: The solution should be secure, scalable, reliable, and manageable.

Status: confirmed

Evidence ids: E-004

2. Functional requirements

Applicability reason: Source-backed obligations; unspecified decisions remain open.

Requirements

FR-001 - design a centralized firewall management system for a university that manages firewall policies across academic, administrative, research, hostel, and guest networks.

Statement: The system shall design a centralized firewall management system for a university that manages firewall policies across academic, administrative, research, hostel, and guest networks.

Rationale: Implements stakeholder source E-001.

Priority: must

Dimensions: business

Basis: explicit

Evidence ids: E-001

Acceptance criteria

Given: A network administrator initiates policy management for the university's academic network

When: The system receives a request to manage firewall policies

Then: The system returns a policy management interface accessible across academic, administrative, research, hostel, and guest networks

Method: test

Observable evidence: Test capture of the policy management interface response

Unresolved decisions: Which specific network segments are included in the policy scope?

FR-002 - allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts.

Statement: The system shall allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts.

Rationale: Implements stakeholder source E-002.

Priority: should

Dimensions: business

Basis: explicit

Evidence ids: E-002

Acceptance criteria

Given: An authorized administrator accesses the firewall management interface

When: The administrator creates a new firewall rule to restrict access from hostel to research networks

Then: The system enforces the access restriction.

Method: test

Observable evidence: Test capture of traffic enforcement and rule application

Given: An administrator observes traffic flow between academic and guest segments

When: The system detects a blocked communication attempt from guest to academic network

Then: The system generates an alert for suspicious activity without terminating the connection

Method: test

Observable evidence: Test capture of generated alert event

Unresolved decisions: Which actions trigger alerts? What constitutes 'suspicious' communication?; Is traffic monitoring continuous or periodic?

FR-003 - The platform shall maintain audit logs of firewall policy changes and administrative actions, provide a dashboard for reviewing network security events, and support multiple campus buildings.

Statement: The platform shall maintain audit logs of firewall policy changes and administrative actions, provide a dashboard for reviewing network security events, and support multiple campus buildings.

Rationale: Implements stakeholder source E-003.

Priority: should

Dimensions: business

Basis: explicit

Evidence ids: E-003

Acceptance criteria

Given: An administrator modifies a firewall rule in the research network

When: The system records the change as part of policy administration

Then: The audit log contains a timestamped entry with user identity, action type, and affected segment

Method: inspection

Observable evidence: Inspection of audit log entries post-policy modification

Given: A security officer accesses the dashboard interface after policy updates

When: The system renders a network security events overview

Then: The system renders a network security events overview

Method: demonstration

Observable evidence: Test capture of resulting dashboard display

Unresolved decisions: Which campus buildings are included in the dashboard coverage?; What data fields are displayed on the dashboard?

3. Non-functional requirements

Applicability reason: Source-backed obligations; unspecified decisions remain open.

Requirements

NFR-001 - The solution shall be secure, scalable, reliable, and manageable.

Statement: The solution shall be secure, scalable, reliable, and manageable.

Rationale: Implements stakeholder source E-004.

Priority: should

Dimensions: availability

Basis: explicit

Evidence ids: E-004

Acceptance criteria

Given: A system designed to manage firewall policies across academic, administrative, research, hostel, and guest networks

When: An operator requests a security assessment of the system's design capabilities

Then: The system demonstrates secure configuration, scalable architecture, reliable operation under load, and manageable interface for policy administration

Method: inspection

Observable evidence: External test capture of the system's design response to security assessment

Unresolved decisions: Definition of scalability thresholds; Criteria for reliability under network congestion; Scope of manageability in multi-campus deployment

4. Security, privacy and compliance

Applicability reason: Existing canonical requirements, where applicable, are linked below; this section adds no separate obligation. Unresolved stakeholder decisions remain open.

Related requirement ids: FR-002; FR-003

5. Data requirements

Applicability reason: Existing canonical requirements, where applicable, are linked below; this section adds no separate obligation. Unresolved stakeholder decisions remain open.

Related requirement ids: FR-003

6. Network and interfaces

Applicability reason: Existing canonical requirements, where applicable, are linked below; this section adds no separate obligation. Unresolved stakeholder decisions remain open.

Related requirement ids: FR-001; FR-002; FR-003

7. Compliance and policy applicability matrix

Open decisions: Which specific network segments are included in the policy scope?; Which actions trigger alerts? What constitutes 'suspicious' communication?; Is traffic monitoring continuous or periodic?; Which campus buildings are included in the dashboard coverage?; What data fields are displayed on the dashboard?; Definition of scalability thresholds; Criteria for reliability under network congestion; Scope of manageability in multi-campus deployment

8. Architecture

Summary: Proposed logical components and interactions mapped to canonical source obligations.

Items

Actor: authorized network administrators

Detail: Proposed logical endpoint for the source-stated actor: authorized network administrators.

Status: proposed

Evidence ids: E-002

Requirement ids: FR-002

Component name: Actor: authorized network administrators

Responsibility: Represent the source-stated actor: authorized network administrators.

Firewall Policy Engine

Detail: Proposed logical owner for FR-001, FR-002, NFR-001.

Status: proposed

Evidence ids: E-001; E-002; E-004

Requirement ids: FR-001; FR-002; NFR-001

Component name: Firewall Policy Engine

Responsibility: The system shall design a centralized firewall management system for a university that manages firewall policies across academic, administrative, research, hostel, and guest networks. The system shall allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts. The solution shall be secure, scalable, reliable, and manageable.

Audit and Monitoring Dashboard

Detail: Proposed logical owner for FR-003, NFR-001.

Status: proposed

Evidence ids: E-003; E-004

Requirement ids: FR-003; NFR-001

Component name: Audit and Monitoring Dashboard

Responsibility: The platform shall maintain audit logs of firewall policy changes and administrative actions, provide a dashboard for reviewing network security events, and support multiple campus buildings. The solution shall be secure, scalable, reliable, and manageable.

Data flows

Proposed source-defined interaction

Detail: Proposed directed path for FR-002.

Status: proposed

Evidence ids: E-002

Requirement ids: FR-002

From component: Actor: authorized network administrators

To component: Firewall Policy Engine

Data or action: The system shall allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts.

Trust boundaries

Proposed source-defined trust boundary

Detail: Proposed logical trust-domain crossing for FR-002.

Status: proposed

Evidence ids: E-002

Requirement ids: FR-002

Untrusted component: Actor: authorized network administrators

Trusted component: Firewall Policy Engine

Enforcement: The system shall allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts.

Proposed source-defined trust boundary

Detail: Proposed logical trust-domain crossing for NFR-001.

Status: proposed

Evidence ids: E-004

Requirement ids: NFR-001

Untrusted component: Firewall Policy Engine

Trusted component: Audit and Monitoring Dashboard

Enforcement: The solution shall be secure, scalable, reliable, and manageable.

9. Threats

Assumptions

1. These are defensive planning hypotheses, not observed incidents or approved extra controls. Unrecognized threats and actual implementation effectiveness require human review.

10. Risks

11. User stories and use cases

User stories and use cases

Id: UC-001

Actor: authorized network administrators

Goal: The system shall allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts.

Story: As authorized network administrators, I need the following behavior: The system shall allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts.

Preconditions

1. An administrator observes traffic flow between academic and guest segments

Steps

1. The system detects a blocked communication attempt from guest to academic network

Success outcome: The system generates an alert for suspicious activity without terminating the connection

Alternate flows

1. Given: An authorized administrator accesses the firewall management interface When: The administrator creates a new firewall rule to restrict access from hostel to research networks Then: The system enforces the access restriction. Evidence: Test capture of traffic enforcement and rule application

Requirement ids: FR-002

Evidence ids: E-002

Unresolved decisions: Which actions trigger alerts? What constitutes 'suspicious' communication?; Is traffic monitoring continuous or periodic?

Open issues: Which actions trigger alerts? What constitutes 'suspicious' communication?; Is traffic monitoring continuous or periodic?

12. Verification and acceptance

Tests

Id: TEST-001

Requirement ids: FR-001

Procedure

1. Given: A network administrator initiates policy management for the university's academic network
2. When: The system receives a request to manage firewall policies

Expected result: Expected: The system returns a policy management interface accessible across academic, administrative, research, hostel, and guest networks

Evidence to record: Evidence: Test capture of the policy management interface response

Test type: positive

Id: TEST-002

Requirement ids: FR-002

Procedure

1. Given: An authorized administrator accesses the firewall management interface
2. When: The administrator creates a new firewall rule to restrict access from hostel to research networks

Expected result: Expected: The system enforces the access restriction.

Evidence to record: Evidence: Test capture of traffic enforcement and rule application

Test type: positive

Id: TEST-003

Requirement ids: FR-002

Procedure

1. Given: An administrator observes traffic flow between academic and guest segments
2. When: The system detects a blocked communication attempt from guest to academic network

Expected result: Expected: The system generates an alert for suspicious activity without terminating the connection

Evidence to record: Evidence: Test capture of generated alert event

Test type: negative

Id: TEST-004

Requirement ids: FR-003

Procedure

1. Given: An administrator modifies a firewall rule in the research network
2. When: The system records the change as part of policy administration

Expected result: Expected: The audit log contains a timestamped entry with user identity, action type, and affected segment

Evidence to record: Evidence: Inspection of audit log entries post-policy modification

Test type: inspection

Id: TEST-005

Requirement ids: FR-003

Procedure

1. Given: A security officer accesses the dashboard interface after policy updates
2. When: The system renders a network security events overview

Expected result: Expected: The system renders a network security events overview

Evidence to record: Evidence: Test capture of resulting dashboard display

Test type: positive

Id: TEST-006

Requirement ids: NFR-001

Procedure

1. Given: A system designed to manage firewall policies across academic, administrative, research, hostel, and guest networks
2. When: An operator requests a security assessment of the system's design capabilities

Expected result: Expected: The system demonstrates secure configuration, scalable architecture, reliable operation under load, and manageable interface for policy administration

Evidence to record: Evidence: External test capture of the system's design response to security assessment

Test type: inspection

Limitations: These verification plans have not been executed; their acceptance outcomes require testing.

13. Glossary

Summary: Source-present terminology; definitions introduce no additional product obligation.

Items

Policy

Detail: A rule or decision governing permitted actions; its project-specific meaning remains defined by the source requirements.

Status: proposed

Evidence ids: E-001; E-003

Audit record

Detail: A stored record of an event. Required event scope and retention are determined by the linked source, not this definition.

Status: proposed

Evidence ids: E-003

Log

Detail: A collection of event records. This term does not itself require additional logging fields, events or access permissions.

Status: proposed

Evidence ids: E-003

Firewall

Detail: A control that permits or restricts network traffic according to rules; mentioning it does not authorize automatic changes.

Status: proposed

Evidence ids: E-001; E-002; E-003

14. SDLC recommendation and workflow

Selected model: Agile

Justification: No differentiating input evidence is provided to select among Agile, DevSecOps, Spiral, V-Model, Waterfall, Hybrid, or Incremental models. All candidates receive equal suitability scores (40/100) due to absence of factors such as budget, delivery, failure consequences, feedback, legacy, regulation, schedule, stability, uncertainty, verification. The selection is therefore provisional and subject to later evidence.

Tradeoffs

1. Recurring delivery requires stakeholder review and backlog refinement; a cycle does not guarantee completeness or remove unresolved decisions.

Phases

Name: Requirements and verification planning

Phase type: planning

Activities

1. Review and baseline the source-defined work group: FR-001: The system shall design a centralized firewall management system for a university that manages firewall policies across academic, administrative, research, hostel, and guest networks.; FR-002: The system shall allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts.; FR-003: The platform shall maintain audit logs of firewall policy changes and administrative actions, provide a dashboard for reviewing network security events, and support multiple campus buildings.; NFR-001: The solution shall be secure, scalable, reliable, and manageable.
2. Create the unit, integration, system and acceptance test plan before implementation; retain each authored acceptance criterion.

Roles: Proposed project owner; Proposed development lead; Proposed verification reviewer

Deliverables

1. Versioned requirements baseline
2. Unit, integration, system and acceptance test plan
3. Unresolved-decision record

Entry criteria

1. Authoritative inputs and canonical requirements are available for review.

Exit criteria

1. A human reviewer has recorded the baseline decision and disposition of unresolved scope.

Security checks

1. Review design and test evidence for violations of source-defined permissions and exclusions.

Human approval: Pending human decision by Proposed project owner on this phase's deliverables and unresolved decisions; no approval is recorded by generation.

Requirement ids: FR-001; FR-002; FR-003; NFR-001

Name: Agile delivery cycle

Phase type: iteration

Activities

1. Review and prioritize the backlog for the next iteration without changing source-defined scope.
2. Implement the source-defined work group: FR-001: The system shall design a centralized firewall management system for a university that manages firewall policies across academic, administrative, research, hostel, and guest networks.; FR-002: The system shall allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts.; FR-003: The platform shall maintain audit logs of firewall policy changes and administrative actions, provide a dashboard for reviewing network security events, and support multiple campus buildings.; NFR-001: The solution shall be secure, scalable, reliable, and manageable.
3. In an authorized isolated test environment, execute TEST-001: Given: A network administrator initiates policy management for the university's academic network When: The system receives a request to manage firewall policies Expected: The system returns a policy management interface accessible across academic, administrative, research, hostel, and guest networks
4. In an authorized isolated test environment, execute TEST-002: Given: An authorized administrator accesses the firewall management interface When: The administrator creates a new firewall rule to restrict access from hostel to research networks Expected: The system enforces the access restriction.
5. In an authorized isolated test environment, execute TEST-003: Given: An administrator observes traffic flow between academic and guest segments When: The system detects a blocked communication attempt from guest to academic network Expected: The system generates an alert for suspicious activity without terminating the connection
6. In an authorized isolated test environment, execute TEST-004: Given: An administrator modifies a firewall rule in the research network When: The system records the change as part of policy administration Expected: The audit log contains a timestamped entry with user identity, action type, and affected segment
7. In an authorized isolated test environment, execute TEST-005: Given: A security officer accesses the dashboard interface after policy updates When: The system renders a network security events

overview Expected: The system renders a network security events overview

8. In an authorized isolated test environment, execute TEST-006: Given: A system designed to manage firewall policies across academic, administrative, research, hostel, and guest networks When: An operator requests a security assessment of the system's design capabilities Expected: The system demonstrates secure configuration, scalable architecture, reliable operation under load, and manageable interface for policy administration
9. Collect stakeholder feedback; agree its cadence with a human reviewer before scheduling cycles.
10. Return accepted stakeholder feedback and observed defects to the backlog and plan the next iteration.

Roles: Proposed project owner; Proposed development lead; Proposed verification reviewer

Deliverables

1. Requirement-linked implementation increment
2. Recorded test evidence
3. Reviewed feedback and next-iteration backlog

Entry criteria

1. Prior work, source scope and the reviewed test plan are available for iteration planning.

Exit criteria

1. A human reviewer has assessed the increment, test evidence and feedback; unresolved changes return to the next iteration.

Security checks

1. Review design and test evidence for violations of source-defined permissions and exclusions.

Human approval: Pending human decision by Proposed project owner on this phase's deliverables and unresolved decisions; no approval is recorded by generation.

Requirement ids: FR-001; FR-002; FR-003; NFR-001

Name: Release and handoff

Phase type: release

Activities

1. Review the exact requirements baseline, implementation links and verification evidence before a release decision.
2. Carry unresolved source decisions into handoff; generated text is not human approval.

Roles: Proposed project owner; Proposed development lead; Proposed verification reviewer

Deliverables

1. Requirements and verification evidence package
2. Pending human release decision
3. Outstanding-decision record

Entry criteria

1. Verification evidence and unresolved decisions are available for human review.

Exit criteria

1. A human has recorded the release/handoff decision for the reviewed content.

Security checks

1. Review design and test evidence for violations of source-defined permissions and exclusions.

Human approval: Pending human decision by Proposed project owner on this phase's deliverables and unresolved decisions; no approval is recorded by generation.

Requirement ids: FR-001; FR-002; FR-003; NFR-001

Unknown factors: budget; delivery; failure_consequences; feedback; legacy; regulation; schedule; stability; uncertainty; verification

SDLC rankings and decision evidence

Policy: sequential-sdlc-1.1

Generation profile: sequential-sdlc-generation-2.0

Ranked candidates

Model: Agile

Score: 40

Reasons: No differentiating input evidence

Model: DevSecOps

Score: 40

Reasons: No differentiating input evidence

Model: Spiral

Score: 40

Reasons: No differentiating input evidence

Model: V-Model

Score: 40

Reasons: No differentiating input evidence

Model: Waterfall

Score: 40

Reasons: No differentiating input evidence

Model: Hybrid

Score: 40

Reasons: No differentiating input evidence

Model: Incremental

Score: 40

Reasons: No differentiating input evidence

Evidence register

Id: E-001

Source: description

Quote: Design a centralized firewall management system for a university that manages firewall policies across academic, administrative, research, hostel, and guest networks.

Id: E-002

Source: description

Quote: The system should allow authorized network administrators to create, review, update, and revoke firewall rules, enforce access restrictions between network segments, monitor blocked and allowed traffic, and generate alerts for suspicious or unauthorized communication attempts.

Id: E-003

Source: description

Quote: The platform should maintain audit logs of firewall policy changes and administrative actions, provide a dashboard for reviewing network security events, and support multiple campus buildings.

Id: E-004

Source: description

Quote: The solution should be secure, scalable, reliable, and manageable.

Source references

kb-c1e0239af9dd46bd:1 - 03_OWASP_CheatSheets/107_OWASP_Zero_Trust_Architecture_Cheat_Sheet.md

Source document id: kb-c1e0239af9dd46bd

Chunk index: 1

Page or section: text chunk 2

Relevance score: 0.7085

Sha256: f5fe6d1e1cfefc05da1b1b9773acee6b7e9d156f4aa69ab0a14a7a1adfd2a8ef

kb-c1e0239af9dd46bd:8 - 03_OWASP_CheatSheets/107_OWASP_Zero_Trust_Architecture_Cheat_Sheet.md

Source document id: kb-c1e0239af9dd46bd

Chunk index: 8

Page or section: text chunk 9

Relevance score: 0.7132

Sha256: f5fe6d1e1cfefc05da1b1b9773acee6b7e9d156f4aa69ab0a14a7a1adfd2a8ef

kb-788cd8fba7ce0acb:3 - 03_OWASP_CheatSheets/083_OWASP_Network_Segmentation_Cheat_Sheet.md

Source document id: kb-788cd8fba7ce0acb

Chunk index: 3

Page or section: text chunk 4

Relevance score: 0.7096

Sha256: 2b91c4e103da8e53c98e3b6006b23c2bb02e8c55e5805a56f0068c7b31a477d8

kb-c1e0239af9dd46bd:14 - 03_OWASP_CheatSheets/107_OWASP_Zero_Trust_Architecture_Cheat_Sheet.md

Source document id: kb-c1e0239af9dd46bd

Chunk index: 14

Page or section: text chunk 15

Relevance score: 0.7034

Sha256: f5fe6d1e1cfefc05da1b1b9773acee6b7e9d156f4aa69ab0a14a7a1adfd2a8ef

kb-c1e0239af9dd46bd:9 - 03_OWASP_CheatSheets/107_OWASP_Zero_Trust_Architecture_Cheat_Sheet.md

Source document id: kb-c1e0239af9dd46bd

Chunk index: 9

Page or section: text chunk 10

Relevance score: 0.7019

Sha256: f5fe6d1e1cfefc05da1b1b9773acee6b7e9d156f4aa69ab0a14a7a1adfd2a8ef

kb-788cd8fba7ce0acb:4 - 03_OWASP_CheatSheets/083_OWASP_Network_Segmentation_Cheat_Sheet.md

Source document id: kb-788cd8fba7ce0acb

Chunk index: 4

Page or section: text chunk 5

Relevance score: 0.7078

Sha256: 2b91c4e103da8e53c98e3b6006b23c2bb02e8c55e5805a56f0068c7b31a477d8

Validation findings

Code: human_semantic_review_required

Severity: warning

Section: document

Message: Review completeness, actor permissions, contradictions and citation applicability; schema and link checks do not prove semantic correctness.

Human review history

None recorded.

AI drafting record

Requested model: cybersrs-qwen3-4b-ft:latest

Actual models used: cybersrs-qwen3-4b-ft:latest; qwen3:4b-instruct-2507-q4_K_M

Section models

Introduction: cybersrs-qwen3-4b-ft:latest

Functional requirements: qwen3:4b-instruct-2507-q4_K_M

Non-functional requirements: qwen3:4b-instruct-2507-q4_K_M

Compliance and policy applicability matrix: cybersrs-qwen3-4b-ft:latest

Architecture: cybersrs-qwen3-4b-ft:latest

Threats: cybersrs-qwen3-4b-ft:latest

Risks: cybersrs-qwen3-4b-ft:latest

User stories and use cases: cybersrs-qwen3-4b-ft:latest

Verification and acceptance: cybersrs-qwen3-4b-ft:latest

Glossary: cybersrs-qwen3-4b-ft:latest

SDLC recommendation and workflow: cybersrs-qwen3-4b-ft:latest

Prompt version: sequential-1.28

Requirements traceability matrix

Requirement	Evidence / sources	Stories / tests / SDLC
FR-001	E-001	TEST-001, Requirements and verification planning, Agile delivery cycle, Release and handoff
FR-002	E-002	UC-001, TEST-002, TEST-003, Requirements and verification planning, Agile delivery cycle, Release and handoff
FR-003	E-003	TEST-004, TEST-005, Requirements and verification planning, Agile delivery cycle, Release and handoff
NFR-001	E-004	TEST-006, Requirements and verification planning, Agile delivery cycle, Release and handoff

Model: cybersrs-qwen3-4b-ft:latest + qwen3:4b-instruct-2507-q4_K_M; prompt: sequential-1.28